

ETA	NTSI Reel #	Footage	Fiber Count	Armor Y/N	OSP/ Riser/ Plenum	Dry/Dry?	Description	Manufacturer	Part Number	Stock Status
	9736-A	10,000	12	N	OSP	Y	Cable, Fiber Optic, 12F SM, Allwave, Loose Tube, Non-Armored, Dry/Dry, Dielectric Central Member, OFS Fortex	OFS	AT-3BE12YT-012	In Stock
	9738	20,000	12	N	OSP	Y	Cable, Fiber Optic, 12F SM, Allwave, Loose Tube, Non-Armored, Dry/Dry, Dielectric Central Member, OFS Fortex	OFS	AT-3BE12YT-012	In Stock
?		20,000	12	N	OSP	Y	Cable,12-Fiber, SM, LT, OS2, Dielectric, ALTOS®, Gel-Free, Enhanced 2.5 mm Buffer Tubes	Corning	012EU4-T4101D20	On Order
?		20,000	12	N	OSP	Y	Cable,12-Fiber, SM, LT, OS2, Dielectric, ALTOS®, Gel-Free, Enhanced 2.5 mm Buffer Tubes	Corning	012EU4-T4101D20	On Order
	9423	20,000	12	Y	OSP	Y	Cable, 12 fiber FORTEx DT-100% DRY LIGHT ARMOR SINGLE PE JKT, SINGLE ARMOR, DIELECTRIC CENTRAL MEMBER ALLWAVE-SM_.35/.31/.25 DB/KM @1310/1385/1550NM	OFS	AT-3BEH2YT-012	In Stock
	9424	20,000	12	Y	OSP	Y	Cable, 12 fiber FORTEx DT-100% DRY LIGHT ARMOR SINGLE PE JKT, SINGLE ARMOR, DIELECTRIC CENTRAL MEMBER ALLWAVE-SM_.35/.31/.25 DB/KM @1310/1385/1550NM	OFS	AT-3BEH2YT-012	In Stock
	9425	20,000	12	Y	OSP	Y	Cable, 12 fiber FORTEx DT-100% DRY LIGHT ARMOR SINGLE PE JKT, SINGLE ARMOR, DIELECTRIC CENTRAL MEMBER ALLWAVE-SM_.35/.31/.25 DB/KM @1310/1385/1550NM	OFS	AT-3BEH2YT-012	In Stock

ETA	NTSI Reel #	Footage	Fiber Count	Armor Y/N	OSP/ Riser/ Plenum	Dry/Dry?	Description	Manufacturer	Part Number	Stock Status
	9426	20,000	12	Y	OSP	Y	Cable, 12 fiber FORTEX DT-100% DRY LIGHT ARMOR SINGLE PE JKT, SINGLE ARMOR, DIELECTRIC CENTRAL MEMBER ALLWAVE-SM_.35/.31/.25 DB/KM @1310/1385/1550NM	OFS	AT-3BEH2YT-012	In Stock
	9525-A	5,000	12	Y	OSP	Y	12-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.4/0.4/0.3 dB/km 12f/tube Print in ft	Corning	012EUC-T4101D20	In Stock
	9513-A	13,192	12	Y	OSP	Y	12-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.4/0.4/0.3 dB/km 12f/tube Print in ft	Corning	012EUC-T4101D20	In Stock
	8401-A	10,995	12	Y	OSP	Y	12-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.4/0.4/0.3 dB/km 12f/tube Print in ft	Corning	012EUC-T4101D20	In Stock
	9552	20,000	12	Y	OSP	Y	12-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.4/0.4/0.3 dB/km 12f/tube Print in ft	Corning	012EUC-T4101D20	In Stock
	9553	20,000	12	Y	OSP	Y	12-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.4/0.4/0.3 dB/km 12f/tube Print in ft	Corning	012EUC-T4101D20	In Stock
	9496	20,000	12	Y	OSP	Y	12-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.4/0.4/0.3 dB/km 12f/tube Print in ft	Corning	012EUC-T4101D20	In Stock

ETA	NTSI Reel #	Footage	Fiber Count	Armor Y/N	OSP/ Riser/ Plenum	Dry/Dry?	Description	Manufacturer	Part Number	Stock Status
	9622	20,000	12	Y	OSP	Y	12-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.4/0.4/0.3 dB/km 12f/tube Print in ft	Corning	012EUC-T4101D20	In Stock
	9623	20,000	12	Y	OSP	Y	12-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.4/0.4/0.3 dB/km 12f/tube Print in ft	Corning	012EUC-T4101D20	In Stock
	9653	20,000	12	Y	OSP	Y	12-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.4/0.4/0.3 dB/km 12f/tube Print in ft	Corning	012EUC-T4101D20	In Stock
	9633	20,000	12	Y	OSP	Y	12-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.4/0.4/0.3 dB/km 12f/tube Print in ft	Corning	012EUC-T4101D20	In Stock
	9634	20,000	12	Y	OSP	Y	12-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.4/0.4/0.3 dB/km 12f/tube Print in ft	Corning	012EUC-T4101D20	In Stock
	9635	20,000	12	Y	OSP	Y	12-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.4/0.4/0.3 dB/km 12f/tube Print in ft	Corning	012EUC-T4101D20	In Stock
	9669	20,000	12	Y	OSP	Y	12-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.4/0.4/0.3 dB/km 12f/tube Print in ft	Corning	012EUC-T4101D20	In Stock

ETA	NTSI Reel #	Footage	Fiber Count	Armor Y/N	OSP/ Riser/ Plenum	Dry/Dry?	Description	Manufacturer	Part Number	Stock Status
	9671	20,000	12	Y	OSP	Y	12-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.4/0.4/0.3 dB/km 12f/tube Print in ft	Corning	012EUC-T4101D20	In Stock
	9685	20,000	12	Y	OSP	Y	12-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.4/0.4/0.3 dB/km 12f/tube Print in ft	Corning	012EUC-T4101D20	In Stock
	9686	20,000	12	Y	OSP	Y	12-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.4/0.4/0.3 dB/km 12f/tube Print in ft	Corning	012EUC-T4101D20	In Stock
	9687	20,000	12	Y	OSP	Y	12-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.4/0.4/0.3 dB/km 12f/tube Print in ft	Corning	012EUC-T4101D20	In Stock
	9689	20,000	12	Y	OSP	Y	12-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.4/0.4/0.3 dB/km 12f/tube Print in ft	Corning	012EUC-T4101D20	In Stock
	9690	20,000	12	Y	OSP	Y	12-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.4/0.4/0.3 dB/km 12f/tube Print in ft	Corning	012EUC-T4101D20	In Stock
	9691	20,000	12	Y	OSP	Y	12-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.4/0.4/0.3 dB/km 12f/tube Print in ft	Corning	012EUC-T4101D20	In Stock

ETA	NTSI Reel #	Footage	Fiber Count	Armor Y/N	OSP/ Riser/ Plenum	Dry/Dry?	Description	Manufacturer	Part Number	Stock Status
	9694	20,000	12	Y	OSP	Y	12-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.4/0.4/0.3 dB/km 12f/tube Print in ft	Corning	012EUC-T4101D20	In Stock
	9720	20,000	12	Y	OSP	Y	12-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.4/0.4/0.3 dB/km 12f/tube Print in ft	Corning	012EUC-T4101D20	In Stock
	9721	20,000	12	Y	OSP	Y	12-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.4/0.4/0.3 dB/km 12f/tube Print in ft	Corning	012EUC-T4101D20	In Stock
	9252-A	14,640	24	N	OSP	Y	Cable, 24 Fiber, Dry-Dry, Singlemode, Dielectric, Loose Tube, Water- Swellable Material, Dielectric CSM, 12 Fibers per Tube HDPE Jacket, 600 lb Tensile DRC-9-02X12-D-ZP-D BK	Teldor	F902402F0B	In Stock
	9376-A	14,658	24	N	OSP	N	Cable, Fiber Optic, 24F SM, Loose Tube, Single PE Jkt, Dielectric Central Member, Dry Core, Gel-Filled Tubes, Non-Armored, ALLWAVE SM-.35/.31/.25 db/km@1310/1385/1550	OFS	AT-3BE12TT-024	In Stock
	9393-A	19,042	24	N	OSP	N	Cable, Fiber Optic, 24F SM, Loose Tube, Single PE Jkt, Dielectric Central Member, Dry Core, Gel-Filled Tubes, Non-Armored, ALLWAVE SM-.35/.31/.25 db/km@1310/1385/1550	OFS	AT-3BE12TT-024	In Stock
	9356-A	14,000	24	N	OSP	N	Cable, Fiber Optic, 24F SM, Loose Tube, Single PE Jkt, Dielectric Central Member, Dry Core, Gel-Filled Tubes, Non-Armored, ALLWAVE SM-.35/.31/.25 db/km@1310/1385/1550	OFS	AT-3BE12TT-024	In Stock

ETA	NTSI Reel #	Footage	Fiber Count	Aarmor Y/N	OSP/ Riser/ Plenum	Dry/Dry?	Description	Manufacturer	Part Number	Stock Status
	9343	20,000	24	N	OSP	N	Cable, Fiber Optic, 24F SM, Loose Tube, Single PE Jkt, Dielectric Central Member, Dry Core, Gel-Filled Tubes, Non-Armored, ALLWAVE SM-.35/.31/.25 db/km@1310/1385/1550	OFS	AT-3BE12TT-024	In Stock
	9345	20,000	24	N	OSP	N	Cable, Fiber Optic, 24F SM, Loose Tube, Single PE Jkt, Dielectric Central Member, Dry Core, Gel-Filled Tubes, Non-Armored, ALLWAVE SM-.35/.31/.25 db/km@1310/1385/1550	OFS	AT-3BE12TT-024	In Stock
	9357	20,000	24	N	OSP	N	Cable, Fiber Optic, 24F SM, Loose Tube, Single PE Jkt, Dielectric Central Member, Dry Core, Gel-Filled Tubes, Non-Armored, ALLWAVE SM-.35/.31/.25 db/km@1310/1385/1550	OFS	AT-3BE12TT-024	Order Pending
	9372	20,000	24	N	OSP	N	Cable, Fiber Optic, 24F SM, Loose Tube, Single PE Jkt, Dielectric Central Member, Dry Core, Gel-Filled Tubes, Non-Armored, ALLWAVE SM-.35/.31/.25 db/km@1310/1385/1550	OFS	AT-3BE12TT-024	Order Pending
	9377	20,000	24	N	OSP	N	Cable, Fiber Optic, 24F SM, Loose Tube, Single PE Jkt, Dielectric Central Member, Dry Core, Gel-Filled Tubes, Non-Armored, ALLWAVE SM-.35/.31/.25 db/km@1310/1385/1550	OFS	AT-3BE12TT-024	In Stock
	9483	20,000	24	N	OSP	Y	Cable, Fiber Optic, 24F SM, Loose Tube, Single PE Jkt, Dielectric Central Member, Dry Core, Gel-Filled Tubes, Non-Armored, ALLWAVE SM-.35/.31/.25 db/km@1310/1385/1550	OFS	AT-3BE12YT-024	In Stock
	9484	20,000	24	N	OSP	Y	Cable, Fiber Optic, 24F SM, Loose Tube, Single PE Jkt, Dielectric Central Member, Dry Core, Gel-Filled Tubes, Non-Armored, ALLWAVE SM-.35/.31/.25 db/km@1310/1385/1550	OFS	AT-3BE12YT-024	In Stock

ETA	NTSI Reel #	Footage	Fiber Count	Aarmor Y/N	OSP/ Riser/ Plenum	Dry/Dry?	Description	Manufacturer	Part Number	Stock Status
	9485	20,000	24	N	OSP	Y	Cable, Fiber Optic, 24F SM, Loose Tube, Single PE Jkt, Dielectric Central Member, Dry Core, Gel-Filled Tubes, Non-Armored, ALLWAVE SM-.35/.31/.25 db/km@1310/1385/1550	OFS	AT-3BE12YT-024	Order Pending
	9486	20,000	24	N	OSP	Y	Cable, Fiber Optic, 24F SM, Loose Tube, Single PE Jkt, Dielectric Central Member, Dry Core, Gel-Filled Tubes, Non-Armored, ALLWAVE SM-.35/.31/.25 db/km@1310/1385/1550	OFS	AT-3BE12YT-024	Order Pending
	9487	20,000	24	N	OSP	Y	Cable, Fiber Optic, 24F SM, Loose Tube, Single PE Jkt, Dielectric Central Member, Dry Core, Gel-Filled Tubes, Non-Armored, ALLWAVE SM-.35/.31/.25 db/km@1310/1385/1550	OFS	AT-3BE12YT-024	Order Pending
	9488	20,000	24	N	OSP	Y	Cable, Fiber Optic, 24F SM, Loose Tube, Single PE Jkt, Dielectric Central Member, Dry Core, Gel-Filled Tubes, Non-Armored, ALLWAVE SM-.35/.31/.25 db/km@1310/1385/1550	OFS	AT-3BE12YT-024	Order Pending
?		20,000	24	N	OSP	Y	Cable, 24 Fiber, SM, ALTOS, Dielectric, 2.5mm Buffer, Gel-Free, SMFe, 0.35/0.35/0.25 dB/km, 12 fibers per tube	Corning	024EU4-T4100D20	Order Pending
?		20,000	24	N	OSP	Y	Cable, 24 Fiber, SM, ALTOS, Dielectric, 2.5mm Buffer, Gel-Free, SMFe, 0.35/0.35/0.25 dB/km, 12 fibers per tube	Corning	024EU4-T4100D20	Order Pending
?		20,000	24	N	OSP	Y	Cable, 24 Fiber, SM, ALTOS, Dielectric, 2.5mm Buffer, Gel-Free, SMFe, 0.35/0.35/0.25 dB/km, 12 fibers per tube	Corning	024EU4-T4100D20	Order Pending

ETA	NTSI Reel #	Footage	Fiber Count	Armor Y/N	OSP/ Riser/ Plenum	Dry/Dry?	Description	Manufacturer	Part Number	Stock Status
?		20,000	24	N	OSP	Y	Cable, 24 Fiber, SM, ALTOS, Dielectric, 2.5mm Buffer, Gel-Free, SMFe, 0.35/0.35/0.25 dB/km, 12 fibers per tube	Corning	024EU4-T4100D20	Order Pending
	8962-A	5,022	24	Y	OSP	Y	Cable, Fiber Optic. 24 Fiber. Loose Tube, Corning Single Mode Fiber in Stranded Tubes Water-Swellable Material, Dielectric CSM, 12Fibers/Tube HDPE Jacket, 600 lb Tensile Cable for Aerial, Duct, and Direct-Buried Applications	Teldor	F902402G5B	In Stock
	8878	20,132	24	Y	OSP	Y	Cable, Fiber Optic. 24 Fiber. Loose Tube, Corning Single Mode Fiber in Stranded Tubes Water-Swellable Material, Dielectric CSM, 12Fibers/Tube HDPE Jacket, 600 lb Tensile Cable for Aerial, Duct, and Direct-Buried Applications	Teldor	F902402G5B	In Stock
	8881-A	15,432	24	Y	OSP	Y	Cable, Fiber Optic. 24 Fiber. Loose Tube, Corning Single Mode Fiber in Stranded Tubes Water-Swellable Material, Dielectric CSM, 12Fibers/Tube HDPE Jacket, 600 lb Tensile Cable for Aerial, Duct, and Direct-Buried Applications	Teldor	F902402G5B	In Stock
	8963	20,080	24	Y	OSP	Y	Cable, Fiber Optic. 24 Fiber. Loose Tube, Corning Single Mode Fiber in Stranded Tubes Water-Swellable Material, Dielectric CSM, 12Fibers/Tube HDPE Jacket, 600 lb Tensile Cable for Aerial, Duct, and Direct-Buried Applications	Teldor	F902402G5B	In Stock
	8964	20,080	24	Y	OSP	Y	Cable, Fiber Optic. 24 Fiber. Loose Tube, Corning Single Mode Fiber in Stranded Tubes Water-Swellable Material, Dielectric CSM, 12Fibers/Tube HDPE Jacket, 600 lb Tensile Cable for Aerial, Duct, and Direct-Buried Applications	Teldor	F902402G5B	In Stock
	8965-A	10,162	24	Y	OSP	Y	Cable, Fiber Optic. 24 Fiber. Loose Tube, Corning Single Mode Fiber in Stranded Tubes Water-Swellable Material, Dielectric CSM, 12Fibers/Tube HDPE Jacket, 600 lb Tensile Cable for Aerial, Duct, and Direct-Buried Applications	Teldor	F902402G5B	In Stock



ETA	NTSI Reel #	Footage	Fiber Count	Aarmor Y/N	OSP/ Riser/ Plenum	Dry/Dry?	Description	Manufacturer	Part Number	Stock Status
	8970	18,895	24	Y	OSP	Y	Cable, Fiber Optic. 24 Fiber. Loose Tube, Corning Single Mode Fiber in Stranded Tubes Water-Swellable Material, Dielectric CSM, 12Fibers/Tube HDPE Jacket, 600 lb Tensile Cable for Aerial, Duct, and Direct-Buried Applications	Teldor	F902402G5B	In Stock
	9031	19,571	24	Y	OSP	Y	Cable, Fiber Optic. 24 Fiber. Loose Tube, Corning Single Mode Fiber in Stranded Tubes Water-Swellable Material, Dielectric CSM, 12Fibers/Tube HDPE Jacket, 600 lb Tensile Cable for Aerial, Duct, and Direct-Buried Applications	Teldor	F902402G5B	In Stock
	9035	20,277	24	Y	OSP	Y	Cable, Fiber Optic. 24 Fiber. Loose Tube, Corning Single Mode Fiber in Stranded Tubes Water-Swellable Material, Dielectric CSM, 12Fibers/Tube HDPE Jacket, 600 lb Tensile Cable for Aerial, Duct, and Direct-Buried Applications	Teldor	F902402G5B	In Stock
	9043	19,899	24	Y	OSP	Y	Cable, Fiber Optic. 24 Fiber. Loose Tube, Corning Single Mode Fiber in Stranded Tubes Water-Swellable Material, Dielectric CSM, 12Fibers/Tube HDPE Jacket, 600 lb Tensile Cable for Aerial, Duct, and Direct-Buried Applications	Teldor	F902402G5B	In Stock
	9492	20,000	24	Y	OSP	Y	Cable, Fiber optic. 24 count, Loose Tube, Single Amror, Single Jacket. DRY-DRY Cable. ESM Glass	Corning	0024EUC-T4100D20	In Stock
	9493	20,000	24	Y	OSP	Y	Cable, Fiber optic. 24 count, Loose Tube, Single Amror, Single Jacket. DRY-DRY Cable. ESM Glass	Corning	0024EUC-T4100D20	In Stock
	9516	20,000	24	Y	OSP	Y	Cable, Fiber optic. 24 count, Loose Tube, Single Amror, Single Jacket. DRY-DRY Cable. ESM Glass	Corning	0024EUC-T4100D20	In Stock

ETA	NTSI Reel #	Footage	Fiber Count	Aarmor Y/N	OSP/ Riser/ Plenum	Dry/Dry?	Description	Manufacturer	Part Number	Stock Status
	9615	20,000	24	Y	OSP	Y	Cable, Fiber optic.24 count, Loose Tube, Single Amror, Single Jacket. DRY-DRY Cable. ESM Glass	Corning	0024EUC-T4100D20	In Stock
	9616	20,000	24	Y	OSP	Y	Cable, Fiber optic.24 count, Loose Tube, Single Amror, Single Jacket. DRY-DRY Cable. ESM Glass	Corning	0024EUC-T4100D20	In Stock
	9574	20,000	24	Y	OSP	Y	Cable, Fiber optic.24 count, Loose Tube, Single Amror, Single Jacket. DRY-DRY Cable. ESM Glass	Corning	0024EUC-T4100D20	In Stock
	9641	20,000	24	Y	OSP	Y	Cable, Fiber optic.24 count, Loose Tube, Single Amror, Single Jacket. DRY-DRY Cable. ESM Glass	Corning	0024EUC-T4100D20	In Stock
	9658	20,000	24	Y	OSP	Y	Cable, Fiber optic.24 count, Loose Tube, Single Amror, Single Jacket. DRY-DRY Cable. ESM Glass	Corning	0024EUC-T4100D20	In Stock
	9659	20,000	24	Y	OSP	Y	Cable, Fiber optic.24 count, Loose Tube, Single Amror, Single Jacket. DRY-DRY Cable. ESM Glass	Corning	0024EUC-T4100D20	In Stock
	9660	20,000	24	Y	OSP	Y	Cable, Fiber optic.24 count, Loose Tube, Single Amror, Single Jacket. DRY-DRY Cable. ESM Glass	Corning	0024EUC-T4100D20	In Stock

ETA	NTSI Reel #	Footage	Fiber Count	Aarmor Y/N	OSP/ Riser/ Plenum	Dry/Dry?	Description	Manufacturer	Part Number	Stock Status
	9661	20,000	24	Y	OSP	Y	Cable, Fiber optic.24 count, Loose Tube, Single Amror, Single Jacket. DRY-DRY Cable. ESM Glass	Corning	0024EUC-T4100D20	In Stock
	9662	20,000	24	Y	OSP	Y	Cable, Fiber optic.24 count, Loose Tube, Single Amror, Single Jacket. DRY-DRY Cable. ESM Glass	Corning	0024EUC-T4100D20	In Stock
	9643	20,000	24	Y	OSP	Y	Cable, Fiber optic.24 count, Loose Tube, Single Amror, Single Jacket. DRY-DRY Cable. ESM Glass	Corning	0024EUC-T4100D20	In Stock
	9644	20,000	24	Y	OSP	Y	Cable, Fiber optic.24 count, Loose Tube, Single Amror, Single Jacket. DRY-DRY Cable. ESM Glass	Corning	0024EUC-T4100D20	In Stock
	9645	20,000	24	Y	OSP	Y	Cable, Fiber optic.24 count, Loose Tube, Single Amror, Single Jacket. DRY-DRY Cable. ESM Glass	Corning	0024EUC-T4100D20	In Stock
	9646	20,000	24	Y	OSP	Y	Cable, Fiber optic.24 count, Loose Tube, Single Amror, Single Jacket. DRY-DRY Cable. ESM Glass	Corning	0024EUC-T4100D20	In Stock
	9647	20,000	24	Y	OSP	Y	Cable, Fiber optic.24 count, Loose Tube, Single Amror, Single Jacket. DRY-DRY Cable. ESM Glass	Corning	0024EUC-T4100D20	In Stock

ETA	NTSI Reel #	Footage	Fiber Count	Aarmor Y/N	OSP/ Riser/ Plenum	Dry/Dry?	Description	Manufacturer	Part Number	Stock Status
	9697	20,000	24	Y	OSP	Y	Cable, Fiber optic.24 count, Loose Tube, Single Amror, Single Jacket. DRY-DRY Cable. ESM Glass	Corning	0024EUC-T4100D20	In Stock
	9698	20,000	24	Y	OSP	Y	Cable, Fiber optic.24 count, Loose Tube, Single Amror, Single Jacket. DRY-DRY Cable. ESM Glass	Corning	0024EUC-T4100D20	In Stock
	9699	20,000	24	Y	OSP	Y	Cable, Fiber optic.24 count, Loose Tube, Single Amror, Single Jacket. DRY-DRY Cable. ESM Glass	Corning	0024EUC-T4100D20	In Stock
	9700	20,000	24	Y	OSP	Y	Cable, Fiber optic.24 count, Loose Tube, Single Amror, Single Jacket. DRY-DRY Cable. ESM Glass	Corning	0024EUC-T4100D20	In Stock
	9709	20,000	24	Y	OSP	Y	Cable, Fiber optic.24 count, Loose Tube, Single Amror, Single Jacket. DRY-DRY Cable. ESM Glass	Corning	0024EUC-T4100D20	In Stock
	9710	20,000	24	Y	OSP	Y	Cable, Fiber optic.24 count, Loose Tube, Single Amror, Single Jacket. DRY-DRY Cable. ESM Glass	Corning	0024EUC-T4100D20	In Stock
	9711	20,000	24	Y	OSP	Y	Cable, Fiber optic.24 count, Loose Tube, Single Amror, Single Jacket. DRY-DRY Cable. ESM Glass	Corning	0024EUC-T4100D20	In Stock

ETA	NTSI Reel #	Footage	Fiber Count	Aarmor Y/N	OSP/ Riser/ Plenum	Dry/Dry?	Description	Manufacturer	Part Number	Stock Status
	9712	20,000	24	Y	OSP	Y	Cable, Fiber optic.24 count, Loose Tube, Single Amror, Single Jacket. DRY-DRY Cable. ESM Glass	Corning	0024EUC-T4100D20	In Stock
	9701	20,000	24	Y	OSP	Y	Cable, Fiber optic.24 count, Loose Tube, Single Amror, Single Jacket. DRY-DRY Cable. ESM Glass	Corning	0024EUC-T4100D20	In Stock
	9702	20,000	24	Y	OSP	Y	Cable, Fiber optic.24 count, Loose Tube, Single Amror, Single Jacket. DRY-DRY Cable. ESM Glass	Corning	0024EUC-T4100D20	In Stock
	9703	20,000	24	Y	OSP	Y	Cable, Fiber optic.24 count, Loose Tube, Single Amror, Single Jacket. DRY-DRY Cable. ESM Glass	Corning	0024EUC-T4100D20	In Stock
	9704	20,000	24	Y	OSP	Y	Cable, Fiber optic.24 count, Loose Tube, Single Amror, Single Jacket. DRY-DRY Cable. ESM Glass	Corning	0024EUC-T4100D20	In Stock
	9718	20,000	24	Y	OSP	Y	Cable, Fiber optic.24 count, Loose Tube, Single Amror, Single Jacket. DRY-DRY Cable. ESM Glass	Corning	0024EUC-T4100D20	In Stock
	9719	20,000	24	Y	OSP	Y	Cable, Fiber optic.24 count, Loose Tube, Single Amror, Single Jacket. DRY-DRY Cable. ESM Glass	Corning	0024EUC-T4100D20	In Stock

ETA	NTSI Reel #	Footage	Fiber Count	Aarmor Y/N	OSP/ Riser/ Plenum	Dry/Dry?	Description	Manufacturer	Part Number	Stock Status
?		20,000	24	Y	OSP	Y	Cable, Fiber optic.24 count, Loose Tube, Single Amror, Single Jacket. DRY-DRY Cable. ESM Glass	Corning	0024EUC-T4100D20	On Order
	9705	20,000	24	Y	OSP	Y	Cable, Fiber optic.24 count, Loose Tube, Single Amror, Single Jacket. DRY-DRY Cable. ESM Glass	Corning	0024EUC-T4100D20	Order Pending
	9706	20,000	24	Y	OSP	Y	Cable, Fiber optic.24 count, Loose Tube, Single Amror, Single Jacket. DRY-DRY Cable. ESM Glass	Corning	0024EUC-T4100D20	Order Pending
	9707	20,000	24	Y	OSP	Y	Cable, Fiber optic.24 count, Loose Tube, Single Amror, Single Jacket. DRY-DRY Cable. ESM Glass	Corning	0024EUC-T4100D20	Order Pending
	9708	20,000	24	Y	OSP	Y	Cable, Fiber optic.24 count, Loose Tube, Single Amror, Single Jacket. DRY-DRY Cable. ESM Glass	Corning	0024EUC-T4100D20	Order Pending
	9558	5,791	36	N	OSP	N	Cable, fiber optic. 36-FIBER ALTOS GEL-FILLED CABLE ALL DIELECTRIC SINGLE JACKET SMF-28E+ MAX: 0.35/0.35/0.25 G.652.D 12F/TUBE PRINT IN FT	Corning	036EW4-T4100A53	In Stock
	9291	5,462	36	N	OSP	N	Cable, fiber optic. 36-FIBER ALTOS GEL-FILLED CABLE ALL DIELECTRIC SINGLE JACKET SMF-28E+ MAX: 0.35/0.35/0.25 G.652.D 12F/TUBE PRINT IN FT	Corning	036EW4-T4100A53	In Stock

ETA	NTSI Reel #	Footage	Fiber Count	Armor Y/N	OSP/ Riser/ Plenum	Dry/Dry?	Description	Manufacturer	Part Number	Stock Status
	9742-A	10,000	48	N	OSP	Y	Cable 48F FORTEX DT-100% DRY SINGLE JKT SINGLE PE JKT, DIELECTRIC CENTRAL MEMBER ALLWAVE-SM_.35/.31/.25 DB/KM @1310/1385/1550NM	OFS	AT-3BE12YT-048	Order Pending
	9744	20,000	48	N	OSP	Y	Cable 48F FORTEX DT-100% DRY SINGLE JKT SINGLE PE JKT, DIELECTRIC CENTRAL MEMBER ALLWAVE-SM_.35/.31/.25 DB/KM @1310/1385/1550NM	OFS	AT-3BE12YT-048	Order Pending
	9745	20,000	48	N	OSP	Y	Cable 48F FORTEX DT-100% DRY SINGLE JKT SINGLE PE JKT, DIELECTRIC CENTRAL MEMBER ALLWAVE-SM_.35/.31/.25 DB/KM @1310/1385/1550NM	OFS	AT-3BE12YT-048	Order Pending
	9235-A	15,032	48	N	OSP	N	Cable, Fiber Optic. 48 SMF-28e+ fibers, Loose Tube, Gel Filled, All-Dielectric, 12f/Tube, Marked in feet, Standard Sheath print + SOCC code	Corning	048EW4-T4100A53	Order Pending
	9457-A	19,450	48	Y	OSP	Y	Cable, DRY/DRY 48 Fiber, SM, Loose Tube, Single Armor/Single Jacket, Dry-Dry, Water-Swellable Matl, Dielectric CSM, 12 Fibers per Tube, HDPE Jacket, 600 lb Tensile, Cable for Aerial, Duct, And Direct-Buried DRC-9-04X12-D-ZRP-D BK	Teldor	F904804M6B	In Stock
	9511-A	2,586	48	Y	OSP	Y	48-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube Print in ft	Corning	048EUC-T4100D20	In Stock
	9510-A	14,996	48	Y	OSP	Y	48-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube Print in ft	Corning	048EUC-T4100D20	In Stock

ETA	NTSI Reel #	Footage	Fiber Count	Armor Y/N	OSP/ Riser/ Plenum	Dry/Dry?	Description	Manufacturer	Part Number	Stock Status
	9527	20,000	48	Y	OSP	Y	48-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube Print in ft	Corning	048EUC-T4100D20	In Stock
	9528	20,000	48	Y	OSP	Y	48-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube Print in ft	Corning	048EUC-T4100D20	In Stock
	9538	20,000	48	Y	OSP	Y	48-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube Print in ft	Corning	048EUC-T4100D20	In Stock
	9539	20,000	48	Y	OSP	Y	48-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube Print in ft	Corning	048EUC-T4100D20	In Stock
	9549	20,000	48	Y	OSP	Y	48-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube Print in ft	Corning	048EUC-T4100D20	In Stock
	9584	20,000	48	Y	OSP	Y	48-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube Print in ft	Corning	048EUC-T4100D20	In Stock
	9585	20,000	48	Y	OSP	Y	48-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube Print in ft	Corning	048EUC-T4100D20	In Stock



ETA	NTSI Reel #	Footage	Fiber Count	Armor Y/N	OSP/ Riser/ Plenum	Dry/Dry?	Description	Manufacturer	Part Number	Stock Status
	9597	20,000	48	Y	OSP	Y	48-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube Print in ft	Corning	048EUC-T4100D20	In Stock
	9598	20,000	48	Y	OSP	Y	48-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube Print in ft	Corning	048EUC-T4100D20	In Stock
	9599	20,000	48	Y	OSP	Y	48-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube Print in ft	Corning	048EUC-T4100D20	In Stock
	9588	20,000	48	Y	OSP	Y	48-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube Print in ft	Corning	048EUC-T4100D20	In Stock
	9589	20,000	48	Y	OSP	Y	48-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube Print in ft	Corning	048EUC-T4100D20	In Stock
	9590	20,000	48	Y	OSP	Y	48-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube Print in ft	Corning	048EUC-T4100D20	In Stock
	9591	20,000	48	Y	OSP	Y	48-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube Print in ft	Corning	048EUC-T4100D20	In Stock

ETA	NTSI Reel #	Footage	Fiber Count	Armor Y/N	OSP/ Riser/ Plenum	Dry/Dry?	Description	Manufacturer	Part Number	Stock Status
	9592	20,000	48	Y	OSP	Y	48-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube Print in ft	Corning	048EUC-T4100D20	In Stock
	9612	20,000	48	Y	OSP	Y	48-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube Print in ft	Corning	048EUC-T4100D20	In Stock
	9606	20,000	48	Y	OSP	Y	48-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube Print in ft	Corning	048EUC-T4100D20	In Stock
	9607	20,000	48	Y	OSP	Y	48-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube Print in ft	Corning	048EUC-T4100D20	In Stock
	9608	20,000	48	Y	OSP	Y	48-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube Print in ft	Corning	048EUC-T4100D20	In Stock
	9609	20,000	48	Y	OSP	Y	48-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube Print in ft	Corning	048EUC-T4100D20	In Stock
	9610	20,000	48	Y	OSP	Y	48-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube Print in ft	Corning	048EUC-T4100D20	In Stock

ETA	NTSI Reel #	Footage	Fiber Count	Armor Y/N	OSP/ Riser/ Plenum	Dry/Dry?	Description	Manufacturer	Part Number	Stock Status
	9611	20,000	48	Y	OSP	Y	48-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube Print in ft	Corning	048EUC-T4100D20	In Stock
	9626	20,000	48	Y	OSP	Y	48-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube Print in ft	Corning	048EUC-T4100D20	In Stock
	9640	20,000	48	Y	OSP	Y	48-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube Print in ft	Corning	048EUC-T4100D20	In Stock
	9593	20,000	48	Y	OSP	Y	48-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube Print in ft	Corning	048EUC-T4100D20	In Stock
	9594	20,000	48	Y	OSP	Y	48-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube Print in ft	Corning	048EUC-T4100D20	In Stock
	9604	20,000	48	Y	OSP	Y	48-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube Print in ft	Corning	048EUC-T4100D20	In Stock
	9605	20,000	48	Y	OSP	Y	48-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube Print in ft	Corning	048EUC-T4100D20	In Stock

ETA	NTSI Reel #	Footage	Fiber Count	Armor Y/N	OSP/ Riser/ Plenum	Dry/Dry?	Description	Manufacturer	Part Number	Stock Status
	9648	20,000	48	Y	OSP	Y	48-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube Print in ft	Corning	048EUC-T4100D20	In Stock
	9649	20,000	48	Y	OSP	Y	48-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube Print in ft	Corning	048EUC-T4100D20	In Stock
	9650	20,000	48	Y	OSP	Y	48-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube Print in ft	Corning	048EUC-T4100D20	In Stock
	9651	20,000	48	Y	OSP	Y	48-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube Print in ft	Corning	048EUC-T4100D20	In Stock
	9652	20,000	48	Y	OSP	Y	48-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube Print in ft	Corning	048EUC-T4100D20	In Stock
03/31/17		20,000	48	Y	OSP	Y	48-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube Print in ft	Corning	048EUC-T4100D20	On Order
03/31/17		20,000	48	Y	OSP	Y	48-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube Print in ft	Corning	048EUC-T4100D20	On Order

ETA	NTSI Reel #	Footage	Fiber Count	Aarmor Y/N	OSP/ Riser/ Plenum	Dry/Dry?	Description	Manufacturer	Part Number	Stock Status
03/31/17		20,000	48	Y	OSP	Y	48-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Aarmor SMFe 0.35/0.35/0.25 dB/km 12f/tube Print in ft	Corning	048EUC-T4100D20	Order Pending
03/31/17		20,000	48	Y	OSP	Y	48-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Aarmor SMFe 0.35/0.35/0.25 dB/km 12f/tube Print in ft	Corning	048EUC-T4100D20	Order Pending
03/31/17		20,000	48	Y	OSP	Y	48-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Aarmor SMFe 0.35/0.35/0.25 dB/km 12f/tube Print in ft	Corning	048EUC-T4100D20	Order Pending
03/31/17		20,000	48	Y	OSP	Y	48-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Aarmor SMFe 0.35/0.35/0.25 dB/km 12f/tube Print in ft	Corning	048EUC-T4100D20	Order Pending
03/31/17		20,000	48	Y	OSP	Y	48-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Aarmor SMFe 0.35/0.35/0.25 dB/km 12f/tube Print in ft	Corning	048EUC-T4100D20	Order Pending
	9739-A	10,151	72	N	OSP	Y	Cable 72F FORTEX DT-100% DRY SINGLE JKT SINGLE PE JKT, DIELECTRIC CENTRAL MEMBER ALLWAVE-SM_.35/.31/.25 DB/KM @1310/1385/1550NM	OFS	AT-3BE12YT-072	In Stock
	9740	20,000	72	N	OSP	Y	Cable 72F FORTEX DT-100% DRY SINGLE JKT SINGLE PE JKT, DIELECTRIC CENTRAL MEMBER ALLWAVE-SM_.35/.31/.25 DB/KM @1310/1385/1550NM	OFS	AT-3BE12YT-072	In Stock

ETA	NTSI Reel #	Footage	Fiber Count	Armor Y/N	OSP/ Riser/ Plenum	Dry/Dry?	Description	Manufacturer	Part Number	Stock Status
	9741	20,000	72	N	OSP	Y	Cable 72F FORTEX DT-100% DRY SINGLE JKT SINGLE PE JKT, DIELECTRIC CENTRAL MEMBER ALLWAVE-SM_.35/.31/.25 DB/KM @1310/1385/1550NM	OFS	AT-3BE12YT-072	In Stock
	9731	10,000	72	Y	OSP	Y	Cable, 72 Fiber, SM. FORTEX DT-100% Dry, Light Armor, Single PE Jacket, Dielectric Central Member, ALLWAVE, .35/.31/.25 db/km @ 1310/1385/1550 nm	OFS	AT-3BEH2YT-072	In Stock
	9541-A	8,096	72	Y	OSP	Y	72-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube	Corning	072EUC-T4100D20	In Stock
	9577	20,000	72	Y	OSP	Y	72-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube	Corning	072EUC-T4100D20	In Stock
	9586	20,000	72	Y	OSP	Y	72-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube	Corning	072EUC-T4100D20	In Stock
	9601	20,000	72	Y	OSP	Y	72-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube	Corning	072EUC-T4100D20	In Stock
	9602	20,000	72	Y	OSP	Y	72-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube	Corning	072EUC-T4100D20	In Stock

ETA	NTSI Reel #	Footage	Fiber Count	Armor Y/N	OSP/ Riser/ Plenum	Dry/Dry?	Description	Manufacturer	Part Number	Stock Status
	9595	20,000	72	Y	OSP	Y	72-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube	Corning	072EUC-T4100D20	In Stock
	9596	20,000	72	Y	OSP	Y	72-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube	Corning	072EUC-T4100D20	In Stock
	9603	20,000	72	Y	OSP	Y	72-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube	Corning	072EUC-T4100D20	In Stock
	9624	20,000	72	Y	OSP	Y	72-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube	Corning	072EUC-T4100D20	In Stock
	9618	20,000	72	Y	OSP	Y	72-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube	Corning	072EUC-T4100D20	In Stock
	9619	20,000	72	Y	OSP	Y	72-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube	Corning	072EUC-T4100D20	In Stock
	9654	20,000	72	Y	OSP	Y	72-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube	Corning	072EUC-T4100D20	In Stock

ETA	NTSI Reel #	Footage	Fiber Count	Armor Y/N	OSP/ Riser/ Plenum	Dry/Dry?	Description	Manufacturer	Part Number	Stock Status
	9655	20,000	72	Y	OSP	Y	72-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube	Corning	072EUC-T4100D20	In Stock
	9656	20,000	72	Y	OSP	Y	72-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube	Corning	072EUC-T4100D20	In Stock
	9657	20,000	72	Y	OSP	Y	72-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube	Corning	072EUC-T4100D20	In Stock
	9667	20,000	72	Y	OSP	Y	72-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube	Corning	072EUC-T4100D20	In Stock
	9668	20,000	72	Y	OSP	Y	72-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube	Corning	072EUC-T4100D20	In Stock
	9670	20,000	72	Y	OSP	Y	72-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube	Corning	072EUC-T4100D20	In Stock
	9681	20,000	72	Y	OSP	Y	72-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube	Corning	072EUC-T4100D20	In Stock



ETA	NTSI Reel #	Footage	Fiber Count	Armor Y/N	OSP/ Riser/ Plenum	Dry/Dry?	Description	Manufacturer	Part Number	Stock Status
	9692	20,000	72	Y	OSP	Y	72-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube	Corning	072EUC-T4100D20	In Stock
	9693	20,000	72	Y	OSP	Y	72-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube	Corning	072EUC-T4100D20	In Stock
	9682	20,000	72	Y	OSP	Y	72-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube	Corning	072EUC-T4100D20	In Stock
	9683	20,000	72	Y	OSP	Y	72-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube	Corning	072EUC-T4100D20	In Stock
	9684	20,000	72	Y	OSP	Y	72-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube	Corning	072EUC-T4100D20	In Stock
	9688	20,000	72	Y	OSP	Y	72-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube	Corning	072EUC-T4100D20	In Stock
03/03/17		20,000	72	Y	OSP	Y	72-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube	Corning	072EUC-T4100D20	On Order

ETA	NTSI Reel #	Footage	Fiber Count	Armor Y/N	OSP/ Riser/ Plenum	Dry/Dry?	Description	Manufacturer	Part Number	Stock Status
03/03/17		20,000	72	Y	OSP	Y	72-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube	Corning	072EUC-T4100D20	On Order
05/05/17		20,000	72	Y	OSP	Y	72-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube	Corning	072EUC-T4100D20	On Order
05/05/17		20,000	72	Y	OSP	Y	72-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube	Corning	072EUC-T4100D20	On Order
05/05/17		20,000	72	Y	OSP	Y	72-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube	Corning	072EUC-T4100D20	On Order
05/05/17		20,000	72	Y	OSP	Y	72-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube	Corning	072EUC-T4100D20	On Order
05/05/17		20,000	72	Y	OSP	Y	72-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube	Corning	072EUC-T4100D20	On Order
05/05/17		20,000	72	Y	OSP	Y	72-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube	Corning	072EUC-T4100D20	On Order
05/05/17		20,000	72	Y	OSP	Y	72-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube	Corning	072EUC-T4100D20	On Order

ETA	NTSI Reel #	Footage	Fiber Count	Armor Y/N	OSP/ Riser/ Plenum	Dry/Dry?	Description	Manufacturer	Part Number	Stock Status
?		20,000	72	Y	OSP	Y	72-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube	Corning	072EUC-T4100D20	On Order
?		20,000	72	Y	OSP	Y	72-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube	Corning	072EUC-T4100D20	On Order
?		20,000	72	Y	OSP	Y	72-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube	Corning	072EUC-T4100D20	On Order
?		20,000	72	Y	OSP	Y	72-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube	Corning	072EUC-T4100D20	On Order
?		20,000	72	Y	OSP	Y	72-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube	Corning	072EUC-T4100D20	On Order
?		20,000	72	Y	OSP	Y	72-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube	Corning	072EUC-T4100D20	On Order
	9289	13,189	96	N	OSP	N	Cable, Fiber Optic. (96) SMF-28e+ fibers, Loose Tube, Gel Filled, All-Dielectric, 12f/Tube, Marked in feet, Standard Sheath print + SOCC code	Corning	096EW4-T4100A53	In Stock
	9390	14,628	96	N	OSP	Y	Cable, Fiber Optic. 96 cout, loose tube, OSP, Single Jacket, Non-armored, Dry-Dry, Corning ESM glass	Corning	096EU4-T4100D20	Order Pending

ETA	NTSI Reel #	Footage	Fiber Count	Aarmor Y/N	OSP/ Riser/ Plenum	Dry/Dry?	Description	Manufacturer	Part Number	Stock Status
?		20,000	96	N	OSP	Y	Cable, Fiber Optic. 96 cout, loose tube, OSP, Single Jacket, Non-armored, Dry-Dry, Corning ESM glass	Corning	096EU4-T4100D20	On Order
	9350-A	11,588	96	N	OSP	N	Cable, Fiber Optic. 96 Fiber. Single Jkt Single PE Jkt, Dielectric Central Member ALLWAVE-SM-.35/.31/.25 db/km@1310/1385/1550	OFS	AT-3BE12TT-096	In Stock
	9353	20,000	96	N	OSP	N	Cable, Fiber Optic. 96 Fiber. Single Jkt Single PE Jkt, Dielectric Central Member ALLWAVE-SM-.35/.31/.25 db/km@1310/1385/1550	OFS	AT-3BE12TT-096	In Stock
	9382	20,000	96	N	OSP	N	Cable, Fiber Optic. 96 Fiber. Single Jkt Single PE Jkt, Dielectric Central Member ALLWAVE-SM-.35/.31/.25 db/km@1310/1385/1550	OFS	AT-3BE12TT-096	In Stock
	9383	20,000	96	N	OSP	N	Cable, Fiber Optic. 96 Fiber. Single Jkt Single PE Jkt, Dielectric Central Member ALLWAVE-SM-.35/.31/.25 db/km@1310/1385/1550	OFS	AT-3BE12TT-096	In Stock
	9172-A	18,174	96	N	OSP	Y	Cable, Fiber Optic. 96 fiber. Loose Single Mode Fiber in Stranded Tubes Water-Swellable Material, Dielectric CSM, 12Fibers/Tube HDPE Jacket, 600 lb Tensile Cable for Aerial, Duct, and Direct-Buried Applications	Teldor	F909608G7B	In Stock
	9168-A	20,026	96	N	OSP	Y	Cable, Fiber Optic. 96 fiber. Loose Single Mode Fiber in Stranded Tubes Water-Swellable Material, Dielectric CSM, 12Fibers/Tube HDPE Jacket, 600 lb Tensile Cable for Aerial, Duct, and Direct-Buried Applications	Teldor	F909608G7B	In Stock

ETA	NTSI Reel #	Footage	Fiber Count	Armor Y/N	OSP/ Riser/ Plenum	Dry/Dry?	Description	Manufacturer	Part Number	Stock Status
	9262	20,014	96	N	OSP	Y	Cable, DRY/DRY 96 Fiber, SM, Loose Tube, Single Armor/Single Jacket, Dry-Dry, Water-Swellable Matl, Dielectric CSM, 12 Fibers per Tube, HDPE Jacket, 600 lb Tensile DRC-9-08X12-D-ZRP-D BK	Teldor	F909608G7B	In Stock
	9263	20,129	96	N	OSP	Y	Cable, DRY/DRY 96 Fiber, SM, Loose Tube, Single Armor/Single Jacket, Dry-Dry, Water-Swellable Matl, Dielectric CSM, 12 Fibers per Tube, HDPE Jacket, 600 lb Tensile DRC-9-08X12-D-ZRP-D BK	Teldor	F909608G7B	In Stock
	9261-A	7,054	96	N	OSP	Y	Cable, DRY/DRY 96 Fiber, SM, Loose Tube, Single Armor/Single Jacket, Dry-Dry, Water-Swellable Matl, Dielectric CSM, 12 Fibers per Tube, HDPE Jacket, 600 lb Tensile DRC-9-08X12-D-ZRP-D BK	Teldor	F909608G7B	In Stock
	9470	20,277	96	N	OSP	Y	Cable, DRY/DRY 96 Fiber, SM, Loose Tube, Single Armor/Single Jacket, Dry-Dry, Water-Swellable Matl, Dielectric CSM, 12 Fibers per Tube, HDPE Jacket, 600 lb Tensile DRC-9-08X12-D-ZRP-D BK	Teldor	F909608G7B	Order Pending
	9471	20,198	96	N	OSP	Y	Cable, DRY/DRY 96 Fiber, SM, Loose Tube, Single Armor/Single Jacket, Dry-Dry, Water-Swellable Matl, Dielectric CSM, 12 Fibers per Tube, HDPE Jacket, 600 lb Tensile DRC-9-08X12-D-ZRP-D BK	Teldor	F909608G7B	Order Pending
	9477	20,375	96	N	OSP	Y	Cable, DRY/DRY 96 Fiber, SM, Loose Tube, Single Armor/Single Jacket, Dry-Dry, Water-Swellable Matl, Dielectric CSM, 12 Fibers per Tube, HDPE Jacket, 600 lb Tensile DRC-9-08X12-D-ZRP-D BK	Teldor	F909608G7B	Order Pending
	9478	20,211	96	N	OSP	Y	Cable, DRY/DRY 96 Fiber, SM, Loose Tube, Single Armor/Single Jacket, Dry-Dry, Water-Swellable Matl, Dielectric CSM, 12 Fibers per Tube, HDPE Jacket, 600 lb Tensile DRC-9-08X12-D-ZRP-D BK	Teldor	F909608G7B	Order Pending

ETA	NTSI Reel #	Footage	Fiber Count	Armor Y/N	OSP/ Riser/ Plenum	Dry/Dry?	Description	Manufacturer	Part Number	Stock Status
	9451	20,300	96	Y	OSP	Y	Cable, DRY/DRY 96 Fiber, SM, Loose Tube, Single Armor/Single Jacket, Dry-Dry, Water-Swellable Matl, Dielectric CSM, 12 Fibers per Tube, HDPE Jacket, 600 lb Tensile DRC-9-08X12-D-ZRP-D BK	Teldor	F909608E7B	In Stock
	9458	20,290	96	Y	OSP	Y	Cable, DRY/DRY 96 Fiber, SM, Loose Tube, Single Armor/Single Jacket, Dry-Dry, Water-Swellable Matl, Dielectric CSM, 12 Fibers per Tube, HDPE Jacket, 600 lb Tensile DRC-9-08X12-D-ZRP-D BK	Teldor	F909608E7B	In Stock
	9459	20,188	96	Y	OSP	Y	Cable, DRY/DRY 96 Fiber, SM, Loose Tube, Single Armor/Single Jacket, Dry-Dry, Water-Swellable Matl, Dielectric CSM, 12 Fibers per Tube, HDPE Jacket, 600 lb Tensile DRC-9-08X12-D-ZRP-D BK	Teldor	F909608E7B	Order Pending
	9514	20,000	96	Y	OSP	Y	Cable, Fiber Optic. 96-Fiber ALTOS® Gel-Free Cable 2.5 mm Buffer Armor Lite# Single-Jacket/Single-Armor SMFe 0.33/0.33/0.19 dB/km G.652.D12f/tube Print in ft	Corning	0096EUC-T4100D20	Order Pending
	9515	20,000	96	Y	OSP	Y	Cable, Fiber Optic. 96-Fiber ALTOS® Gel-Free Cable 2.5 mm Buffer Armor Lite# Single-Jacket/Single-Armor SMFe 0.33/0.33/0.19 dB/km G.652.D12f/tube Print in ft	Corning	0096EUC-T4100D20	Order Pending
	9554	20,000	96	Y	OSP	Y	Cable, Fiber Optic. 96-Fiber ALTOS® Gel-Free Cable 2.5 mm Buffer Armor Lite# Single-Jacket/Single-Armor SMFe 0.33/0.33/0.19 dB/km G.652.D12f/tube Print in ft	Corning	0096EUC-T4100D20	Order Pending
	9636	20,000	96	Y	OSP	Y	Cable, Fiber Optic. 96-Fiber ALTOS® Gel-Free Cable 2.5 mm Buffer Armor Lite# Single-Jacket/Single-Armor SMFe 0.33/0.33/0.19 dB/km G.652.D12f/tube Print in ft	Corning	0096EUC-T4100D20	In Stock

ETA	NTSI Reel #	Footage	Fiber Count	Armor Y/N	OSP/ Riser/ Plenum	Dry/Dry?	Description	Manufacturer	Part Number	Stock Status
	9637	20,000	96	Y	OSP	Y	Cable, Fiber Optic. 96-Fiber ALTOS® Gel-Free Cable 2.5 mm Buffer Armor Lite# Single-Jacket/Single-Armor SMFe 0.33/0.33/0.19 dB/km G.652.D12f/tube Print in ft	Corning	0096EUC-T4100D20	In Stock
	9638	20,000	96	Y	OSP	Y	Cable, Fiber Optic. 96-Fiber ALTOS® Gel-Free Cable 2.5 mm Buffer Armor Lite# Single-Jacket/Single-Armor SMFe 0.33/0.33/0.19 dB/km G.652.D12f/tube Print in ft	Corning	0096EUC-T4100D20	In Stock
	9672	20,000	96	Y	OSP	Y	Cable, Fiber Optic. 96-Fiber ALTOS® Gel-Free Cable 2.5 mm Buffer Armor Lite# Single-Jacket/Single-Armor SMFe 0.33/0.33/0.19 dB/km G.652.D12f/tube Print in ft	Corning	0096EUC-T4100D20	In Stock
	9675	20,000	96	Y	OSP	Y	Cable, Fiber Optic. 96-Fiber ALTOS® Gel-Free Cable 2.5 mm Buffer Armor Lite# Single-Jacket/Single-Armor SMFe 0.33/0.33/0.19 dB/km G.652.D12f/tube Print in ft	Corning	0096EUC-T4100D20	In Stock
	9676	20,000	96	Y	OSP	Y	Cable, Fiber Optic. 96-Fiber ALTOS® Gel-Free Cable 2.5 mm Buffer Armor Lite# Single-Jacket/Single-Armor SMFe 0.33/0.33/0.19 dB/km G.652.D12f/tube Print in ft	Corning	0096EUC-T4100D20	In Stock
	9677	20,000	96	Y	OSP	Y	Cable, Fiber Optic. 96-Fiber ALTOS® Gel-Free Cable 2.5 mm Buffer Armor Lite# Single-Jacket/Single-Armor SMFe 0.33/0.33/0.19 dB/km G.652.D12f/tube Print in ft	Corning	0096EUC-T4100D20	In Stock
	9673	20,000	96	Y	OSP	Y	Cable, Fiber Optic. 96-Fiber ALTOS® Gel-Free Cable 2.5 mm Buffer Armor Lite# Single-Jacket/Single-Armor SMFe 0.33/0.33/0.19 dB/km G.652.D12f/tube Print in ft	Corning	0096EUC-T4100D20	In Stock

ETA	NTSI Reel #	Footage	Fiber Count	Armor Y/N	OSP/ Riser/ Plenum	Dry/Dry?	Description	Manufacturer	Part Number	Stock Status
	9674	20,000	96	Y	OSP	Y	Cable, Fiber Optic. 96-Fiber ALTOS® Gel-Free Cable 2.5 mm Buffer Armor Lite# Single-Jacket/Single-Armor SMFe 0.33/0.33/0.19 dB/km G.652.D12f/tube Print in ft	Corning	0096EUC-T4100D20	In Stock
	9695	20,000	96	Y	OSP	Y	Cable, Fiber Optic. 96-Fiber ALTOS® Gel-Free Cable 2.5 mm Buffer Armor Lite# Single-Jacket/Single-Armor SMFe 0.33/0.33/0.19 dB/km G.652.D12f/tube Print in ft	Corning	0096EUC-T4100D20	In Stock
	9696	20,000	96	Y	OSP	Y	Cable, Fiber Optic. 96-Fiber ALTOS® Gel-Free Cable 2.5 mm Buffer Armor Lite# Single-Jacket/Single-Armor SMFe 0.33/0.33/0.19 dB/km G.652.D12f/tube Print in ft	Corning	0096EUC-T4100D20	In Stock
	9713	20,000	96	Y	OSP	Y	Cable, Fiber Optic. 96-Fiber ALTOS® Gel-Free Cable 2.5 mm Buffer Armor Lite# Single-Jacket/Single-Armor SMFe 0.33/0.33/0.19 dB/km G.652.D12f/tube Print in ft	Corning	0096EUC-T4100D20	In Stock
	9714	20,000	96	Y	OSP	Y	Cable, Fiber Optic. 96-Fiber ALTOS® Gel-Free Cable 2.5 mm Buffer Armor Lite# Single-Jacket/Single-Armor SMFe 0.33/0.33/0.19 dB/km G.652.D12f/tube Print in ft	Corning	0096EUC-T4100D20	In Stock
	9715	20,000	96	Y	OSP	Y	Cable, Fiber Optic. 96-Fiber ALTOS® Gel-Free Cable 2.5 mm Buffer Armor Lite# Single-Jacket/Single-Armor SMFe 0.33/0.33/0.19 dB/km G.652.D12f/tube Print in ft	Corning	0096EUC-T4100D20	In Stock
	9723	20,000	96	Y	OSP	Y	Cable, Fiber Optic. 96-Fiber ALTOS® Gel-Free Cable 2.5 mm Buffer Armor Lite# Single-Jacket/Single-Armor SMFe 0.33/0.33/0.19 dB/km G.652.D12f/tube Print in ft	Corning	0096EUC-T4100D20	In Stock



ETA	NTSI Reel #	Footage	Fiber Count	Armor Y/N	OSP/ Riser/ Plenum	Dry/Dry?	Description	Manufacturer	Part Number	Stock Status
	9724	20,000	96	Y	OSP	Y	Cable, Fiber Optic. 96-Fiber ALTOS® Gel-Free Cable 2.5 mm Buffer Armor Lite# Single-Jacket/Single-Armor SMFe 0.33/0.33/0.19 dB/km G.652.D12f/tube Print in ft	Corning	0096EUC-T4100D20	In Stock
	9725	20,000	96	Y	OSP	Y	Cable, Fiber Optic. 96-Fiber ALTOS® Gel-Free Cable 2.5 mm Buffer Armor Lite# Single-Jacket/Single-Armor SMFe 0.33/0.33/0.19 dB/km G.652.D12f/tube Print in ft	Corning	0096EUC-T4100D20	In Stock
	9726	20,000	96	Y	OSP	Y	Cable, Fiber Optic. 96-Fiber ALTOS® Gel-Free Cable 2.5 mm Buffer Armor Lite# Single-Jacket/Single-Armor SMFe 0.33/0.33/0.19 dB/km G.652.D12f/tube Print in ft	Corning	0096EUC-T4100D20	In Stock
05/12/17		20,000	96	Y	OSP	Y	Cable, Fiber Optic. 96-Fiber ALTOS® Gel-Free Cable 2.5 mm Buffer Armor Lite# Single-Jacket/Single-Armor SMFe 0.33/0.33/0.19 dB/km G.652.D12f/tube Print in ft	Corning	0096EUC-T4100D20	On Order
05/12/17		20,000	96	Y	OSP	Y	Cable, Fiber Optic. 96-Fiber ALTOS® Gel-Free Cable 2.5 mm Buffer Armor Lite# Single-Jacket/Single-Armor SMFe 0.33/0.33/0.19 dB/km G.652.D12f/tube Print in ft	Corning	0096EUC-T4100D20	On Order
05/12/17		20,000	96	Y	OSP	Y	Cable, Fiber Optic. 96-Fiber ALTOS® Gel-Free Cable 2.5 mm Buffer Armor Lite# Single-Jacket/Single-Armor SMFe 0.33/0.33/0.19 dB/km G.652.D12f/tube Print in ft	Corning	0096EUC-T4100D20	On Order
05/12/17		20,000	96	Y	OSP	Y	Cable, Fiber Optic. 96-Fiber ALTOS® Gel-Free Cable 2.5 mm Buffer Armor Lite# Single-Jacket/Single-Armor SMFe 0.33/0.33/0.19 dB/km G.652.D12f/tube Print in ft	Corning	0096EUC-T4100D20	On Order

ETA	NTSI Reel #	Footage	Fiber Count	Armor Y/N	OSP/ Riser/ Plenum	Dry/Dry?	Description	Manufacturer	Part Number	Stock Status
05/12/17		20,000	96	Y	OSP	Y	Cable, Fiber Optic. 96-Fiber ALTOS® Gel-Free Cable 2.5 mm Buffer Armor Lite# Single-Jacket/Single-Armor SMFe 0.33/0.33/0.19 dB/km G.652.D12f/tube Print in ft	Corning	0096EUC-T4100D20	On Order
?		20,000	96	Y	OSP	Y	Cable, Fiber Optic. 96-Fiber ALTOS® Gel-Free Cable 2.5 mm Buffer Armor Lite# Single-Jacket/Single-Armor SMFe 0.33/0.33/0.19 dB/km G.652.D12f/tube Print in ft	Corning	0096EUC-T4100D20	On Order
?		20,000	96	Y	OSP	Y	Cable, Fiber Optic. 96-Fiber ALTOS® Gel-Free Cable 2.5 mm Buffer Armor Lite# Single-Jacket/Single-Armor SMFe 0.33/0.33/0.19 dB/km G.652.D12f/tube Print in ft	Corning	0096EUC-T4100D20	On Order
?		20,000	96	Y	OSP	Y	Cable, Fiber Optic. 96-Fiber ALTOS® Gel-Free Cable 2.5 mm Buffer Armor Lite# Single-Jacket/Single-Armor SMFe 0.33/0.33/0.19 dB/km G.652.D12f/tube Print in ft	Corning	0096EUC-T4100D20	On Order
?		20,000	96	Y	OSP	Y	Cable, Fiber Optic. 96-Fiber ALTOS® Gel-Free Cable 2.5 mm Buffer Armor Lite# Single-Jacket/Single-Armor SMFe 0.33/0.33/0.19 dB/km G.652.D12f/tube Print in ft	Corning	0096EUC-T4100D20	On Order
?		20,000	96	Y	OSP	Y	Cable, Fiber Optic. 96-Fiber ALTOS® Gel-Free Cable 2.5 mm Buffer Armor Lite# Single-Jacket/Single-Armor SMFe 0.33/0.33/0.19 dB/km G.652.D12f/tube Print in ft	Corning	0096EUC-T4100D20	On Order
?		20,000	96	Y	OSP	Y	Cable, Fiber Optic. 96-Fiber ALTOS® Gel-Free Cable 2.5 mm Buffer Armor Lite# Single-Jacket/Single-Armor SMFe 0.33/0.33/0.19 dB/km G.652.D12f/tube Print in ft	Corning	0096EUC-T4100D20	On Order
?		20,000	96	Y	OSP	Y	Cable, Fiber Optic. 96-Fiber ALTOS® Gel-Free Cable 2.5 mm Buffer Armor Lite# Single-Jacket/Single-Armor SMFe 0.33/0.33/0.19 dB/km G.652.D12f/tube Print in ft	Corning	0096EUC-T4100D20	On Order

ETA	NTSI Reel #	Footage	Fiber Count	Armor Y/N	OSP/ Riser/ Plenum	Dry/Dry?	Description	Manufacturer	Part Number	Stock Status
?		20,000	96	Y	OSP	Y	Cable, Fiber Optic. 96-Fiber ALTOS® Gel-Free Cable 2.5 mm Buffer Armor Lite# Single-Jacket/Single-Armor SMFe 0.33/0.33/0.19 dB/km G.652.D12f/tube Print in ft	Corning	0096EUC-T4100D20	On Order
	9354	20,000	144	N	OSP	Y	"Cable, Fiber Optic. 144 count Loose Single Mode Fiber in Stranded Tubes Water-Swellable Material, Dry-Gel. Dielectric CSM,12Fibers/Tube HDPE Jacket, 600 lb Tensile Cable for Aerial, Duct, and Direct-Buried Applications"	OFS	AT-3BE12TT-144	In Stock
	9355	20,000	144	N	OSP	Y	"Cable, Fiber Optic. 144 count Loose Single Mode Fiber in Stranded Tubes Water-Swellable Material, Dry-Gel. Dielectric CSM,12Fibers/Tube HDPE Jacket, 600 lb Tensile Cable for Aerial, Duct, and Direct-Buried Applications"	OFS	AT-3BE12TT-144	In Stock
	9360	20,000	144	N	OSP	Y	"Cable, Fiber Optic. 144 count Loose Single Mode Fiber in Stranded Tubes Water-Swellable Material, Dry-Gel. Dielectric CSM,12Fibers/Tube HDPE Jacket, 600 lb Tensile Cable for Aerial, Duct, and Direct-Buried Applications"	OFS	AT-3BE12TT-144	In Stock
	9358	20,000	144	N	OSP	Y	"Cable, Fiber Optic. 144 count Loose Single Mode Fiber in Stranded Tubes Water-Swellable Material, Dry-Gel. Dielectric CSM,12Fibers/Tube HDPE Jacket, 600 lb Tensile Cable for Aerial, Duct, and Direct-Buried Applications"	OFS	AT-3BE12TT-144	In Stock
	9359-A	14,834	144	N	OSP	Y	"Cable, Fiber Optic. 144 count Loose Single Mode Fiber in Stranded Tubes Water-Swellable Material, Dry-Gel. Dielectric CSM,12Fibers/Tube HDPE Jacket, 600 lb Tensile Cable for Aerial, Duct, and Direct-Buried Applications"	OFS	AT-3BE12TT-144	In Stock
	9388	20,000	144	N	OSP	Y	"Cable, Fiber Optic. 144 count Loose Single Mode Fiber in Stranded Tubes Water-Swellable Material, Dry-Gel. Dielectric CSM,12Fibers/Tube HDPE Jacket, 600 lb Tensile Cable for Aerial, Duct, and Direct-Buried Applications"	OFS	AT-3BE12TT-144	Order Pending

ETA	NTSI Reel #	Footage	Fiber Count	Aarmor Y/N	OSP/ Riser/ Plenum	Dry/Dry?	Description	Manufacturer	Part Number	Stock Status
	9389	20,000	144	N	OSP	Y	"Cable, Fiber Optic. 144 count Loose Single Mode Fiber in Stranded Tubes Water-Swellable Material, Dry-Gel. Dielectric CSM,12Fibers/Tube HDPE Jacket, 600 lb Tensile Cable for Aerial, Duct, and Direct-Buried Applications"	OFS	AT-3BE12TT-144	Order Pending
	9460-A	9,256	144	N	OSP	Y	Cable, Fiber Optic. 144 count Loose Single Mode Fiber in Stranded Tubes Water-Swellable Material, Dry-Dry. Dielectric CSM,12Fibers/Tube HDPE Jacket, 600 lb Tensile Cable for Aerial, Duct, and Direct-Buried Applications	Teldor	F914412C1B	In Stock
	9218	10,718	144	N	OSP	N	Cable, Fiber optic. (144) SMF-28e+ fibers, Loose Tube, Gel Filled, All-Dielectric, 12f/Tube, Marked in feet, Standard Sheath print + SOCC code	Corning	144EW4-CK701A53	Order Pending
	9219	10,112	144	N	OSP	N	Cable, Fiber optic. (144) SMF-28e+ fibers, Loose Tube, Gel Filled, All-Dielectric, 12f/Tube, Marked in feet, Standard Sheath print + SOCC code	Corning	144EW4-CK701A53	Order Pending
	9232	10,590	144	N	OSP	N	Cable, Fiber optic. (144) SMF-28e+ fibers, Loose Tube, Gel Filled, All-Dielectric, 12f/Tube, Marked in feet, Standard Sheath print + SOCC code	Corning	144EW4-CK701A53	Order Pending
	9391-A	12,944	144	N	OSP	N	Cable, fiber optic. 144 Fiber, ALTOS Loose Tube, All-dielectric, Gel Filled buffer tubes, Non-armored, SMF-28e glass	Corning	144EU4-T4100A20	In Stock
	9392	19,300	144	N	OSP	N	Cable, fiber optic. 144 Fiber, ALTOS Loose Tube, All-dielectric, Gel Filled buffer tubes, Non-armored, SMF-28e glass	Corning	144EU4-T4100A20	In Stock

ETA	NTSI Reel #	Footage	Fiber Count	Armor Y/N	OSP/ Riser/ Plenum	Dry/Dry?	Description	Manufacturer	Part Number	Stock Status
	9067	17,422	144	N	OSP	N	Cable, 144 Fiber, Dielectric, Single Jacket, Gel-Filled, Corning SMF28e+ SM Glass, 1310 / 1383 /1550 nm	Prysmian	F-ETH1JKT-12-CE-144-E3	In Stock
	9441	20,323	144	Y	OSP	Y	"Cable,144 Fiber DRY/DRY Armored Cable (Single Armor/Single Jacket) Loose Single Mode Fiber in Stranded Tubes Water Swellable Material, DielectricCSM, 12Fibers/Tube HDPE Jacket, 600 lb Tensile Cable for Aerial, Duct, and Direct-Buried Applications DRC-9-12X12-D-ZRP-D BK "	Teldor	F914412A4B	In Stock
	9442	20,408	144	Y	OSP	Y	"Cable,144 Fiber DRY/DRY Armored Cable (Single Armor/Single Jacket) Loose Single Mode Fiber in Stranded Tubes Water Swellable Material, DielectricCSM, 12Fibers/Tube HDPE Jacket, 600 lb Tensile Cable for Aerial, Duct, and Direct-Buried Applications DRC-9-12X12-D-ZRP-D BK "	Teldor	F914412A4B	In Stock
	9443	20,290	144	Y	OSP	Y	"Cable,144 Fiber DRY/DRY Armored Cable (Single Armor/Single Jacket) Loose Single Mode Fiber in Stranded Tubes Water Swellable Material, DielectricCSM, 12Fibers/Tube HDPE Jacket, 600 lb Tensile Cable for Aerial, Duct, and Direct-Buried Applications DRC-9-12X12-D-ZRP-D BK "	Teldor	F914412A4B	In Stock
	9444	19,952	144	Y	OSP	Y	"Cable,144 Fiber DRY/DRY Armored Cable (Single Armor/Single Jacket) Loose Single Mode Fiber in Stranded Tubes Water Swellable Material, DielectricCSM, 12Fibers/Tube HDPE Jacket, 600 lb Tensile Cable for Aerial, Duct, and Direct-Buried Applications DRC-9-12X12-D-ZRP-D BK "	Teldor	F914412A4B	In Stock
	9563-A	7,416	144	Y	OSP	Y	"Cable,144 Fiber DRY/DRY Armored Cable (Single Armor/Single Jacket) Loose Single Mode Fiber in Stranded Tubes Water Swellable Material, DielectricCSM, 12Fibers/Tube HDPE Jacket, 600 lb Tensile Cable for Aerial, Duct, and Direct-Buried Applications DRC-9-12X12-D-ZRP-D BK "	Teldor	F914412A4B	In Stock
	9281-A	12,722	144	Y	OSP	Y	"Cable,144 Fiber DRY/DRY Armored Cable (Single Armor/Single Jacket) Loose Single Mode Fiber in Stranded Tubes Water Swellable Material, DielectricCSM, 12Fibers/Tube HDPE Jacket, 600 lb Tensile Cable for Aerial, Duct, and Direct-Buried Applications DRC-9-12X12-D-ZRP-D BK "	Teldor	F914412A4B	Order Pending

ETA	NTSI Reel #	Footage	Fiber Count	Armor Y/N	OSP/ Riser/ Plenum	Dry/Dry?	Description	Manufacturer	Part Number	Stock Status
	9482	13,288	144	Y	OSP	Y	"Cable,144 Fiber DRY/DRY Armored Cable (Single Armor/Single Jacket) Loose Single Mode Fiber in Stranded Tubes Water Swellable Material, DielectricCSM, 12Fibers/Tube HDPE Jacket, 600 lb Tensile Cable for Aerial, Duct, and Direct-Buried Applications DRC-9-12X12-D-ZRP-D BK "	Teldor	F914412A4B	In Stock
	9447	13,288	144	Y	OSP	Y	"Cable,144 Fiber DRY/DRY Armored Cable (Single Armor/Single Jacket) Loose Single Mode Fiber in Stranded Tubes Water Swellable Material, DielectricCSM, 12Fibers/Tube HDPE Jacket, 600 lb Tensile Cable for Aerial, Duct, and Direct-Buried Applications DRC-9-12X12-D-ZRP-D BK "	Teldor	F914412A4B	In Stock
	9467-A	10,904	144	Y	OSP	Y	"Cable,144 Fiber DRY/DRY Armored Cable (Single Armor/Single Jacket) Loose Single Mode Fiber in Stranded Tubes Water Swellable Material, DielectricCSM, 12Fibers/Tube HDPE Jacket, 600 lb Tensile Cable for Aerial, Duct, and Direct-Buried Applications DRC-9-12X12-D-ZRP-D BK "	Teldor	F914412A4B	In Stock
	9733	20,000	144	Y	OSP	Y	Cable 144F, AT-3BEH2YT-144_ FORTEX DT-100% DRY LIGHT ARMOR SINGLE PE JKT, SINGLE ARMOR, DIELECTRIC CENTRAL MEMBER ALLWAVE-SM_.35/.31/.25 DB/KM@1310/1385/1550	OFS	AT-3BEH2YT-144	In Stock
	9732	17,000	144	Y	OSP	Y	Cable 144F, AT-3BEH2YT-144_ FORTEX DT-100% DRY LIGHT ARMOR SINGLE PE JKT, SINGLE ARMOR, DIELECTRIC CENTRAL MEMBER ALLWAVE-SM_.35/.31/.25 DB/KM@1310/1385/1550	OFS	AT-3BEH2YT-144	In Stock
	9491	20,000	144	Y	OSP	Y	Cable 144F, AT-3BEH2YT-144_ FORTEX DT-100% DRY LIGHT ARMOR SINGLE PE JKT, SINGLE ARMOR, DIELECTRIC CENTRAL MEMBER ALLWAVE-SM_.35/.31/.25 DB/KM@1310/1385/1550	OFS	AT-3BEH2YT-144	In Stock
	9135-A	6,438	144	Y	OSP	Y	Cable 144F, AT-3BEH2YT-144_ FORTEX DT-100% DRY LIGHT ARMOR SINGLE PE JKT, SINGLE ARMOR, DIELECTRIC CENTRAL MEMBER ALLWAVE-SM_.35/.31/.25 DB/KM@1310/1385/1550	OFS	AT-3BEH2YT-144	In Stock

ETA	NTSI Reel #	Footage	Fiber Count	Armor Y/N	OSP/ Riser/ Plenum	Dry/Dry?	Description	Manufacturer	Part Number	Stock Status
	9399	20,000	144	Y	OSP	Y	Cable 144F, AT-3BEH2YT-144_ FORTEX DT-100% DRY LIGHT ARMOR SINGLE PE JKT, SINGLE ARMOR, DIELECTRIC CENTRAL MEMBER ALLWAVE-SM_.35/.31/.25 DB/KM@1310/1385/1550	OFS	AT-3BEH2YT-144	In Stock
	9749	20,000	144	Y	OSP	Y	Cable 144F, AT-3BEH2YT-144_ FORTEX DT-100% DRY LIGHT ARMOR SINGLE PE JKT, SINGLE ARMOR, DIELECTRIC CENTRAL MEMBER ALLWAVE-SM_.35/.31/.25 DB/KM@1310/1385/1550	OFS	AT-3BEH2YT-144	In Stock
	9750	20,000	144	Y	OSP	Y	Cable 144F, AT-3BEH2YT-144_ FORTEX DT-100% DRY LIGHT ARMOR SINGLE PE JKT, SINGLE ARMOR, DIELECTRIC CENTRAL MEMBER ALLWAVE-SM_.35/.31/.25 DB/KM@1310/1385/1550	OFS	AT-3BEH2YT-144	Order Pending
	9716	20,000	144	Y	OSP	Y	144-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube Print in ft	Corning	144EUC-T4100D20	Order Pending
	9727	20,000	144	Y	OSP	Y	144-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube Print in ft	Corning	144EUC-T4100D20	In Stock
	9728	20,000	144	Y	OSP	Y	144-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube Print in ft	Corning	144EUC-T4100D20	In Stock
04/01/17		20,000	144	Y	OSP	Y	144-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube Print in ft	Corning	144EUC-T4100D20	Order Pending

ETA	NTSI Reel #	Footage	Fiber Count	Armor Y/N	OSP/ Riser/ Plenum	Dry/Dry?	Description	Manufacturer	Part Number	Stock Status
	9729	20,000	144	Y	OSP	Y	144-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube Print in ft	Corning	144EUC-T4100D20	Order Pending
	9730	20,000	144	Y	OSP	Y	144-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube Print in ft	Corning	144EUC-T4100D20	Order Pending
05/05/17		20,000	144	Y	OSP	Y	144-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube Print in ft	Corning	144EUC-T4100D20	On Order
04/01/17		20,000	144	Y	OSP	Y	144-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube Print in ft	Corning	144EUC-T4100D20	On Order
04/01/17		20,000	144	Y	OSP	Y	144-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube Print in ft	Corning	144EUC-T4100D20	On Order
04/01/17		20,000	144	Y	OSP	Y	144-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube Print in ft	Corning	144EUC-T4100D20	On Order
04/01/17		20,000	144	Y	OSP	Y	144-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube Print in ft	Corning	144EUC-T4100D20	On Order
04/01/17		20,000	144	Y	OSP	Y	144-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube Print in ft	Corning	144EUC-T4100D20	On Order



ETA	NTSI Reel #	Footage	Fiber Count	Armor Y/N	OSP/ Riser/ Plenum	Dry/Dry?	Description	Manufacturer	Part Number	Stock Status
05/05/17		20,000	144	Y	OSP	Y	144-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube Print in ft	Corning	144EUC-T4100D20	On Order
05/05/17		20,000	144	Y	OSP	Y	144-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube Print in ft	Corning	144EUC-T4100D20	On Order
05/05/17		20,000	144	Y	OSP	Y	144-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube Print in ft	Corning	144EUC-T4100D20	On Order
05/05/17		20,000	144	Y	OSP	Y	144-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube Print in ft	Corning	144EUC-T4100D20	On Order
05/05/17		20,000	144	Y	OSP	Y	144-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube Print in ft	Corning	144EUC-T4100D20	On Order
05/05/17		20,000	144	Y	OSP	Y	144-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube Print in ft	Corning	144EUC-T4100D20	On Order
05/05/17		20,000	144	Y	OSP	Y	144-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube Print in ft	Corning	144EUC-T4100D20	On Order
05/05/17		20,000	144	Y	OSP	Y	144-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube Print in ft	Corning	144EUC-T4100D20	On Order

ETA	NTSI Reel #	Footage	Fiber Count	Armor Y/N	OSP/ Riser/ Plenum	Dry/Dry?	Description	Manufacturer	Part Number	Stock Status
05/05/17		20,000	144	Y	OSP	Y	144-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube Print in ft	Corning	144EUC-T4100D20	On Order
05/05/17		20,000	144	Y	OSP	Y	144-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube Print in ft	Corning	144EUC-T4100D20	On Order
05/12/17		20,000	144	Y	OSP	Y	144-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube Print in ft	Corning	144EUC-T4100D20	On Order
05/12/17		20,000	144	Y	OSP	Y	144-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube Print in ft	Corning	144EUC-T4100D20	On Order
05/12/17		20,000	144	Y	OSP	Y	144-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube Print in ft	Corning	144EUC-T4100D20	On Order
05/12/17		20,000	144	Y	OSP	Y	144-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube Print in ft	Corning	144EUC-T4100D20	On Order
05/12/17		20,000	144	Y	OSP	Y	144-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube Print in ft	Corning	144EUC-T4100D20	On Order
05/12/17		20,000	144	Y	OSP	Y	144-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube Print in ft	Corning	144EUC-T4100D20	On Order

ETA	NTSI Reel #	Footage	Fiber Count	Armor Y/N	OSP/ Riser/ Plenum	Dry/Dry?	Description	Manufacturer	Part Number	Stock Status
05/12/17		20,000	144	Y	OSP	Y	144-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube Print in ft	Corning	144EUC-T4100D20	On Order
05/12/17		20,000	144	Y	OSP	Y	144-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube Print in ft	Corning	144EUC-T4100D20	On Order
05/05/17		20,000	144	Y	OSP	Y	144-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube Print in ft	Corning	144EUC-T4100D20	On Order
05/12/17		20,000	144	Y	OSP	Y	144-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube Print in ft	Corning	144EUC-T4100D20	On Order
05/12/17		20,000	144	Y	OSP	Y	144-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube Print in ft	Corning	144EUC-T4100D20	On Order
?		20,000	144	Y	OSP	Y	144-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube Print in ft	Corning	144EUC-T4100D20	On Order
?		20,000	144	Y	OSP	Y	144-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube Print in ft	Corning	144EUC-T4100D20	On Order

ETA	NTSI Reel #	Footage	Fiber Count	Armor Y/N	OSP/ Riser/ Plenum	Dry/Dry?	Description	Manufacturer	Part Number	Stock Status
?		20,000	144	Y	OSP	Y	144-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube Print in ft	Corning	144EUC-T4100D20	On Order
?		20,000	144	Y	OSP	Y	144-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube Print in ft	Corning	144EUC-T4100D20	On Order
?		20,000	144	Y	OSP	Y	144-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube Print in ft	Corning	144EUC-T4100D20	On Order
?		20,000	144	Y	OSP	Y	144-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube Print in ft	Corning	144EUC-T4100D20	On Order
?		20,000	144	Y	OSP	Y	144-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube Print in ft	Corning	144EUC-T4100D20	On Order
?		20,000	144	Y	OSP	Y	144-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube Print in ft	Corning	144EUC-T4100D20	On Order
?		20,000	144	Y	OSP	Y	144-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube Print in ft	Corning	144EUC-T4100D20	On Order
?		20,000	144	Y	OSP	Y	144-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube Print in ft	Corning	144EUC-T4100D20	On Order

ETA	NTSI Reel #	Footage	Fiber Count	Armor Y/N	OSP/ Riser/ Plenum	Dry/Dry?	Description	Manufacturer	Part Number	Stock Status
?		20,000	144	Y	OSP	Y	144-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube Print in ft	Corning	144EUC-T4100D20	On Order
?		20,000	144	Y	OSP	Y	144-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube Print in ft	Corning	144EUC-T4100D20	On Order
?		20,000	144	Y	OSP	Y	144-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube Print in ft	Corning	144EUC-T4100D20	On Order
?		20,000	144	Y	OSP	Y	144-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube Print in ft	Corning	144EUC-T4100D20	On Order
?		20,000	144	Y	OSP	Y	144-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube Print in ft	Corning	144EUC-T4100D20	On Order
?		20,000	144	Y	OSP	Y	144-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube Print in ft	Corning	144EUC-T4100D20	On Order
	8574-A	5,080	216	N	OSP	Y	Cable, Fiber Optic. 216 Count. Non-armored. FORTEX DT-100% DRY SINGLE JKT SINGLE PE JKT, DIELECTRIC CENTRAL MEMBER ALLWAVE-SM_.35/.31/.25 DB/KM@1310/1385/1550	OFS	AT-3BE12YT-216	In Stock
	9747	20,000	216	N	OSP	Y	Cable, Fiber Optic. 216 Count. Non-armored. FORTEX DT-100% DRY SINGLE JKT SINGLE PE JKT, DIELECTRIC CENTRAL MEMBER ALLWAVE-SM_.35/.31/.25 DB/KM@1310/1385/1550	OFS	AT-3BE12YT-216	In Stock

ETA	NTSI Reel #	Footage	Fiber Count	Armor Y/N	OSP/ Riser/ Plenum	Dry/Dry?	Description	Manufacturer	Part Number	Stock Status
	9748	20,000	216	N	OSP	Y	Cable, Fiber Optic. 216 Count. Non-armored. FORTEx DT-100% DRY SINGLE JKT SINGLE PE JKT, DIELECTRIC CENTRAL MEMBER ALLWAVE-SM_35/.31/.25 DB/KM@1310/1385/1550	OFS	AT-3BE12YT-216	In Stock
	9230	12,008	216	N	OSP	N	Cable, Fiber Optic. (216) SMF-28e+ fibers, Loose Tube, Gel Filled, All-Dielectric, 12f/Tube, Marked in feet, Standard Sheath print + SOCC code	Corning	216EW4-T4100A53	Order Pending
	9734	20,000	216	Y	OSP	Y	216-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube Print in ft	Corning	216EUC-T4100D20	In Stock
	9735	20,000	216	Y	OSP	Y	216-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube Print in ft	Corning	216EUC-T4100D20	In Stock
	9247-A	10,374	288	N	OSP	Y	Cable, 288 Fiber, Dielectric CSM, Dry, SM, LT, SJ, 12 Fibers per Tube, HDPE Jacket, 600 lb Tensile	Teldor	F92882448B	In Stock
	9448	20,260	288	N	OSP	Y	Cable, 288 Fiber, Dielectric CSM, Dry, SM, LT, SJ, 12 Fibers per Tube, HDPE Jacket, 600 lb Tensile	Teldor	F92882448B	In Stock
	9404-A	14,000	288	N	OSP	Y	Cable, Fiber Optic, 288 Fiber Cable, Enhanced Singlemode, Loose Tube, Non-Armored.	OFS	AT-3BE12YT-288	In Stock

ETA	NTSI Reel #	Footage	Fiber Count	Armor Y/N	OSP/ Riser/ Plenum	Dry/Dry?	Description	Manufacturer	Part Number	Stock Status
	9403	20,000	288	N	OSP	Y	Cable, Fiber Optic, 288 Fiber Cable, Enhanced Singlemode, Loose Tube, Non-Armored.	OFS	AT-3BE12YT-288	Order Pending
	9407-A	13,392	288	N	OSP	Y	Cable, Fiber Optic, 288 Fiber Cable, Enhanced Singlemode, Loose Tube, Non-Armored.	OFS	AT-3BE12YT-288	Order Pending
	9287	12,615	288	Y	OSP	Y	Cable, Fiber optic. 288 fiber, Loose tube, single jacket/single armor, Dielectric strength member. Gel Free, Dry Water block, ESM Zero Water Peak glass. Marked in Feet.	Teldor	F92882447B	Order Pending
	9474	20,424	288	Y	OSP	Y	Cable, Fiber optic. 288 fiber, Loose tube, single jacket/single armor, Dielectric strength member. Gel Free, Dry Water block, ESM Zero Water Peak glass. Marked in Feet.	Teldor	F92882447B	Order Pending
	9475	20,441	288	Y	OSP	Y	Cable, Fiber optic. 288 fiber, Loose tube, single jacket/single armor, Dielectric strength member. Gel Free, Dry Water block, ESM Zero Water Peak glass. Marked in Feet.	Teldor	F92882447B	Order Pending
	9565	20,244	288	Y	OSP	Y	Cable, Fiber optic. 288 fiber, Loose tube, single jacket/single armor, Dielectric strength member. Gel Free, Dry Water block, ESM Zero Water Peak glass. Marked in Feet.	Teldor	F92882447B	In Stock
	9566	20,359	288	Y	OSP	Y	Cable, Fiber optic. 288 fiber, Loose tube, single jacket/single armor, Dielectric strength member. Gel Free, Dry Water block, ESM Zero Water Peak glass. Marked in Feet.	Teldor	F92882447B	In Stock

ETA	NTSI Reel #	Footage	Fiber Count	Armor Y/N	OSP/ Riser/ Plenum	Dry/Dry?	Description	Manufacturer	Part Number	Stock Status
	9567	20,227	288	Y	OSP	Y	Cable, Fiber optic. 288 fiber, Loose tube, single jacket/single armor, Dielectric strength member. Gel Free, Dry Water block, ESM Zero Water Peak glass. Marked in Feet.	Teldor	F92882447B	In Stock
	9568	20,195	288	Y	OSP	Y	Cable, Fiber optic. 288 fiber, Loose tube, single jacket/single armor, Dielectric strength member. Gel Free, Dry Water block, ESM Zero Water Peak glass. Marked in Feet.	Teldor	F92882447B	Order Pending
	9138	20,000	288	Y	OSP	Y	Cable, 288 Fiber Optic. FORTEX DT-100% DRY SINGLE JKT SINGLE PE JKT, DIELECTRIC CENTRAL MEMBER ALLWAVE-SM_.35/.31/.25 DB/KM@1310/1385/1550	OFS	AT-3BEH2YT-288	In Stock
	9229-A	7,000	288	Y	OSP	Y	Cable, 288 Fiber Optic. FORTEX DT-100% DRY SINGLE JKT SINGLE PE JKT, DIELECTRIC CENTRAL MEMBER ALLWAVE-SM_.35/.31/.25 DB/KM@1310/1385/1550	OFS	AT-3BEH2YT-288	In Stock
	9397	20,000	288	Y	OSP	Y	Cable, 288 Fiber Optic. FORTEX DT-100% DRY SINGLE JKT SINGLE PE JKT, DIELECTRIC CENTRAL MEMBER ALLWAVE-SM_.35/.31/.25 DB/KM@1310/1385/1550	OFS	AT-3BEH2YT-288	In Stock
	9398	20,000	288	Y	OSP	Y	Cable, 288 Fiber Optic. FORTEX DT-100% DRY SINGLE JKT SINGLE PE JKT, DIELECTRIC CENTRAL MEMBER ALLWAVE-SM_.35/.31/.25 DB/KM@1310/1385/1550	OFS	AT-3BEH2YT-288	In Stock
	9410	20,000	288	Y	OSP	Y	"Cable, 288 Fiber Optic. FORTEX DT-100% DRY SINGLE JKT/ SINGLE ARMOR, DIELECTRIC CENTRAL MEMBER ALLWAVE-SM_.35/.31/.25 DB/KM@1310/1385/1550"	OFS	AT-3BEH2YT-288	In Stock



ETA	NTSI Reel #	Footage	Fiber Count	Armor Y/N	OSP/ Riser/ Plenum	Dry/Dry?	Description	Manufacturer	Part Number	Stock Status
	9411	20,000	288	Y	OSP	Y	"Cable, 288 Fiber Optic. FORTEX DT-100% DRY SINGLE JKT/ SINGLE ARMOR, DIELECTRIC CENTRAL MEMBER ALLWAVE-SM_.35/.31/.25 DB/KM@1310/1385/1550"	OFS	AT-3BEH2YT-288	In Stock
	9412	20,000	288	Y	OSP	Y	"Cable, 288 Fiber Optic. FORTEX DT-100% DRY SINGLE JKT/ SINGLE ARMOR, DIELECTRIC CENTRAL MEMBER ALLWAVE-SM_.35/.31/.25 DB/KM@1310/1385/1550"	OFS	AT-3BEH2YT-288	In Stock
	9413	20,000	288	Y	OSP	Y	"Cable, 288 Fiber Optic. FORTEX DT-100% DRY SINGLE JKT/ SINGLE ARMOR, DIELECTRIC CENTRAL MEMBER ALLWAVE-SM_.35/.31/.25 DB/KM@1310/1385/1550"	OFS	AT-3BEH2YT-288	In Stock
	9751	20,000	288	Y	OSP	Y	"Cable, 288 Fiber Optic. FORTEX DT-100% DRY SINGLE JKT/ SINGLE ARMOR, DIELECTRIC CENTRAL MEMBER ALLWAVE-SM_.35/.31/.25 DB/KM@1310/1385/1550"	OFS	AT-3BEH2YT-288	In Stock
	9752	20,000	288	Y	OSP	Y	"Cable, 288 Fiber Optic. FORTEX DT-100% DRY SINGLE JKT/ SINGLE ARMOR, DIELECTRIC CENTRAL MEMBER ALLWAVE-SM_.35/.31/.25 DB/KM@1310/1385/1550"	OFS	AT-3BEH2YT-288	Order Pending
	9753	20,000	288	Y	OSP	Y	"Cable, 288 Fiber Optic. FORTEX DT-100% DRY SINGLE JKT/ SINGLE ARMOR, DIELECTRIC CENTRAL MEMBER ALLWAVE-SM_.35/.31/.25 DB/KM@1310/1385/1550"	OFS	AT-3BEH2YT-288	Order Pending
	9754	20,000	288	Y	OSP	Y	"Cable, 288 Fiber Optic. FORTEX DT-100% DRY SINGLE JKT/ SINGLE ARMOR, DIELECTRIC CENTRAL MEMBER ALLWAVE-SM_.35/.31/.25 DB/KM@1310/1385/1550"	OFS	AT-3BEH2YT-288	Order Pending

ETA	NTSI Reel #	Footage	Fiber Count	Armor Y/N	OSP/ Riser/ Plenum	Dry/Dry?	Description	Manufacturer	Part Number	Stock Status
	9625	10,000	432	Y	OSP	N	Cable, 432-FIBER ALTOS® LITE# GEL-FILLED SINGLE JACKET, SINGLE ARMOR SINGLE- MODE G.652.D 0.35/0.35/0.25 12F/TUBE PRINT IN FT	Corning	432EUC-T4100A20	In Stock
	9506	10,000	432	N	OSP/ CT Ribbon	Y	Cable, 432 Fiber, Accuribbon DC, Dielectric, Dry, LXE Sheath, ALLWAVE SM, .35/.31/.25 db/km @ 1310/1385/1550	OFS	AT-3BE843X-432	Order Pending
	9679	10,000	432	N	OSP/ CT Ribbon	Y	OFS Cable, 432 Fiber, SM Central Core Accuribbon DC, Dielectric, Dry, LXE Sheath, ALLWAVE SM, .35/.31/.25 db/km @ 1310/1385/1550	OFS	AT-3BE843X-432	In Stock
	9680	9,388	432	N	OSP/ CT Ribbon	Y	OFS Cable, 432 Fiber, SM Central Core Accuribbon DC, Dielectric, Dry, LXE Sheath, ALLWAVE SM, .35/.31/.25 db/km @ 1310/1385/1550	OFS	AT-3BE843X-432	In Stock
04/24/17		10,000	432	N	OSP/ CT Ribbon	Y	Cable, 432 Fiber, Accuribbon DC, Dielectric, Dry, LXE Sheath, ALLWAVE SM, .35/.31/.25 db/km @ 1310/1385/1550	OFS	AT-3BE843X-432	On Order
04/24/17		10,000	432	N	OSP/ CT Ribbon	Y	Cable, 432 Fiber, Accuribbon DC, Dielectric, Dry, LXE Sheath, ALLWAVE SM, .35/.31/.25 db/km @ 1310/1385/1550	OFS	AT-3BE843X-432	On Order
04/24/17		10,000	432	N	OSP/ CT Ribbon	Y	Cable, 432 Fiber, Accuribbon DC, Dielectric, Dry, LXE Sheath, ALLWAVE SM, .35/.31/.25 db/km @ 1310/1385/1550	OFS	AT-3BE843X-432	On Order

ETA	NTSI Reel #	Footage	Fiber Count	Aarmor Y/N	OSP/ Riser/ Plenum	Dry/Dry?	Description	Manufacturer	Part Number	Stock Status
	9416	15,000	432	N	OSP	Y	Cable, Fiber Optic. 432-Fiber SST-UltraRibbon# Cable Gel-Filled All-Dielectric Non Armored Hybrid 336-SMF-28e+® Max: 0.4/0.4/0.3, Typical: 0.33/0.33/0.19 dB/km G.652.D 96-LEAF® Max: -/-/0.25, Typical: -/-/0.19 dB/km NZ-DSF G.655 - with SOCC Print in ft	Corning	432XV4-CP992-53	Order Pending
	9427	14,849	432	N	OSP	Y	Cable, Fiber Optic. 432-Fiber SST-UltraRibbon# Cable Gel-Filled All-Dielectric Non Armored Hybrid 336-SMF-28e+® Max: 0.4/0.4/0.3, Typical: 0.33/0.33/0.19 dB/km G.652.D 96-LEAF® Max: -/-/0.25, Typical: -/-/0.19 dB/km NZ-DSF G.655 - with SOCC Print in ft	Corning	432XV4-CP992-53	Order Pending
	9678	10,000	864	N	OSP/ CT Ribbon	Y	OFS Cable, 864 Fiber, SM, Central Core AccuRibbon, Dielectric, LXE Sheath ALLWAVE, 24 Fibers per Ribbon, .35/.31/.25 db/km @ 1310/1385/1550 nm	OFS	AT-3BE8R3X-864	In Stock
	9755	10,000	864	N	OSP/ RILT	Y	OFS Cable, fiber Optic. 864 Fiber_SMF/AW_AccuTube Ribbon Cable12-fiber ribbon loose tube _0.35/0.31/0.25 dB/km_@ 1310/1385/1550 nm_DCM_1 PE Jacket_DryBlock	OFS	AT-3BE1XAT-864	In Stock
04/24/17		10,000	432	Y	OSP/ CT Ribbon	Y	Cable, Fiber optic. 432 Ribbon. Armored. 24F per ribbon AccuRibbon Dry Core-LXE MET ALLWAVE-SM-.35/.31/.25 db/km@1310/1385/1550	OFS	AT-3BE84SX-432	On Order
04/24/17		10,000	432	Y	OSP/ CT Ribbon	Y	Cable, Fiber optic. 432 Ribbon. Armored. 24F per ribbon AccuRibbon Dry Core-LXE MET ALLWAVE-SM-.35/.31/.25 db/km@1310/1385/1550	OFS	AT-3BE84SX-432	On Order
	3505	5,000	2	N	OSP	N	Cable, 2 fiber, flat drop, toneable(Mini LT) (Gel tube) ALLWAVE SM-.35/.31/.25 @1310/1385/1550	OFS	AT-3BE8T7T-002	In Stock

ETA	NTSI Reel #	Footage	Fiber Count	Aarmor Y/N	OSP/ Riser/ Plenum	Dry/Dry?	Description	Manufacturer	Part Number	Stock Status
	3549	5,000	2	N	OSP	N	Cable, 2 fiber, flat drop, toneable(Mini LT) (Gel tube) ALLWAVE SM-.35/.31/.25 @1310/1385/1550	OFS	AT-3BE8T7T-002	In Stock
	3550	5,000	2	N	OSP	N	Cable, 2 fiber, flat drop, toneable(Mini LT) (Gel tube) ALLWAVE SM-.35/.31/.25 @1310/1385/1550	OFS	AT-3BE8T7T-002	In Stock
	3551	5,000	2	N	OSP	N	Cable, 2 fiber, flat drop, toneable(Mini LT) (Gel tube) ALLWAVE SM-.35/.31/.25 @1310/1385/1550	OFS	AT-3BE8T7T-002	In Stock
	3552	5,000	2	N	OSP	N	Cable, 2 fiber, flat drop, toneable(Mini LT) (Gel tube) ALLWAVE SM-.35/.31/.25 @1310/1385/1550	OFS	AT-3BE8T7T-002	In Stock
	3553	5,000	2	N	OSP	N	Cable, 2 fiber, flat drop, toneable(Mini LT) (Gel tube) ALLWAVE SM-.35/.31/.25 @1310/1385/1550	OFS	AT-3BE8T7T-002	In Stock
05/12/17		5,000	2	N	OSP	N	Cable, Fiber Optic. 002Fibers Reduce Water Peak SMF, G.652D PFM gel filled tube, Oval Drop FTTP Toneable MDPE Jckt, Dry Core Print in Feet	Superior Essex	6T0023101	On Order
05/12/17		5,000	2	N	OSP	N	Cable, Fiber Optic. 002Fibers Reduce Water Peak SMF, G.652D PFM gel filled tube, Oval Drop FTTP Toneable MDPE Jckt, Dry Core Print in Feet	Superior Essex	6T0023101	On Order

ETA	NTSI Reel #	Footage	Fiber Count	Aarmor Y/N	OSP/ Riser/ Plenum	Dry/Dry?	Description	Manufacturer	Part Number	Stock Status
	3526	10,000	2	N	OSP	N	Cable, 2 fiber, flat drop, toneable(Mini LT) (Gel tube) ALLWAVE SM-.35/.31/.25 @1310/1385/1550	OFS	AT-3BE8T7T-002	In Stock
	3527	10,000	2	N	OSP	N	Cable, 2 fiber, flat drop, toneable(Mini LT) (Gel tube) ALLWAVE SM-.35/.31/.25 @1310/1385/1550	OFS	AT-3BE8T7T-002	In Stock
	3597	10,000	2	N	OSP	N	Cable, Fiber optic. 2 Fiber Toneable, Drop Cable, Corning Ultra Low Loss, Bend Insensitive glass. .4/.18/.21	Superior Essex	6T002K101	Order Pending
	3598	10,000	2	N	OSP	N	Cable, Fiber optic. 2 Fiber Toneable, Drop Cable, Corning Ultra Low Loss, Bend Insensitive glass. .4/.18/.21	Superior Essex	6T002K101	Order Pending
	3649	10,000	2	N	OSP	N	Cable, Fiber optic. 2 Fiber Toneable, Drop Cable, Corning Ultra Low Loss, Bend Insensitive glass. .4/.18/.21	Superior Essex	6T002K101	Order Pending
	3650	10,000	2	N	OSP	N	Cable, Fiber optic. 2 Fiber Toneable, Drop Cable, Corning Ultra Low Loss, Bend Insensitive glass. .4/.18/.21	Superior Essex	6T002K101	Order Pending
05/12/17		5,000	6	N	OSP	N	Cable, Fiber optic. 6 Fiber Flat Drop, Toneable. ESM Low Water Peak glass	Superior Essex	6T0063101	On Order

ETA	NTSI Reel #	Footage	Fiber Count	Aarmor Y/N	OSP/ Riser/ Plenum	Dry/Dry?	Description	Manufacturer	Part Number	Stock Status
05/12/17		5,000	6	N	OSP	N	Cable, Fiber optic. 6 Fiber Flat Drop, Toneable. ESM Low Water Peak glass	Superior Essex	6T0063101	On Order
05/12/17		5,000	6	N	OSP	N	Cable, Fiber optic. 6 Fiber Flat Drop, Toneable. ESM Low Water Peak glass	Superior Essex	6T0063101	On Order
05/12/17		10,000	6	N	OSP	N	Cable, Fiber optic. 6 Fiber Flat Drop, Toneable. ESM Low Water Peak glass	Superior Essex	6T0063101	Order Pending
05/12/17		10,000	6	N	OSP	N	Cable, Fiber optic. 6 Fiber Flat Drop, Toneable. ESM Low Water Peak glass	Superior Essex	6T0063101	On Order
05/12/17		10,000	6	N	OSP	N	Cable, Fiber optic. 6 Fiber Flat Drop, Toneable. ESM Low Water Peak glass	Superior Essex	6T0063101	On Order
05/12/17		10,000	6	N	OSP	N	Cable, Fiber optic. 6 Fiber Flat Drop, Toneable. ESM Low Water Peak glass	Superior Essex	6T0063101	On Order
05/12/17		10,000	6	N	OSP	N	Cable, Fiber optic. 6 Fiber Flat Drop, Toneable. ESM Low Water Peak glass	Superior Essex	6T0063101	On Order
05/12/17		10,000	6	N	OSP	N	Cable, Fiber optic. 6 Fiber Flat Drop, Toneable. ESM Low Water Peak glass	Superior Essex	6T0063101	On Order

ETA	NTSI Reel #	Footage	Fiber Count	Aarmor Y/N	OSP/ Riser/ Plenum	Dry/Dry?	Description	Manufacturer	Part Number	Stock Status
05/12/17		10,000	6	N	OSP	N	Cable, Fiber optic. 6 Fiber Flat Drop, Toneable. ESM Low Water Peak glass	Superior Essex	6T0063101	On Order
05/12/17		10,000	6	N	OSP	N	Cable, Fiber optic. 6 Fiber Flat Drop, Toneable. ESM Low Water Peak glass	Superior Essex	6T0063101	On Order
05/12/17		10,000	6	N	OSP	N	Cable, Fiber optic. 6 Fiber Flat Drop, Toneable. ESM Low Water Peak glass	Superior Essex	6T0063101	On Order
05/12/17		10,000	6	N	OSP	N	Cable, Fiber optic. 6 Fiber Flat Drop, Toneable. ESM Low Water Peak glass	Superior Essex	6T0063101	On Order
05/12/17		10,000	6	N	OSP	N	Cable, Fiber optic. 6 Fiber Flat Drop, Toneable. ESM Low Water Peak glass	Superior Essex	6T0063101	On Order
05/12/17		10,000	6	N	OSP	N	Cable, Fiber optic. 6 Fiber Flat Drop, Toneable. ESM Low Water Peak glass	Superior Essex	6T0063101	On Order
	3687	5,000	12	N	OSP	N	Cable, Fiber optic. 12 Fiber Toneable, Drop Cable, Corning Ultra Low Loss, Bend Insensitive glass. .4/.18/.21	Superior Essex	6T012K101	In Stock
	3689	5,000	12	N	OSP	N	Cable, Fiber optic. 12 Fiber Toneable, Drop Cable, Corning Ultra Low Loss, Bend Insensitive glass. .4/.18/.21	Superior Essex	6T012K101	In Stock

ETA	NTSI Reel #	Footage	Fiber Count	Aarmor Y/N	OSP/ Riser/ Plenum	Dry/Dry?	Description	Manufacturer	Part Number	Stock Status
	3690	5,000	12	N	OSP	N	Cable, Fiber optic. 12 Fiber Toneable, Drop Cable, Corning Ultra Low Loss, Bend Insensitive glass. .4/.18/.21	Superior Essex	6T012K101	In Stock
	3701	5,000	12	N	OSP	N	Cable, Fiber optic. 12 Fiber Toneable, Drop Cable, Corning Ultra Low Loss, Bend Insensitive glass. .4/.18/.21	Superior Essex	6T012K101	In Stock
	3702	5,000	12	N	OSP	N	Cable, Fiber optic. 12 Fiber Toneable, Drop Cable, Corning Ultra Low Loss, Bend Insensitive glass. .4/.18/.21	Superior Essex	6T012K101	In Stock
05/26/17		5,000	12	N	OSP	N	Cable, Fiber Optic. 012Fibers Reduce Water Peak SMF, G.652D PFM gel filled tube, Oval Drop FTTP Toneable MDPE Jckt, Dry Core Print in Feet	Superior Essex	6T0123101	On Order
05/26/17		5,000	12	N	OSP	N	Cable, Fiber Optic. 012Fibers Reduce Water Peak SMF, G.652D PFM gel filled tube, Oval Drop FTTP Toneable MDPE Jckt, Dry Core Print in Feet	Superior Essex	6T0123101	On Order
05/26/17		5,000	12	N	OSP	N	Cable, Fiber Optic. 012Fibers Reduce Water Peak SMF, G.652D PFM gel filled tube, Oval Drop FTTP Toneable MDPE Jckt, Dry Core Print in Feet	Superior Essex	6T0123101	On Order
05/26/17		5,000	12	N	OSP	N	Cable, Fiber Optic. 012Fibers Reduce Water Peak SMF, G.652D PFM gel filled tube, Oval Drop FTTP Toneable MDPE Jckt, Dry Core Print in Feet	Superior Essex	6T0123101	On Order



ETA	NTSI Reel #	Footage	Fiber Count	Aarmor Y/N	OSP/ Riser/ Plenum	Dry/Dry?	Description	Manufacturer	Part Number	Stock Status
	3695	10,000	12	N	OSP	N	Cable, Fiber optic. 12 Fiber Toneable, Drop Cable, Corning Ultra Low Loss, Bend Insensitive glass. .4/.18/.21	Superior Essex	6T012K101	In Stock
	3696	10,000	12	N	OSP	N	Cable, Fiber optic. 12 Fiber Toneable, Drop Cable, Corning Ultra Low Loss, Bend Insensitive glass. .4/.18/.21	Superior Essex	6T012K101	In Stock
	3700	10,000	12	N	OSP	N	Cable, Fiber optic. 12 Fiber Toneable, Drop Cable, Corning Ultra Low Loss, Bend Insensitive glass. .4/.18/.21	Superior Essex	6T012K101	In Stock
	3691	10,000	12	N	OSP	N	Cable, Fiber optic. 12 Fiber Toneable, Drop Cable, Corning Ultra Low Loss, Bend Insensitive glass. .4/.18/.21	Superior Essex	6T012K101	In Stock
05/26/17		10,000	12	N	OSP	N	Cable, Fiber Optic. 012Fibers Reduce Water Peak SMF, G.652D PFM gel filled tube, Oval Drop FTTP Toneable MDPE Jckt, Dry Core Print in Feet	Superior Essex	6T0123101	On Order
05/26/17		10,000	12	N	OSP	N	Cable, Fiber Optic. 012Fibers Reduce Water Peak SMF, G.652D PFM gel filled tube, Oval Drop FTTP Toneable MDPE Jckt, Dry Core Print in Feet	Superior Essex	6T0123101	On Order
05/26/17		10,000	12	N	OSP	N	Cable, Fiber Optic. 012Fibers Reduce Water Peak SMF, G.652D PFM gel filled tube, Oval Drop FTTP Toneable MDPE Jckt, Dry Core Print in Feet	Superior Essex	6T0123101	On Order

ETA	NTSI Reel #	Footage	Fiber Count	Aarmor Y/N	OSP/ Riser/ Plenum	Dry/Dry?	Description	Manufacturer	Part Number	Stock Status
05/26/17		10,000	12	N	OSP	N	Cable, Fiber Optic. 012Fibers Reduce Water Peak SMF, G.652D PFM gel filled tube, Oval Drop FTTP Toneable MDPE Jckt, Dry Core Print in Feet	Superior Essex	6T0123101	On Order
	3765	5,000	2	N	OSP	N	Cable, Fiber Optic, 2F, SM, All-Wave ZWP, Flat Drop, All Dielectric, Loose Tube, Gel-Filled, "Mini LT Flat Drop", OFS	OFS	AT-3BE8T7X-002	Order Pending
	3766	5,000	2	N	OSP	N	Cable, Fiber Optic, 2F, SM, All-Wave ZWP, Flat Drop, All Dielectric, Loose Tube, Gel-Filled, "Mini LT Flat Drop", OFS	OFS	AT-3BE8T7X-002	Order Pending
	3779	4,900	2	N	OSP	N	Cable, Fiber optic. 2 Fiber Non-toneable, Drop Cable, Corning Ultra Low Loss, Bend Insensitive glass. .4/.18/.21	Superior Essex	6U002K101	Order Pending
	3767	10,000	2	N	OSP	N	Cable, Fiber Optic, 2F, SM, All-Wave ZWP, Flat Drop, All Dielectric, Loose Tube, Gel-Filled, "Mini LT Flat Drop", OFS	OFS	AT-3BE8T7X-002	Order Pending
	3768	10,000	2	N	OSP	N	Cable, Fiber Optic, 2F, SM, All-Wave ZWP, Flat Drop, All Dielectric, Loose Tube, Gel-Filled, "Mini LT Flat Drop", OFS	OFS	AT-3BE8T7X-002	Order Pending
	3769	10,000	2	N	OSP	N	Cable, Fiber Optic, 2F, SM, All-Wave ZWP, Flat Drop, All Dielectric, Loose Tube, Gel-Filled, "Mini LT Flat Drop", OFS	OFS	AT-3BE8T7X-002	Order Pending

ETA	NTSI Reel #	Footage	Fiber Count	Armor Y/N	OSP/ Riser/ Plenum	Dry/Dry?	Description	Manufacturer	Part Number	Stock Status
	3770	10,000	2	N	OSP	N	Cable, Fiber Optic, 2F, SM, All-Wave ZWP, Flat Drop, All Dielectric, Loose Tube, Gel-Filled, "Mini LT Flat Drop", OFS	OFS	AT-3BE8T7X-002	Order Pending
05/26/17		5,000	6	N	OSP	N	Cable, Fiber Optic. 006Fibers Reduce Water Peak SMF, G.652D PFM gel filled tube, Oval Drop FTTP Universal MDPE Jckt, Dry Core Print in Feet. Non-toneable.	Superior Essex	6U0063101	On Order
05/26/17		5,000	6	N	OSP	N	Cable, Fiber Optic. 006Fibers Reduce Water Peak SMF, G.652D PFM gel filled tube, Oval Drop FTTP Universal MDPE Jckt, Dry Core Print in Feet. Non-toneable.	Superior Essex	6U0063101	On Order
05/26/17		5,000	6	N	OSP	N	Cable, Fiber Optic. 006Fibers Reduce Water Peak SMF, G.652D PFM gel filled tube, Oval Drop FTTP Universal MDPE Jckt, Dry Core Print in Feet. Non-toneable.	Superior Essex	6U0063101	On Order
05/26/17		5,000	6	N	OSP	N	Cable, Fiber Optic. 006Fibers Reduce Water Peak SMF, G.652D PFM gel filled tube, Oval Drop FTTP Universal MDPE Jckt, Dry Core Print in Feet. Non-toneable.	Superior Essex	6U0063101	On Order
05/26/17		5,000	6	N	OSP	N	Cable, Fiber Optic. 006Fibers Reduce Water Peak SMF, G.652D PFM gel filled tube, Oval Drop FTTP Universal MDPE Jckt, Dry Core Print in Feet. Non-toneable.	Superior Essex	6U0063101	On Order
05/26/17		5,000	6	N	OSP	N	Cable, Fiber Optic. 006Fibers Reduce Water Peak SMF, G.652D PFM gel filled tube, Oval Drop FTTP Universal MDPE Jckt, Dry Core Print in Feet. Non-toneable.	Superior Essex	6U0063101	On Order
05/26/17		5,000	6	N	OSP	N	Cable, Fiber Optic. 006Fibers Reduce Water Peak SMF, G.652D PFM gel filled tube, Oval Drop FTTP Universal MDPE Jckt, Dry Core Print in Feet. Non-toneable.	Superior Essex	6U0063101	On Order

ETA	NTSI Reel #	Footage	Fiber Count	Aarmor Y/N	OSP/ Riser/ Plenum	Dry/Dry?	Description	Manufacturer	Part Number	Stock Status
	6017	5,000	12	N	OSP	N	Cable, Fiber optic. 12 Fiber Non-toneable, Drop Cable, Corning Ultra Low Loss, Bend Insensitive glass. .4/.18/.21	Superior Essex	6U012K101	In Stock
	6018	5,000	12	N	OSP	N	Cable, Fiber optic. 12 Fiber Non-toneable, Drop Cable, Corning Ultra Low Loss, Bend Insensitive glass. .4/.18/.21	Superior Essex	6U012K101	In Stock
	6021	5,000	12	N	OSP	N	Cable, Fiber optic. 12 Fiber Non-toneable, Drop Cable, Corning Ultra Low Loss, Bend Insensitive glass. .4/.18/.21	Superior Essex	6U012K101	In Stock
	4014-A	3,998	12	N	P	Y	Cable, Hitachi made with Corning glass, 12 Fiber Single Mode OS2 Tight Buffered Indoor Distribution SingleUnit (Plenum) Plenum 900 µm non Armored round thermoplastic Yellow HITACHI Fiber Optic Cable	Hitachi	60029-12	In Stock
	4015	5,000	12	N	P	Y	Cable, Hitachi made with Corning glass, 12 Fiber Single Mode OS2 Tight Buffered Indoor Distribution SingleUnit (Plenum) Plenum 900 µm non Armored round thermoplastic Yellow HITACHI Fiber Optic Cable	Hitachi	60029-12	In Stock
?		5,000	12	N	P	Y	Cable, Hitachi made with Corning glass, 12 Fiber Single Mode OS2 Tight Buffered Indoor Distribution SingleUnit (Plenum) Plenum 900 µm non Armored round thermoplastic Yellow HITACHI Fiber Optic Cable	Hiatchi	60029-12	On Order
	4007	5,000	24	N	P	Y	Cable, Fiber optic. 24 Fiber. Central Tube Distribution Cable, Yellow Jacket: OFNP/FT6 Flame Rated, 900µm Tight Buffered Corning Ultra SMF (ITU G.657.A1 and G.652.D). 0.5/0.5/0.5 dB/km at 1310/1383/1550 nm (1383 nm uncabled) Complies with GR-409 and ANSI/ICEA S-83-596 performance criteria.	Prysmian	F-800-00-CU-024-EA	In Stock

ETA	NTSI Reel #	Footage	Fiber Count	Armor Y/N	OSP/ Riser/ Plenum	Dry/Dry?	Description	Manufacturer	Part Number	Stock Status
	4008-A	2,006	12	Y	P	Y	Cable, Fiber Optic. 12 Fiber Distribution Cable 900µm Tight Buffered: OFCP/FT6 Flame Rated Aluminum Interlock Armor, Overall Yellow Jacket 12 Fiber Corning Ultra SMF (ITU G.657.A1 and G.652.D). 0.5/0.5/0.5 dB/km at 1310/1383/1550 nm (1383 nm uncabled)	Prysmian	F-800AJ-00-CU-012-EA	In Stock
	4002	498	24	Y	P	Y	Cable Fiber 24 strand Central Tube Distribution Cable 900µm Tight Buffered Aluminum Interlock Armor, Overall Jacket Corning SMF28e+ Single Mode (ITU G.652.D). 0.40/0.40/0.30 dB/km at 1310/1383/1550 nm	Prysmian	F-800AJ-00-CE-024-E7	In Stock
	4024	5,000	24	Y	P	Y	Cable Fiber 24 strand Central Tube Distribution Cable 900µm Tight Buffered Aluminum Interlock Armor, Overall Jacket Corning SMF28e+ Single Mode (ITU G.652.D). 0.40/0.40/0.30 dB/km at 1310/1383/1550 nm	Prysmian	F-800AJ-00-CE-024-E7	In Stock
	4508-A	2,000	24	N	P/IO	Y	Cable, Fiber optic. Indoor/Outdoor Loose Tube Cable Non-Armor, Single Jacket 24 Fiber Corning SMF28e+ Single Mode (ITU G.652.D). 0.35/0.35/0.25 dB/km at 1310/1383/1550 nm (1383 nm uncabled) Complies with GR-20 and ANSI/ICEA S-104-696 performance criteria.	Prysmian	F-DPLDB-12-CE-024-E3	In Stock
	4508-B	3,000	24	N	P/IO	Y	Cable, Fiber optic. Indoor/Outdoor Loose Tube Cable Non-Armor, Single Jacket 24 Fiber Corning SMF28e+ Single Mode (ITU G.652.D). 0.35/0.35/0.25 dB/km at 1310/1383/1550 nm (1383 nm uncabled) Complies with GR-20 and ANSI/ICEA S-104-696 performance criteria.	Prysmian	F-DPLDB-12-CE-024-E3	In Stock
	4609	4,986	48	Y	P/IO Yellow	Y	Cable, fiber optic. 48 Fiber Plenum. Indoor/Outdoor Loose Tube Cable: OFCP/FT6 Flame Rated Aluminum Interlock Armor, Overall Jacket 48 Fiber Corning Ultra SMF (ITU G.657.A1 and G.652.D). 0.35/0.35/0.25 dB/km at 1310/1383/1550 nm (1383 nm uncabled)	Prysmian	F-DPLDBAJ-12-CU-048-E3	In Stock
	4604-B	574	72	Y	P/IO Yellow	Y	Cable, Fiber optic. 72 fiber Plenum Rated. Indoor/Outdoor Loose Tube Cable 72 Fiber SMF28e+ Single Mode (ITU G.652.D). Aluminum Interlock Armor, with Overall Jacket 12 Fibers per Tube	Prysmian	F-DPLDBAJ-12-CE-072-E1	Order Pending

ETA	NTSI Reel #	Footage	Fiber Count	Armor Y/N	OSP/ Riser/ Plenum	Dry/Dry?	Description	Manufacturer	Part Number	Stock Status
	4607	1,590	72	Y	P/IO Yellow	Y	Cable, Fiber optic. 72 fiber Plenum Rated. Indoor/Outdoor Loose Tube Cable 72 Fiber SMF28e+ Single Mode (ITU G.652.D). Aluminum Interlock Armor, with Overall Jacket 12 Fibers per Tube	Prysmian	F-DPLDBAJ-12-CE-072-E1	In Stock
	4012	8,267	72	Y	P/IO Yellow	Y	Cable, Fiber optic. 72 Fiber. Indoor/Outdoor Loose Tube Cable: OFCP/FT6 Flame Rated Aluminum Interlock Armor, Overall Jacket. 72 Fiber Corning Ultra (ITU G.657.A) 0.35/0.35/0.25 dB/km at 1310/1383/1550 nm (1383 nm uncabled)	Prysmian	F-DPLDBAJ-12-CU-072-E3	Order Pending
	4610	5,000	72	Y	R/IO Yellow	Y	Cable, Fiber Optic. 72 Fiber. Indoor/Outdoor Loose Tube Cable Aluminum Interlock Armor, with Overall OFNR Jacket. 0.35/0.35/0.25 dB/km at 1310/1383/1550 nm (1383 nm uncabled) Complies with GR-20 and ANSI/ICEA S-104-696 performance criteria	Prysmian	F-DRLDBAJ-12-CU-072-E3	Order Pending
	6205	13,200	12	N	R		012-Fiber Cable, Singlemode, Fan Out Cable, Riser Rated, Yellow Jacket	Siecor	012R61-31231-24	In Stock
	6206	13,123	12	N	R		012-Fiber Cable, Singlemode, Fan Out Cable, Riser Rated, Yellow Jacket	Siecor	012R61-31231-24	In Stock
	6207	13,108	12	N	R		012-Fiber Cable, Singlemode, Fan Out Cable, Riser Rated, Yellow Jacket	Siecor	012R61-31231-24	In Stock
	1016-A	2,496	24	N	R		Cable, Fiber optic. 24 Fiber Enhanced Single Mode Central Tube, Tight Buffer, Riser Rated, Yellow Jacket	Draka	F-400-00-ES-024-EB	In Stock

ETA	NTSI Reel #	Footage	Fiber Count	Aarmor Y/N	OSP/ Riser/ Plenum	Dry/Dry?	Description	Manufacturer	Part Number	Stock Status
	1017-A	732	24	N	R		Cable, Fiber optic. 24 Fiber Enhanced Single Mode Central Tube, Tight Buffer, Riser Rated, Yellow Jacket	Draka	F-400-00-ES-024-EB	Order Pending
	1012	3,028	24	N	R		24 fiber Tight buffer 8.3 SM DIST Riser Rated cable Indoor cable dielectric	Hitachi	60014-24	Order Pending
	1020	5,000	48	N	R	Y	48 Fiber ESM Tight buffer Distribution Cable. 12 fibers per unit. Riser FT4 Rated Yellow Jacket Enhanced Single Mode ( ITU G.652.D ) 12 Fibers per Unit 0.7/0.7/0.7 dB/km at 1310/1383/1550 nm	Prysmian	F-400-12-ES-048-EB	In Stock
	1014	4,324	48	N	R		48 Fiber SM Tight Buffer FT-4 Riser Rated Cable with Yellow Jacket. Hitachi cable made with Corning Glass	Hitachi	60015-48	In Stock
	1015	2,830	48	N	R		48 Fiber SM Tight Buffer FT-4 Riser Rated Cable with Yellow Jacket. Hitachi cable made with Corning Glass	Hitachi	60015-48	Order Pending
	1024	1,980	72	N	R		72 Fiber SM Tight Buffer FT-4 Riser Rated Cable with Yellow Jacket. Hitachi cable made with Corning Glass	Hitachi	60015-72	In Stock
	1023	1,978	72	N	R		72 Fiber SM Tight Buffer FT-4 Riser Rated Cable with Yellow Jacket. Hitachi cable made with Corning Glass	Hitachi	60015-72	

ETA	NTSI Reel #	Footage	Fiber Count	Armor Y/N	OSP/ Riser/ Plenum	Dry/Dry?	Description	Manufacturer	Part Number	Stock Status
	1018	2,500	96	N	R		96-Fiber, SM, Riser Rated, Tight Buffer, Yellow Jacket Cable.	Hitachi	60015-96	In Stock
	1019	1,776	96	N	R		96-Fiber, SM, Riser Rated, Tight Buffer, Yellow Jacket Cable.	Hitachi	60015-96	
	2106-A	5,000	6	N	R/IO		Cable, Fiber Optic. 6 Fiber. Indoor/Outdoor Central Loose Tube Cable: OFNR/FT4 Flame Rated Non-Armor, Single Jacket 6 Fiber Corning Ultra ( ITU G657.A1 ) 0.35/0.35/0.25 dB/km at 1310/1383/1550 nm (1383 nm uncabled)	Prysmian	F-DRLDB-00-CU-006-E3	In Stock
	2106-B	5,000	6	N	R/IO		Cable, Fiber Optic. 6 Fiber. Indoor/Outdoor Central Loose Tube Cable: OFNR/FT4 Flame Rated Non-Armor, Single Jacket 6 Fiber Corning Ultra ( ITU G657.A1 ) 0.35/0.35/0.25 dB/km at 1310/1383/1550 nm (1383 nm uncabled)	Prysmian	F-DRLDB-00-CU-006-E3	In Stock
	2113	10,000	6	N	R/IO		Cable, Fiber Optic. 6 Fiber. Indoor/Outdoor Central Loose Tube Cable: OFNR/FT4 Flame Rated Non-Armor, Single Jacket 6 Fiber Corning Ultra ( ITU G657.A1 ) 0.35/0.35/0.25 dB/km at 1310/1383/1550 nm (1383 nm uncabled)	Prysmian	F-DRLDB-00-CU-006-E3	In Stock
	2114	14,260	12	N	R/IO	Y	Cable, fiber optic. 12-FIBER FREEDM® LOOSE TUBE GEL-FREE CABLE RISER SMF-28 Ultra® MAX: 0.4/0.4/0.3, TYPICAL:0.33/0.33/0.19 DB/KM G.652.D 12F/TUBE PRINT IN FT	Corning	012ZUF-T4101D20	In Stock
	2115-A	10,434	12	N	R/IO	Y	Cable, fiber optic. 12-FIBER FREEDM® LOOSE TUBE GEL-FREE CABLE RISER SMF-28 Ultra® MAX: 0.4/0.4/0.3, TYPICAL:0.33/0.33/0.19 DB/KM G.652.D 12F/TUBE PRINT IN FT	Corning	012ZUF-T4101D20	In Stock



ETA	NTSI Reel #	Footage	Fiber Count	Armor Y/N	OSP/ Riser/ Plenum	Dry/Dry?	Description	Manufacturer	Part Number	Stock Status
	2115-B	5,000	12	N	R/IO	Y	Cable, fiber optic. 12-FIBER FREEDM® LOOSE TUBE GEL-FREE CABLE RISER SMF-28 Ultra® MAX: 0.4/0.4/0.3, TYPICAL:0.33/0.33/0.19 DB/KM G.652.D 12F/TUBE PRINT IN FT	Corning	012ZUF-T4101D20	In Stock
	2052-C	890	12	N	R/IO		Cable, Fiber, 12 strand Singlemode low water peak, distribution style, tight buffer 900um indoor/outdoor riser rated dielectric ***REDUCED DIAMETER****	OCC	DX012DSLX9KR	In Stock
	2124	5,000	12	N	R/IO	Y	Cable, Fiber optic. 12 Fiber Corning Ultra SMF (ITU G.657.A1 and G.652.D). 0.5/0.5/0.5 dB/km at 1310/1383/1550 nm (1383 nm uncabled) Indoor/Outdoor Tight Buffer Distribution Cable: OFNR/FT4 Flame Rated	Prysmian	C1181-00-CU-012-EA	In Stock
	2121	5,000	12	N	R/IO	Y	Cable, Fiber Optic. 12 Fiber. Indoor/Outdoor Central Loose Tube Cable: OFNR/FT4 Flame Rated Non-Armor, Single Jacket 12 Fiber Corning Ultra ( ITU G657.A1 ) 0.35/0.35/0.25 dB/km at 1310/1383/1550 nm (1383 nm uncabled)	Prysmian	F-DRLDB-00-CU-012-E3	In Stock
	2122	5,000	12	N	R/IO	Y	Cable, Fiber Optic. 12 Fiber. Indoor/Outdoor Central Loose Tube Cable: OFNR/FT4 Flame Rated Non-Armor, Single Jacket 12 Fiber Corning Ultra ( ITU G657.A1 ) 0.35/0.35/0.25 dB/km at 1310/1383/1550 nm (1383 nm uncabled)	Prysmian	F-DRLDB-00-CU-012-E3	In Stock
	2117	10,000	24	N	R/IO	Y	Cable, Fiber Optic. 24 Fiber Corning Ultra SMF. Indoor/Outdoor Loose Tube Cable: OFNR/FT4 Flame Rated Non-Armor, Single Jacket. (ITU G.657.A1 and G.652.D). 0.35/0.35/0.25 dB/km at 1310/1383/1550 nm (1383 nm uncabled) Complies with GR-20 and ANSI/ICEA S-104-696 performance criteria.	Prysmian	F-DRLDB-12-CU-024-E3	Order Pending
	2118	10,000	24	N	R/IO	Y	Cable, Fiber Optic. 24 Fiber Corning Ultra SMF. Indoor/Outdoor Loose Tube Cable: OFNR/FT4 Flame Rated Non-Armor, Single Jacket. (ITU G.657.A1 and G.652.D). 0.35/0.35/0.25 dB/km at 1310/1383/1550 nm (1383 nm uncabled) Complies with GR-20 and ANSI/ICEA S-104-696 performance criteria.	Prysmian	F-DRLDB-12-CU-024-E3	Order Pending

ETA	NTSI Reel #	Footage	Fiber Count	Armor Y/N	OSP/ Riser/ Plenum	Dry/Dry?	Description	Manufacturer	Part Number	Stock Status
	2119	10,000	24	N	R/IO	Y	Cable, Fiber Optic. 24 Fiber Corning Ultra SMF.Indoor/Outdoor Loose Tube Cable: OFNR/FT4 Flame Rated Non-Armor, Single Jacket. (ITU G.657.A1 and G.652.D). 0.35/0.35/0.25 dB/km at 1310/1383/1550 nm (1383 nm uncabled) Complies with GR-20 and ANSI/ICEA S-104-696 performance criteria.	Prysmian	F-DRLDB-12-CU-024-E3	In Stock
	2108	10,000	48	N	R/IO	Y	Cable, Fiber Optic. 48 Fiber Corning Ultra SMF.Indoor/Outdoor Loose Tube Cable: OFNR/FT4 Flame Rated Non-Armor, Single Jacket. (ITU G.657.A1 and G.652.D). 0.35/0.35/0.25 dB/km at 1310/1383/1550 nm (1383 nm uncabled) Complies with GR-20 and ANSI/ICEA S-104-696 performance criteria.	Prysmian	F-DRLDB-12-CU-048-E3	Order Pending
	2109	10,000	48	N	R/IO	Y	Cable, Fiber Optic. 48 Fiber Corning Ultra SMF.Indoor/Outdoor Loose Tube Cable: OFNR/FT4 Flame Rated Non-Armor, Single Jacket. (ITU G.657.A1 and G.652.D). 0.35/0.35/0.25 dB/km at 1310/1383/1550 nm (1383 nm uncabled) Complies with GR-20 and ANSI/ICEA S-104-696 performance criteria.	Prysmian	F-DRLDB-12-CU-048-E3	In Stock
	2110	10,000	48	N	R/IO	Y	Cable, Fiber Optic. 48 Fiber Corning Ultra SMF.Indoor/Outdoor Loose Tube Cable: OFNR/FT4 Flame Rated Non-Armor, Single Jacket. (ITU G.657.A1 and G.652.D). 0.35/0.35/0.25 dB/km at 1310/1383/1550 nm (1383 nm uncabled) Complies with GR-20 and ANSI/ICEA S-104-696 performance criteria.	Prysmian	F-DRLDB-12-CU-048-E3	In Stock
	2055-B	560	96	N	R/IO	Y	Cable, Fiber Optic. 96-Fiber FREEDM® Loose Tube Cable 2.5 mm Buffer Gel-Free Riser SMFe 0.4/0.4/0.3 dB/km 12f/tube	Corning	096EUF-T4101D20	In Stock
	2065	280	96	N	R/IO	Y	Cable, Fiber Optic. 96-Fiber FREEDM® Loose Tube Cable 2.5 mm Buffer Gel-Free Riser SMFe 0.4/0.4/0.3 dB/km 12f/tube	Corning	096EUF-T4101D20	In Stock
	2071	8,570	96	N	R/IO	Y	Cable, Fiber Optic. 96-Fiber FREEDM® Loose Tube Cable 2.5 mm Buffer Gel-Free Riser SMFe 0.4/0.4/0.3 dB/km 12f/tube	Corning	096EUF-T4101D20	In Stock

ETA	NTSI Reel #	Footage	Fiber Count	Armor Y/N	OSP/ Riser/ Plenum	Dry/Dry?	Description	Manufacturer	Part Number	Stock Status
	2070	10,000	96	N	R/IO	Y	Cable, Fiber Optic. 96-Fiber FREEDM® Loose Tube Cable 2.5 mm Buffer Gel-Free Riser SMFe 0.4/0.4/0.3 dB/km 12f/tube	Corning	096EUF-T4101D20	Order Pending
	2081-A	10,020	96	N	R/IO	Y	Cable 96 Fiber TOTALLY DRY OPTION 1 SINGLE OFNR JKT, DIELECTRIC CENTRAL MEMBER ALLWAVE-SM .35/.31/.25 DB/KM @1310/1385/1550NM	OFS	AT-3BE12RT-096	In Stock
	2082	8,036	96	N	R/IO	Y	Cable 96 Fiber TOTALLY DRY OPTION 1 SINGLE OFNR JKT, DIELECTRIC CENTRAL MEMBER ALLWAVE-SM .35/.31/.25 DB/KM @1310/1385/1550NM	OFS	AT-3BE12RT-096	Order Pending
	2064	818	144	N	R/IO	Y	Cable, Fiber Optic. 144-FIBER FREEDM® LOOSE TUBE GEL-FREE CABLE RISER SMF-28E+® MAX: 0.35/0.35/0.25, TYPICAL: 0.33/0.33/0.19 DB/KM G.652.D 12F/TUBEPRINT IN FT	Corning	144EUF-T4100D20	In Stock
	2116	5,000	144	N	R/IO	Y	Cable, Fiber optic. 144 Fiber. indoor/Outdoor Riser. Loose Tube Cable: OFNR/FT4 Flame Rated Non-Armor, Single Jacket 144 Fiber Corning Ultra SMF (ITU G.657.A1 and G.652.D). 0.35/0.35/0.25 dB/km at 1310/1383/1550 nm (1383 nm uncabled)	Prysmian	F-DRLDB-12-CU-144-E3	In Stock
	2090	1,284	288	N	R/IO	Y	Cable, Fiber optic. Indoor/Outdoor Loose Tube Cable 288 Fiber Enhanced Single Mode ( ITU G.652.D ) Non-Armor, Single Jacket, Dry	Prysmian	F-DRLDB-12-HB-288-E3	In Stock
	2048	144	288	N	R/IO	Y	Cable, Fiber optic. Indoor/Outdoor Loose Tube Cable 288 Fiber Enhanced Single Mode ( ITU G.652.D ) Non-Armor, Single Jacket, Dry	Prysmian	DRLDB-12-ES-288-E1	In Stock