

ETA	NovaLight Reel #	Footage	Fiber Count	Aarmor Y/N	OSP/ Riser/ Plenum	Dry/Dry?	Description	Manufacturer	Part Number	Stock Status
	9834-A	18,116	6	N	OSP	Y	Cable 6F, Fortex DT-100% Dry Single Jkt Single PE Jkt, Dielectric Central Member ALLWAVE-SM-.35/.31/.25 db/km@1310/1385/1550	OFS	AT-3BE12YT-006	In Stock
	9836	20,000	6	N	OSP	Y	Cable 6F, Fortex DT-100% Dry Single Jkt Single PE Jkt, Dielectric Central Member ALLWAVE-SM-.35/.31/.25 db/km@1310/1385/1550	OFS	AT-3BE12YT-006	In Stock
	9851	20,000	6	N	OSP	Y	Cable 6F, Fortex DT-100% Dry Single Jkt Single PE Jkt, Dielectric Central Member ALLWAVE-SM-.35/.31/.25 db/km@1310/1385/1550	OFS	AT-3BE12YT-006	In Stock
	9852	20,000	6	N	OSP	Y	Cable 6F, Fortex DT-100% Dry Single Jkt Single PE Jkt, Dielectric Central Member ALLWAVE-SM-.35/.31/.25 db/km@1310/1385/1550	OFS	AT-3BE12YT-006	In Stock
	9952-A	14,714	12	N	OSP	Y	Cable,12-Fiber, SM, LT, OS2, Dielectric, ALTOS®, Gel-Free, Enhanced 2.5 mm Buffer Tubes	Corning	012EU4-T4101D20	In Stock

ETA	NovaLight Reel #	Footage	Fiber Count	Armor Y/N	OSP/ Riser/ Plenum	Dry/Dry?	Description	Manufacturer	Part Number	Stock Status
	10004-A	8,996	12	N	OSP	Y	Cable,12-Fiber, SM, LT, OS2, Dielectric, ALTOS®, Gel-Free, Enhanced 2.5 mm Buffer Tubes	Corning	012EU4-T4101D20	In Stock
	10197	20,000	12	N	OSP	Y	Cable,12-Fiber, SM, LT, OS2, Dielectric, ALTOS®, Gel-Free, Enhanced 2.5 mm Buffer Tubes	Corning	012EU4-T4101D20	In Stock
	10223	20,000	12	N	OSP	Y	Cable,12-Fiber, SM, LT, OS2, Dielectric, ALTOS®, Gel-Free, Enhanced 2.5 mm Buffer Tubes	Corning	012EU4-T4101D20	In Stock
11/13/18		20,000	12	N	OSP	Y	Cable,12-Fiber, SM, LT, OS2, Dielectric, ALTOS®, Gel-Free, Enhanced 2.5 mm Buffer Tubes	Corning	012EU4-T4101D20	On Order
11/13/18		20,000	12	N	OSP	Y	Cable,12-Fiber, SM, LT, OS2, Dielectric, ALTOS®, Gel-Free, Enhanced 2.5 mm Buffer Tubes	Corning	012EU4-T4101D20	On Order

ETA	NovaLight Reel #	Footage	Fiber Count	Armor Y/N	OSP/ Riser/ Plenum	Dry/Dry?	Description	Manufacturer	Part Number	Stock Status
02/14/19		20,000	12	N	OSP	Y	Cable,12-Fiber, SM, LT, OS2, Dielectric, ALTOS®, Gel-Free, Enhanced 2.5 mm Buffer Tubes	Corning	012EU4-T4101D20	On Order
02/14/19		20,000	12	N	OSP	Y	Cable,12-Fiber, SM, LT, OS2, Dielectric, ALTOS®, Gel-Free, Enhanced 2.5 mm Buffer Tubes	Corning	012EU4-T4101D20	On Order
03/13/19		20,000	12	N	OSP	Y	Cable,12-Fiber, SM, LT, OS2, Dielectric, ALTOS®, Gel-Free, Enhanced 2.5 mm Buffer Tubes	Corning	012EU4-T4101D20	On Order
03/13/19		20,000	12	N	OSP	Y	Cable,12-Fiber, SM, LT, OS2, Dielectric, ALTOS®, Gel-Free, Enhanced 2.5 mm Buffer Tubes	Corning	012EU4-T4101D20	On Order
	9425	20,000	12	Y	OSP	Y	Cable, 12 fiber FORTEX DT-100% DRY LIGHT ARMOR SINGLE PE JKT, SINGLE ARMOR, DIELECTRIC CENTRAL MEMBER ALLWAVE-SM_.35/.31/.25 DB/KM @1310/1385/1550NM	OFS	AT-3BEH2YT-012	In Stock

ETA	NovaLight Reel #	Footage	Fiber Count	Armor Y/N	OSP/ Riser/ Plenum	Dry/Dry?	Description	Manufacturer	Part Number	Stock Status
	9426	20,000	12	Y	OSP	Y	Cable, 12 fiber FORTEX DT-100% DRY LIGHT ARMOR SINGLE PE JKT, SINGLE ARMOR, DIELECTRIC CENTRAL MEMBER ALLWAVE-SM_35/.31/.25 DB/KM @1310/1385/1550NM	OFS	AT-3BEH2YT-012	In Stock
	9669-A	14,996	12	Y	OSP	Y	12-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.4/0.4/0.3 dB/km 12f/tube Print in ft	Corning	012EUC-T4101D20	In Stock
	9691-A	7,518	12	Y	OSP	Y	12-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.4/0.4/0.3 dB/km 12f/tube Print in ft	Corning	012EUC-T4101D20	In Stock
	9694-A	10,794	12	Y	OSP	Y	12-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.4/0.4/0.3 dB/km 12f/tube Print in ft	Corning	012EUC-T4101D20	In Stock
	9720	20,000	12	Y	OSP	Y	12-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.4/0.4/0.3 dB/km 12f/tube Print in ft	Corning	012EUC-T4101D20	In Stock

ETA	NovaLight Reel #	Footage	Fiber Count	Armor Y/N	OSP/ Riser/ Plenum	Dry/Dry?	Description	Manufacturer	Part Number	Stock Status
	9721	20,000	12	Y	OSP	Y	12-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.4/0.4/0.3 dB/km 12f/tube Print in ft	Corning	012EUC-T4101D20	In Stock
	9905-A	12,114	24	N	OSP	Y	Cable, Fiber Optic, 24F SM, Loose Tube, Single PE Jkt, Dielectric Central Member, Dry Core, Gel-Filled Tubes, Non-Armored, ALLWAVE SM-.35/.31/.25 db/km@1310/1385/1550	OFS	AT-3BE12YT-024	In Stock
	9922	20,000	24	N	OSP	Y	Cable, Fiber Optic, 24F SM, Loose Tube, Single PE Jkt, Dielectric Central Member, Dry Core, Gel-Filled Tubes, Non-Armored, ALLWAVE SM-.35/.31/.25 db/km@1310/1385/1550	OFS	AT-3BE12YT-024	In Stock
	9923	20,000	24	N	OSP	Y	Cable, Fiber Optic, 24F SM, Loose Tube, Single PE Jkt, Dielectric Central Member, Dry Core, Gel-Filled Tubes, Non-Armored, ALLWAVE SM-.35/.31/.25 db/km@1310/1385/1550	OFS	AT-3BE12YT-024	In Stock
	9924-A	15,466	24	N	OSP	Y	Cable, Fiber Optic, 24F SM, Loose Tube, Single PE Jkt, Dielectric Central Member, Dry Core, Gel-Filled Tubes, Non-Armored, ALLWAVE SM-.35/.31/.25 db/km@1310/1385/1550	OFS	AT-3BE12YT-024	In Stock

ETA	NovaLight Reel #	Footage	Fiber Count	Aarmor Y/N	OSP/ Riser/ Plenum	Dry/Dry?	Description	Manufacturer	Part Number	Stock Status
	10238-A	5,996	24	N	OSP	Y	Cable, 24 Fiber, SM, ALTOS, Dielectric, 2.5mm Buffer, Gel-Free, SMFe, 0.35/0.35/0.25 dB/km, 12 fibers per tube	Corning	024EU4-T4100D20	In Stock
	10243	20,000	24	N	OSP	Y	Cable, 24 Fiber, SM, ALTOS, Dielectric, 2.5mm Buffer, Gel-Free, SMFe, 0.35/0.35/0.25 dB/km, 12 fibers per tube	Corning	024EU4-T4100D20	Order Pending
11/13/18		20,000	24	N	OSP	Y	Cable, 24 Fiber, SM, ALTOS, Dielectric, 2.5mm Buffer, Gel-Free, SMFe, 0.35/0.35/0.25 dB/km, 12 fibers per tube	Corning	024EU4-T4100D20	Order Pending
11/13/18		20,000	24	N	OSP	Y	Cable, 24 Fiber, SM, ALTOS, Dielectric, 2.5mm Buffer, Gel-Free, SMFe, 0.35/0.35/0.25 dB/km, 12 fibers per tube	Corning	024EU4-T4100D20	On Order
	9031	19,571	24	Y	OSP	Y	Cable, Fiber Optic. 24 Fiber. Loose Tube, Corning Single Mode Fiber in Stranded Tubes Water-Swellable Material, Dielectric CSM, 12Fibers/Tube HDPE Jacket, 600 lb Tensile Cable for Aerial, Duct, and Direct-Buried Applications	Teldor	F902402G5B	In Stock

ETA	NovaLight Reel #	Footage	Fiber Count	Armor Y/N	OSP/ Riser/ Plenum	Dry/Dry?	Description	Manufacturer	Part Number	Stock Status
	8962-A	5,022	24	Y	OSP	Y	Cable, Fiber Optic. 24 Fiber. Loose Tube, Corning Single Mode Fiber in Stranded Tubes Water-Swellable Material, Dielectric CSM, 12Fibers/Tube HDPE Jacket, 600 lb Tensile Cable for Aerial, Duct, and Direct-Buried Applications	Teldor	F902402G5B	In Stock
	8881-A	15,430	24	Y	OSP	Y	Cable, Fiber Optic. 24 Fiber. Loose Tube, Corning Single Mode Fiber in Stranded Tubes Water-Swellable Material, Dielectric CSM, 12Fibers/Tube HDPE Jacket, 600 lb Tensile Cable for Aerial, Duct, and Direct-Buried Applications	Teldor	F902402G5B	In Stock
	8970	18,895	24	Y	OSP	Y	Cable, Fiber Optic. 24 Fiber. Loose Tube, Corning Single Mode Fiber in Stranded Tubes Water-Swellable Material, Dielectric CSM, 12Fibers/Tube HDPE Jacket, 600 lb Tensile Cable for Aerial, Duct, and Direct-Buried Applications	Teldor	F902402G5B	In Stock
	10165	20,000	24	Y	OSP	Y	Cable, Fiber optic. 24 count, Loose Tube, Single Amror, Single Jacket. DRY-DRY Cable. ESM Glass	Corning	0024EUC-T4100D20	In Stock
	10189	20,000	24	Y	OSP	Y	Cable, Fiber optic. 24 count, Loose Tube, Single Amror, Single Jacket. DRY-DRY Cable. ESM Glass	Corning	0024EUC-T4100D20	In Stock

ETA	NovaLight Reel #	Footage	Fiber Count	Aarmor Y/N	OSP/ Riser/ Plenum	Dry/Dry?	Description	Manufacturer	Part Number	Stock Status
	10200	20,000	24	Y	OSP	Y	Cable, Fiber optic.24 count, Loose Tube, Single Amror, Single Jacket. DRY-DRY Cable. ESM Glass	Corning	0024EUC-T4100D20	In Stock
	10201	20,000	24	Y	OSP	Y	Cable, Fiber optic.24 count, Loose Tube, Single Amror, Single Jacket. DRY-DRY Cable. ESM Glass	Corning	0024EUC-T4100D20	In Stock
	10202	20,000	24	Y	OSP	Y	Cable, Fiber optic.24 count, Loose Tube, Single Amror, Single Jacket. DRY-DRY Cable. ESM Glass	Corning	0024EUC-T4100D20	In Stock
01/29/19		20,000	24	Y	OSP	Y	Cable, Fiber optic.24 count, Loose Tube, Single Amror, Single Jacket. DRY-DRY Cable. ESM Glass	Corning	0024EUC-T4100D20	On Order
01/29/19		20,000	24	Y	OSP	Y	Cable, Fiber optic.24 count, Loose Tube, Single Amror, Single Jacket. DRY-DRY Cable. ESM Glass	Corning	0024EUC-T4100D20	On Order



ETA	NovaLight Reel #	Footage	Fiber Count	Aarmor Y/N	OSP/ Riser/ Plenum	Dry/Dry?	Description	Manufacturer	Part Number	Stock Status
01/29/19		20,000	24	Y	OSP	Y	Cable, Fiber optic.24 count, Loose Tube, Single Amror, Single Jacket. DRY-DRY Cable. ESM Glass	Corning	0024EUC-T4100D20	On Order
02/14/19		20,000	24	Y	OSP	Y	Cable, Fiber optic.24 count, Loose Tube, Single Amror, Single Jacket. DRY-DRY Cable. ESM Glass	Corning	0024EUC-T4100D20	On Order
02/14/19		20,000	24	Y	OSP	Y	Cable, Fiber optic.24 count, Loose Tube, Single Amror, Single Jacket. DRY-DRY Cable. ESM Glass	Corning	0024EUC-T4100D20	On Order
02/14/19		20,000	24	Y	OSP	Y	Cable, Fiber optic.24 count, Loose Tube, Single Amror, Single Jacket. DRY-DRY Cable. ESM Glass	Corning	0024EUC-T4100D20	On Order
03/13/19		20,000	24	Y	OSP	Y	Cable, Fiber optic.24 count, Loose Tube, Single Amror, Single Jacket. DRY-DRY Cable. ESM Glass	Corning	0024EUC-T4100D20	On Order

ETA	NovaLight Reel #	Footage	Fiber Count	Aarmor Y/N	OSP/ Riser/ Plenum	Dry/Dry?	Description	Manufacturer	Part Number	Stock Status
03/13/19		20,000	24	Y	OSP	Y	Cable, Fiber optic.24 count, Loose Tube, Single Amror, Single Jacket. DRY-DRY Cable. ESM Glass	Corning	0024EUC-T4100D20	On Order
03/13/19		20,000	24	Y	OSP	Y	Cable, Fiber optic.24 count, Loose Tube, Single Amror, Single Jacket. DRY-DRY Cable. ESM Glass	Corning	0024EUC-T4100D20	On Order
	9291	5,462	36	N	OSP	N	Cable, fiber optic. 36-FIBER ALTOS GEL-FILLED CABLE ALL DIELECTRIC SINGLE JACKET SMF-28E+ MAX: 0.35/0.35/0.25 G.652.D 12F/TUBE PRINT IN FT	Corning	036EW4-T4100A53	In Stock
	9926	20,000	48	N	OSP	Y	Cable 48F FORTEX DT-100% DRY SINGLE JKT SINGLE PE JKT, DIELECTRIC CENTRAL MEMBER ALLWAVE-SM_35/31/25 DB/KM @1310/1385/1550NM	OFS	AT-3BE12YT-048	In Stock
	10124-A	7,086	48	N	OSP	Y	Cable, Fiber Optic. 48-Fiber ALTOS® Cable 2.5 mm Buffer Gel-Free, Dielectric, Single-Jacket SMFe 0.35/0.35/0.25 dB/km 12f/tube	Corning	048EU4-T4100D20	In Stock

ETA	NovaLight Reel #	Footage	Fiber Count	Armor Y/N	OSP/ Riser/ Plenum	Dry/Dry?	Description	Manufacturer	Part Number	Stock Status
	10198-A	11,596	48	N	OSP	Y	Cable, Fiber Optic. 48-Fiber ALTOS® Cable 2.5 mm Buffer Gel-Free, Dielectric, Single-Jacket SMFe 0.35/0.35/0.25 dB/km 12f/tube	Corning	048EU4-T4100D20	In Stock
	10226-A	4,998	48	N	OSP	Y	Cable, Fiber Optic. 48-Fiber ALTOS® Cable 2.5 mm Buffer Gel-Free, Dielectric, Single-Jacket SMFe 0.35/0.35/0.25 dB/km 12f/tube	Corning	048EU4-T4100D20	In Stock
	10227-A	9,998	48	N	OSP	Y	Cable, Fiber Optic. 48-Fiber ALTOS® Cable 2.5 mm Buffer Gel-Free, Dielectric, Single-Jacket SMFe 0.35/0.35/0.25 dB/km 12f/tube	Corning	048EU4-T4100D20	In Stock
	10239-A	16,912	48	N	OSP	Y	Cable, Fiber Optic. 48-Fiber ALTOS® Cable 2.5 mm Buffer Gel-Free, Dielectric, Single-Jacket SMFe 0.35/0.35/0.25 dB/km 12f/tube	Corning	048EU4-T4100D20	In Stock
	9878	20,224	48	Y	OSP	Y	Cable, DRY/DRY 48 Fiber, SM, Loose Tube, Single Armor/Single Jacket, Dry-Dry, Water-Swellable Matl, Dielectric CSM, 12 Fibers per Tube, HDPE Jacket, 600 lb Tensile, Cable for Aerial, Duct, And Direct-Buried DRC-9-04X12-D-ZRP-D BK	Teldor	F904804M6B	In Stock

ETA	NovaLight Reel #	Footage	Fiber Count	Armor Y/N	OSP/ Riser/ Plenum	Dry/Dry?	Description	Manufacturer	Part Number	Stock Status
	9879	20,044	48	Y	OSP	Y	Cable, DRY/DRY 48 Fiber, SM, Loose Tube, Single Armor/Single Jacket, Dry-Dry, Water-Swellable Matl, Dielectric CSM, 12 Fibers per Tube, HDPE Jacket, 600 lb Tensile, Cable for Aerial, Duct, And Direct-Buried DRC-9-04X12-D-ZRP-D BK	Teldor	F904804M6B	In Stock
	9882	20,076	48	Y	OSP	Y	Cable, DRY/DRY 48 Fiber, SM, Loose Tube, Single Armor/Single Jacket, Dry-Dry, Water-Swellable Matl, Dielectric CSM, 12 Fibers per Tube, HDPE Jacket, 600 lb Tensile, Cable for Aerial, Duct, And Direct-Buried DRC-9-04X12-D-ZRP-D BK	Teldor	F904804M6B	In Stock
	9884	20,198	48	Y	OSP	Y	Cable, DRY/DRY 48 Fiber, SM, Loose Tube, Single Armor/Single Jacket, Dry-Dry, Water-Swellable Matl, Dielectric CSM, 12 Fibers per Tube, HDPE Jacket, 600 lb Tensile, Cable for Aerial, Duct, And Direct-Buried DRC-9-04X12-D-ZRP-D BK	Teldor	F904804M6B	In Stock
	9885	20,218	48	Y	OSP	Y	Cable, DRY/DRY 48 Fiber, SM, Loose Tube, Single Armor/Single Jacket, Dry-Dry, Water-Swellable Matl, Dielectric CSM, 12 Fibers per Tube, HDPE Jacket, 600 lb Tensile, Cable for Aerial, Duct, And Direct-Buried DRC-9-04X12-D-ZRP-D BK	Teldor	F904804M6B	In Stock
	9886	20,178	48	Y	OSP	Y	Cable, DRY/DRY 48 Fiber, SM, Loose Tube, Single Armor/Single Jacket, Dry-Dry, Water-Swellable Matl, Dielectric CSM, 12 Fibers per Tube, HDPE Jacket, 600 lb Tensile, Cable for Aerial, Duct, And Direct-Buried DRC-9-04X12-D-ZRP-D BK	Teldor	F904804M6B	In Stock

ETA	NovaLight Reel #	Footage	Fiber Count	Armor Y/N	OSP/ Riser/ Plenum	Dry/Dry?	Description	Manufacturer	Part Number	Stock Status
	9816	21,225	48	Y	OSP	Y	Cable, 48-FIBER ALTOS® LITE GEL-FREE CABLE SINGLE JACKET, SINGLE ARMOR WITH FAST ACCESS® TECHNOLOGY SMF-28® ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM G652.D/G657.A1 12F/TUBE PRINT IN FT	Corning	048ZUC-T4F22D20	In Stock
	10018-A	5,002	48	Y	OSP	Y	48-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube Print in ft	Corning	048EUC-T4100D20	In Stock
	10018-E	3,484	48	Y	OSP	Y	48-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube Print in ft	Corning	048EUC-T4100D20	In Stock
	10025-A	9,992	48	Y	OSP	Y	48-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube Print in ft	Corning	048EUC-T4100D20	In Stock
	10026-A	13,496	48	Y	OSP	Y	48-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube Print in ft	Corning	048EUC-T4100D20	In Stock

ETA	NovaLight Reel #	Footage	Fiber Count	Armor Y/N	OSP/ Riser/ Plenum	Dry/Dry?	Description	Manufacturer	Part Number	Stock Status
	10141	20,000	48	Y	OSP	Y	48-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube Print in ft	Corning	048EUC-T4100D20	In Stock
	10142	20,000	48	Y	OSP	Y	48-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube Print in ft	Corning	048EUC-T4100D20	In Stock
	10154	20,000	48	Y	OSP	Y	48-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube Print in ft	Corning	048EUC-T4100D20	In Stock
	10156	20,000	48	Y	OSP	Y	48-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube Print in ft	Corning	048EUC-T4100D20	In Stock
	10157	20,000	48	Y	OSP	Y	48-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube Print in ft	Corning	048EUC-T4100D20	In Stock

ETA	NovaLight Reel #	Footage	Fiber Count	Armor Y/N	OSP/ Riser/ Plenum	Dry/Dry?	Description	Manufacturer	Part Number	Stock Status
	10158	20,000	48	Y	OSP	Y	48-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube Print in ft	Corning	048EUC-T4100D20	In Stock
	10190	20,000	48	Y	OSP	Y	48-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube Print in ft	Corning	048EUC-T4100D20	In Stock
	10191	20,000	48	Y	OSP	Y	48-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube Print in ft	Corning	048EUC-T4100D20	In Stock
	10192	20,000	48	Y	OSP	Y	48-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube Print in ft	Corning	048EUC-T4100D20	In Stock
	10193	20,000	48	Y	OSP	Y	48-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube Print in ft	Corning	048EUC-T4100D20	In Stock

ETA	NovaLight Reel #	Footage	Fiber Count	Armor Y/N	OSP/ Riser/ Plenum	Dry/Dry?	Description	Manufacturer	Part Number	Stock Status
01/29/19		20,000	48	Y	OSP	Y	48-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube Print in ft	Corning	048EUC-T4100D20	On Order
01/29/19		20,000	48	Y	OSP	Y	48-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube Print in ft	Corning	048EUC-T4100D20	On Order
01/29/19		20,000	48	Y	OSP	Y	48-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube Print in ft	Corning	048EUC-T4100D20	On Order
01/29/19		20,000	48	Y	OSP	Y	48-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube Print in ft	Corning	048EUC-T4100D20	On Order
01/29/19		20,000	48	Y	OSP	Y	48-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube Print in ft	Corning	048EUC-T4100D20	On Order



ETA	NovaLight Reel #	Footage	Fiber Count	Armor Y/N	OSP/ Riser/ Plenum	Dry/Dry?	Description	Manufacturer	Part Number	Stock Status
01/29/19		20,000	48	Y	OSP	Y	48-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube Print in ft	Corning	048EUC-T4100D20	On Order
02/14/19		20,000	48	Y	OSP	Y	48-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube Print in ft	Corning	048EUC-T4100D20	On Order
02/14/19		20,000	48	Y	OSP	Y	48-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube Print in ft	Corning	048EUC-T4100D20	On Order
02/14/19		20,000	48	Y	OSP	Y	48-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube Print in ft	Corning	048EUC-T4100D20	On Order
02/14/19		20,000	48	Y	OSP	Y	48-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube Print in ft	Corning	048EUC-T4100D20	On Order

ETA	NovaLight Reel #	Footage	Fiber Count	Armor Y/N	OSP/ Riser/ Plenum	Dry/Dry?	Description	Manufacturer	Part Number	Stock Status
02/14/19		20,000	48	Y	OSP	Y	48-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube Print in ft	Corning	048EUC-T4100D20	On Order
02/14/19		20,000	48	Y	OSP	Y	48-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube Print in ft	Corning	048EUC-T4100D20	On Order
03/13/19		20,000	48	Y	OSP	Y	48-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube Print in ft	Corning	048EUC-T4100D20	On Order
03/13/19		20,000	48	Y	OSP	Y	48-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube Print in ft	Corning	048EUC-T4100D20	On Order
03/13/19		20,000	48	Y	OSP	Y	48-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube Print in ft	Corning	048EUC-T4100D20	On Order

ETA	NovaLight Reel #	Footage	Fiber Count	Armor Y/N	OSP/ Riser/ Plenum	Dry/Dry?	Description	Manufacturer	Part Number	Stock Status
03/13/19		20,000	48	Y	OSP	Y	48-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube Print in ft	Corning	048EUC-T4100D20	On Order
03/13/19		20,000	48	Y	OSP	Y	48-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube Print in ft	Corning	048EUC-T4100D20	On Order
03/13/19		20,000	48	Y	OSP	Y	48-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube Print in ft	Corning	048EUC-T4100D20	On Order
	9741-A	4,652	72	N	OSP	Y	Cable 72F FORTEX DT-100% DRY SINGLE JKT SINGLE PE JKT, DIELECTRIC CENTRAL MEMBER ALLWAVE-SM_.35/.31/.25 DB/KM @1310/1385/1550NM	OFS	AT-3BE12YT-072	In Stock
	9844-A	12,596	72	N	OSP	Y	Cable 72F FORTEX DT-100% DRY SINGLE JKT SINGLE PE JKT, DIELECTRIC CENTRAL MEMBER ALLWAVE-SM_.35/.31/.25 DB/KM @1310/1385/1550NM	OFS	AT-3BE12YT-072	In Stock

ETA	NovaLight Reel #	Footage	Fiber Count	Armor Y/N	OSP/ Riser/ Plenum	Dry/Dry?	Description	Manufacturer	Part Number	Stock Status
	9845-A	10,838	72	N	OSP	Y	Cable 72F FORTEX DT-100% DRY SINGLE JKT SINGLE PE JKT, DIELECTRIC CENTRAL MEMBER ALLWAVE-SM_.35/.31/.25 DB/KM @1310/1385/1550NM	OFS	AT-3BE12YT-072	In Stock
	9846	8,210	72	N	OSP	Y	Cable 72F FORTEX DT-100% DRY SINGLE JKT SINGLE PE JKT, DIELECTRIC CENTRAL MEMBER ALLWAVE-SM_.35/.31/.25 DB/KM @1310/1385/1550NM	OFS	AT-3BE12YT-072	In Stock
	9858	20,000	72	Y	OSP	Y	Cable, 72 Fiber, SM. FORTEX DT-100% Dry, Light Armor, Single PE Jacket, Dielectric Central Member, ALLWAVE, .35/.31/.25 db/km @ 1310/1385/1550 nm	OFS	AT-3BEH2YT-072	In Stock
	10116-A	9,992	72	Y	OSP	Y	72-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube	Corning	072EUC-T4100D20	In Stock
	10117-A	10,996	72	Y	OSP	Y	72-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube	Corning	072EUC-T4100D20	In Stock

ETA	NovaLight Reel #	Footage	Fiber Count	Armor Y/N	OSP/ Riser/ Plenum	Dry/Dry?	Description	Manufacturer	Part Number	Stock Status
	10118-A	12,642	72	Y	OSP	Y	72-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube	Corning	072EUC-T4100D20	In Stock
	10119	20,000	72	Y	OSP	Y	72-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube	Corning	072EUC-T4100D20	In Stock
	10122	20,000	72	Y	OSP	Y	72-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube	Corning	072EUC-T4100D20	In Stock
	10140	20,000	72	Y	OSP	Y	72-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube	Corning	072EUC-T4100D20	In Stock
	10143	20,000	72	Y	OSP	Y	72-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube	Corning	072EUC-T4100D20	In Stock

ETA	NovaLight Reel #	Footage	Fiber Count	Armor Y/N	OSP/ Riser/ Plenum	Dry/Dry?	Description	Manufacturer	Part Number	Stock Status
	10144	20,000	72	Y	OSP	Y	72-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube	Corning	072EUC-T4100D20	In Stock
	10147	20,000	72	Y	OSP	Y	72-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube	Corning	072EUC-T4100D20	In Stock
	10159	20,000	72	Y	OSP	Y	72-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube	Corning	072EUC-T4100D20	In Stock
	10180	20,000	72	Y	OSP	Y	72-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube	Corning	072EUC-T4100D20	In Stock
	10186	20,000	72	Y	OSP	Y	72-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube	Corning	072EUC-T4100D20	In Stock

ETA	NovaLight Reel #	Footage	Fiber Count	Armor Y/N	OSP/ Riser/ Plenum	Dry/Dry?	Description	Manufacturer	Part Number	Stock Status
	10187	20,000	72	Y	OSP	Y	72-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube	Corning	072EUC-T4100D20	In Stock
	10188	20,000	72	Y	OSP	Y	72-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube	Corning	072EUC-T4100D20	In Stock
	10211	20,000	72	Y	OSP	Y	72-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube	Corning	072EUC-T4100D20	In Stock
01/29/19		20,000	72	Y	OSP	Y	72-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube	Corning	072EUC-T4100D20	On Order
01/29/19		20,000	72	Y	OSP	Y	72-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube	Corning	072EUC-T4100D20	On Order

ETA	NovaLight Reel #	Footage	Fiber Count	Armor Y/N	OSP/ Riser/ Plenum	Dry/Dry?	Description	Manufacturer	Part Number	Stock Status
01/29/19		20,000	72	Y	OSP	Y	72-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube	Corning	072EUC-T4100D20	On Order
01/29/19		20,000	72	Y	OSP	Y	72-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube	Corning	072EUC-T4100D20	On Order
01/29/19		20,000	72	Y	OSP	Y	72-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube	Corning	072EUC-T4100D20	On Order
02/14/19		20,000	72	Y	OSP	Y	72-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube	Corning	072EUC-T4100D20	On Order
02/14/19		20,000	72	Y	OSP	Y	72-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube	Corning	072EUC-T4100D20	On Order



ETA	NovaLight Reel #	Footage	Fiber Count	Armor Y/N	OSP/ Riser/ Plenum	Dry/Dry?	Description	Manufacturer	Part Number	Stock Status
02/14/19		20,000	72	Y	OSP	Y	72-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube	Corning	072EUC-T4100D20	On Order
02/14/19		20,000	72	Y	OSP	Y	72-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube	Corning	072EUC-T4100D20	On Order
02/14/19		20,000	72	Y	OSP	Y	72-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube	Corning	072EUC-T4100D20	On Order
	9938-A	16,912	96	N	OSP	Y	Cable, Fiber Optic. 96 cout, loose tube, OSP, Single Jacket, Non-armored, Dry-Dry, Corning ESM glass	Corning	096EU4-T4100D20	In Stock
	9938-A	16,912	96	N	OSP	Y	Cable, Fiber Optic. 96 cout, loose tube, OSP, Single Jacket, Non-armored, Dry-Dry, Corning ESM glass	Corning	096EU4-T4100D20	In Stock

ETA	NovaLight Reel #	Footage	Fiber Count	Aarmor Y/N	OSP/ Riser/ Plenum	Dry/Dry?	Description	Manufacturer	Part Number	Stock Status
	10015	20,000	96	N	OSP	Y	Cable, Fiber Optic. 96 cout, loose tube, OSP, Single Jacket, Non-armored, Dry-Dry, Corning ESM glass	Corning	096EU4-T4100D20	In Stock
	10145-A	14,890	96	N	OSP	Y	Cable, Fiber Optic. 96 cout, loose tube, OSP, Single Jacket, Non-armored, Dry-Dry, Corning ESM glass	Corning	096EU4-T4100D20	In Stock
	10166	20,000	96	N	OSP	Y	Cable, Fiber Optic. 96 cout, loose tube, OSP, Single Jacket, Non-armored, Dry-Dry, Corning ESM glass	Corning	096EU4-T4100D20	In Stock
	10179	20,000	96	N	OSP	Y	Cable, Fiber Optic. 96 cout, loose tube, OSP, Single Jacket, Non-armored, Dry-Dry, Corning ESM glass	Corning	096EU4-T4100D20	In Stock
	10184	20,000	96	N	OSP	Y	Cable, Fiber Optic. 96 cout, loose tube, OSP, Single Jacket, Non-armored, Dry-Dry, Corning ESM glass	Corning	096EU4-T4100D20	In Stock

ETA	NovaLight Reel #	Footage	Fiber Count	Aarmor Y/N	OSP/ Riser/ Plenum	Dry/Dry?	Description	Manufacturer	Part Number	Stock Status
	10219	20,000	96	N	OSP	Y	Cable, Fiber Optic. 96 cout, loose tube, OSP, Single Jacket, Non-armored, Dry-Dry, Corning ESM glass	Corning	096EU4-T4100D20	In Stock
	10221	20,000	96	N	OSP	Y	Cable, Fiber Optic. 96 cout, loose tube, OSP, Single Jacket, Non-armored, Dry-Dry, Corning ESM glass	Corning	096EU4-T4100D20	In Stock
10/26/18		20,000	96	N	OSP	Y	Cable, Fiber Optic. 96 cout, loose tube, OSP, Single Jacket, Non-armored, Dry-Dry, Corning ESM glass	Corning	096EU4-T4100D20	On Order
10/26/18		20,000	96	N	OSP	Y	Cable, Fiber Optic. 96 cout, loose tube, OSP, Single Jacket, Non-armored, Dry-Dry, Corning ESM glass	Corning	096EU4-T4100D20	On Order
02/14/19		20,000	96	N	OSP	Y	Cable, Fiber Optic. 96 cout, loose tube, OSP, Single Jacket, Non-armored, Dry-Dry, Corning ESM glass	Corning	096EU4-T4100D20	On Order

ETA	NovaLight Reel #	Footage	Fiber Count	Armor Y/N	OSP/ Riser/ Plenum	Dry/Dry?	Description	Manufacturer	Part Number	Stock Status
02/14/19		20,000	96	N	OSP	Y	Cable, Fiber Optic. 96 cout, loose tube, OSP, Single Jacket, Non-armored, Dry-Dry, Corning ESM glass	Corning	096EU4-T4100D20	On Order
Custom Print	10170	16,212	96	N	OSP	Y	Cable, Fiber Optic. 96 Count, Dry-Dry Loose tube, NON-Armored. 12 Fiber per tubes ESM glass. Custom print line.	CommScope	D-096-LN-8W-X12NS	In Stock
Custom Print	10171	16,000	96	N	OSP	Y	Cable, Fiber Optic. 96 Count, Dry-Dry Loose tube, NON-Armored. 12 Fiber per tubes ESM glass. Custom print line.	CommScope	D-096-LN-8W-X12NS	In Stock
	9172-A	9,632	96	N	OSP	Y	Cable, Fiber Optic. 96 fiber. Loose Single Mode Fiber in Stranded Tubes Water-Swellable Material, Dielectric CSM, 12Fibers/Tube HDPE Jacket, 600 lb Tensile Cable for Aerial, Duct, and Direct-Buried Applications	Teldor	F909608G7B	In Stock
	9385-A	12,912	96	N	OSP	N	Cable, Fiber Optic. 96 Fiber. Single Jkt Single PE Jkt, Dielectric Central Member ALLWAVE-SM-.35/.31/.25 db/km@1310/1385/1550	OFS	AT-3BE12TT-096	In Stock

ETA	NovaLight Reel #	Footage	Fiber Count	Armor Y/N	OSP/ Riser/ Plenum	Dry/Dry?	Description	Manufacturer	Part Number	Stock Status
	8357-A	5,092	96	N	OSP	Y	Cable, Fiber Optis. 96 Fiber FORTEX DT-100% DRY SINGLE JKT SINGLE PE JKT, DIELECTRIC CENTRAL MEMBER ALLWAVE-SM_.35/.31/.25 DB/KM @1310/1385/1550NM	OFS	AT-3BE12YT-096	In Stock
	9353-A	8,710	96	N	OSP	N	Cable, Fiber Optic. 96 Fiber. Single Jkt Single PE Jkt, Dielectric Central Member ALLWAVE-SM-.35/.31/.25 db/km@1310/1385/1550	OFS	AT-3BE12TT-096	In Stock
		20000?	96	Y	OSP	Y	Cable, DRY/DRY 96 Fiber, SM, Loose Tube, Single Armor/Single Jacket, Dry-Dry, Water-Swellable Matl, Dielectric CSM, 12 Fibers per Tube, HDPE Jacket, 600 lb Tensile DRC-9-08X12-D-ZRP-D BK	Teldor	F909608E7B	On Order
		20000?	96	Y	OSP	Y	Cable, DRY/DRY 96 Fiber, SM, Loose Tube, Single Armor/Single Jacket, Dry-Dry, Water-Swellable Matl, Dielectric CSM, 12 Fibers per Tube, HDPE Jacket, 600 lb Tensile DRC-9-08X12-D-ZRP-D BK	Teldor	F909608E7B	On Order
		20000?	96	Y	OSP	Y	Cable, DRY/DRY 96 Fiber, SM, Loose Tube, Single Armor/Single Jacket, Dry-Dry, Water-Swellable Matl, Dielectric CSM, 12 Fibers per Tube, HDPE Jacket, 600 lb Tensile DRC-9-08X12-D-ZRP-D BK	Teldor	F909608E7B	On Order

ETA	NovaLight Reel #	Footage	Fiber Count	Armor Y/N	OSP/ Riser/ Plenum	Dry/Dry?	Description	Manufacturer	Part Number	Stock Status
		20000?	96	Y	OSP	Y	Cable, DRY/DRY 96 Fiber, SM, Loose Tube, Single Armor/Single Jacket, Dry-Dry, Water-Swellable Matl, Dielectric CSM, 12 Fibers per Tube, HDPE Jacket, 600 lb Tensile DRC-9-08X12-D-ZRP-D BK	Teldor	F909608E7B	On Order
		20000?	96	Y	OSP	Y	Cable, DRY/DRY 96 Fiber, SM, Loose Tube, Single Armor/Single Jacket, Dry-Dry, Water-Swellable Matl, Dielectric CSM, 12 Fibers per Tube, HDPE Jacket, 600 lb Tensile DRC-9-08X12-D-ZRP-D BK	Teldor	F909608E7B	On Order
	9451	20,300	96	Y	OSP	Y	Cable, DRY/DRY 96 Fiber, SM, Loose Tube, Single Armor/Single Jacket, Dry-Dry, Water-Swellable Matl, Dielectric CSM, 12 Fibers per Tube, HDPE Jacket, 600 lb Tensile DRC-9-08X12-D-ZRP-D BK	Teldor	F909608E7B	In Stock
	10228	18,634	96	Y	OSP	Y	Cable, Fiber Optic. 96-Fiber ALTOS® Gel-Free Cable 2.5 mm Buffer Armor Lite# Single-Jacket/Single-Armor SMFe 0.33/0.33/0.19 dB/km G.652.D12f/tube Print in ft	Corning	0096EUC-T4100D20	In Stock
	10231	20,000	96	Y	OSP	Y	Cable, Fiber Optic. 96-Fiber ALTOS® Gel-Free Cable 2.5 mm Buffer Armor Lite# Single-Jacket/Single-Armor SMFe 0.33/0.33/0.19 dB/km G.652.D12f/tube Print in ft	Corning	0096EUC-T4100D20	Order Pending

ETA	NovaLight Reel #	Footage	Fiber Count	Armor Y/N	OSP/ Riser/ Plenum	Dry/Dry?	Description	Manufacturer	Part Number	Stock Status
	10232-A	11,496	96	Y	OSP	Y	Cable, Fiber Optic. 96-Fiber ALTOS® Gel-Free Cable 2.5 mm Buffer Armor Lite# Single-Jacket/Single-Armor SMFe 0.33/0.33/0.19 dB/km G.652.D12f/tube Print in ft	Corning	0096EUC-T4100D20	In Stock
	10234	20,000	96	Y	OSP	Y	Cable, Fiber Optic. 96-Fiber ALTOS® Gel-Free Cable 2.5 mm Buffer Armor Lite# Single-Jacket/Single-Armor SMFe 0.33/0.33/0.19 dB/km G.652.D12f/tube Print in ft	Corning	0096EUC-T4100D20	Order Pending
	10235	20,000	96	Y	OSP	Y	Cable, Fiber Optic. 96-Fiber ALTOS® Gel-Free Cable 2.5 mm Buffer Armor Lite# Single-Jacket/Single-Armor SMFe 0.33/0.33/0.19 dB/km G.652.D12f/tube Print in ft	Corning	0096EUC-T4100D20	Order Pending
12/10/18		20,000	96	Y	OSP	Y	Cable, Fiber Optic. 96-Fiber ALTOS® Gel-Free Cable 2.5 mm Buffer Armor Lite# Single-Jacket/Single-Armor SMFe 0.33/0.33/0.19 dB/km G.652.D12f/tube Print in ft	Corning	0096EUC-T4100D20	On Order
12/10/18		20,000	96	Y	OSP	Y	Cable, Fiber Optic. 96-Fiber ALTOS® Gel-Free Cable 2.5 mm Buffer Armor Lite# Single-Jacket/Single-Armor SMFe 0.33/0.33/0.19 dB/km G.652.D12f/tube Print in ft	Corning	0096EUC-T4100D20	On Order

ETA	NovaLight Reel #	Footage	Fiber Count	Armor Y/N	OSP/ Riser/ Plenum	Dry/Dry?	Description	Manufacturer	Part Number	Stock Status
12/10/18		20,000	96	Y	OSP	Y	Cable, Fiber Optic. 96-Fiber ALTOS® Gel-Free Cable 2.5 mm Buffer Armor Lite# Single-Jacket/Single-Armor SMFe 0.33/0.33/0.19 dB/km G.652.D12f/tube Print in ft	Corning	0096EUC-T4100D20	On Order
12/10/18		20,000	96	Y	OSP	Y	Cable, Fiber Optic. 96-Fiber ALTOS® Gel-Free Cable 2.5 mm Buffer Armor Lite# Single-Jacket/Single-Armor SMFe 0.33/0.33/0.19 dB/km G.652.D12f/tube Print in ft	Corning	0096EUC-T4100D20	On Order
12/10/18		20,000	96	Y	OSP	Y	Cable, Fiber Optic. 96-Fiber ALTOS® Gel-Free Cable 2.5 mm Buffer Armor Lite# Single-Jacket/Single-Armor SMFe 0.33/0.33/0.19 dB/km G.652.D12f/tube Print in ft	Corning	0096EUC-T4100D20	On Order
Custom print	10173-A	9,024	144	N	OSP	Y	Cable, Fiber Optic. 144 Count, Dry-Dry Loose tube, NON-Armored. 12 Fiber per tubes ESM glass. Custom print line.	CommScope	D-144-LN-8W-X12S	In Stock
Custom print	10175	11,858	144	N	OSP	Y	Cable, Fiber Optic. 144 Count, Dry-Dry Loose tube, NON-Armored. 12 Fiber per tubes ESM glass. Custom print line.	CommScope	D-144-LN-8W-X12S	In Stock



ETA	NovaLight Reel #	Footage	Fiber Count	Aarmor Y/N	OSP/ Riser/ Plenum	Dry/Dry?	Description	Manufacturer	Part Number	Stock Status
Custom print	10176	8,420	144	N	OSP	Y	Cable, Fiber Optic. 144 Count, Dry-Dry Loose tube, NON-Armored. 12 Fiber per tubes ESM glass. Custom print line.	CommScope	D-144-LN-8W-X12S	In Stock
	10205-A	14,586	144	N	OSP	Y	Cable, Fiber Optic. 144 count Loose Single Mode Fiber in Stranded Tubes Water-Swellable Material, Dry-Dry. Dielectric CSM, 12Fibers/Tube HDPE Jacket, 600 lb Tensile Cable for Aerial, Duct, and Direct-Buried Applications	Teldor	F914412C1B	In Stock
	10207	19,932	144	N	OSP	Y	Cable, Fiber Optic. 144 count Loose Single Mode Fiber in Stranded Tubes Water-Swellable Material, Dry-Dry. Dielectric CSM, 12Fibers/Tube HDPE Jacket, 600 lb Tensile Cable for Aerial, Duct, and Direct-Buried Applications	Teldor	F914412C1B	In Stock
	10209	20,070	144	N	OSP	Y	Cable, Fiber Optic. 144 count Loose Single Mode Fiber in Stranded Tubes Water-Swellable Material, Dry-Dry. Dielectric CSM, 12Fibers/Tube HDPE Jacket, 600 lb Tensile Cable for Aerial, Duct, and Direct-Buried Applications	Teldor	F914412C1B	In Stock
	9232	10,590	144	N	OSP	N	Cable, Fiber optic. (144) SMF-28e+ fibers, Loose Tube, Gel Filled, All-Dielectric, 12f/Tube, Marked in feet, Standard Sheath print + SOCC code	Corning	144EW4-CK701A53	In Stock

ETA	NovaLight Reel #	Footage	Fiber Count	Armor Y/N	OSP/ Riser/ Plenum	Dry/Dry?	Description	Manufacturer	Part Number	Stock Status
		20000?	144	Y	OSP	Y	"Cable,144 Fiber DRY/DRY Armored Cable (Single Armor/Single Jacket) Loose Single Mode Fiber in Stranded Tubes Water Swellable Material, DielectricCSM, 12Fibers/Tube HDPE Jacket, 600 lb Tensile Cable for Aerial, Duct, and Direct-Buried Applications DRC-9-12X12-D-ZRP-D BK "	Teldor	F914412A4B	On Order
		20000?	144	Y	OSP	Y	"Cable,144 Fiber DRY/DRY Armored Cable (Single Armor/Single Jacket) Loose Single Mode Fiber in Stranded Tubes Water Swellable Material, DielectricCSM, 12Fibers/Tube HDPE Jacket, 600 lb Tensile Cable for Aerial, Duct, and Direct-Buried Applications DRC-9-12X12-D-ZRP-D BK "	Teldor	F914412A4B	On Order
		20000?	144	Y	OSP	Y	"Cable,144 Fiber DRY/DRY Armored Cable (Single Armor/Single Jacket) Loose Single Mode Fiber in Stranded Tubes Water Swellable Material, DielectricCSM, 12Fibers/Tube HDPE Jacket, 600 lb Tensile Cable for Aerial, Duct, and Direct-Buried Applications DRC-9-12X12-D-ZRP-D BK "	Teldor	F914412A4B	On Order
		20000?	144	Y	OSP	Y	"Cable,144 Fiber DRY/DRY Armored Cable (Single Armor/Single Jacket) Loose Single Mode Fiber in Stranded Tubes Water Swellable Material, DielectricCSM, 12Fibers/Tube HDPE Jacket, 600 lb Tensile Cable for Aerial, Duct, and Direct-Buried Applications DRC-9-12X12-D-ZRP-D BK "	Teldor	F914412A4B	On Order
		20000?	144	Y	OSP	Y	"Cable,144 Fiber DRY/DRY Armored Cable (Single Armor/Single Jacket) Loose Single Mode Fiber in Stranded Tubes Water Swellable Material, DielectricCSM, 12Fibers/Tube HDPE Jacket, 600 lb Tensile Cable for Aerial, Duct, and Direct-Buried Applications DRC-9-12X12-D-ZRP-D BK "	Teldor	F914412A4B	On Order

ETA	NovaLight Reel #	Footage	Fiber Count	Armor Y/N	OSP/ Riser/ Plenum	Dry/Dry?	Description	Manufacturer	Part Number	Stock Status
	10150	20,000	144	Y	OSP	Y	144-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube Print in ft	Corning	144EUC-T4100D20	In Stock
	10151	20,000	144	Y	OSP	Y	144-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube Print in ft	Corning	144EUC-T4100D20	In Stock
	10152	20,000	144	Y	OSP	Y	144-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube Print in ft	Corning	144EUC-T4100D20	In Stock
12/10/18		20,000	144	Y	OSP	Y	144-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube Print in ft	Corning	144EUC-T4100D20	On Order
12/10/18		20,000	144	Y	OSP	Y	144-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube Print in ft	Corning	144EUC-T4100D20	On Order

ETA	NovaLight Reel #	Footage	Fiber Count	Armor Y/N	OSP/ Riser/ Plenum	Dry/Dry?	Description	Manufacturer	Part Number	Stock Status
12/10/18		20,000	144	Y	OSP	Y	144-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube Print in ft	Corning	144EUC-T4100D20	On Order
12/10/18		20,000	144	Y	OSP	Y	144-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube Print in ft	Corning	144EUC-T4100D20	On Order
12/10/18		20,000	144	Y	OSP	Y	144-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube Print in ft	Corning	144EUC-T4100D20	On Order
	8574-A	2,772	216	N	OSP	Y	Cable, Fiber Optic. 216 Count. Non-armored. FORTEX DT-100% DRY SINGLE JKT SINGLE PE JKT, DIELECTRIC CENTRAL MEMBER ALLWAVE-SM_.35/.31/.25 DB/KM@1310/1385/1550	OFS	AT-3BE12YT-216	In Stock
	9230	12,008	216	N	OSP	N	Cable, Fiber Optic. (216) SMF-28e+ fibers, Loose Tube, Gel Filled, All-Dielectric, 12f/Tube, Marked in feet, Standard Sheath print + SOCC code	Corning	216EW4-T4100A53	In Stock

ETA	NovaLight Reel #	Footage	Fiber Count	Armor Y/N	OSP/ Riser/ Plenum	Dry/Dry?	Description	Manufacturer	Part Number	Stock Status
	9976-A	16,392	216	Y	OSP	Y	216-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube Print in ft	Corning	216EUC-T4100D20	In Stock
	9805	20,000	288	N	OSP	Y	Cable, Fiber Optic, 288 Fiber Cable, Enhanced Singlemode, Loose Tube, Non-Armored.	OFS	AT-3BE12YT-288	In Stock
	9806	20,000	288	N	OSP	Y	Cable, Fiber Optic, 288 Fiber Cable, Enhanced Singlemode, Loose Tube, Non-Armored.	OFS	AT-3BE12YT-288	In Stock
	9807-A	16,392	288	N	OSP	Y	Cable, Fiber Optic, 288 Fiber Cable, Enhanced Singlemode, Loose Tube, Non-Armored.	OFS	AT-3BE12YT-288	In Stock
	9947	20,002	288	N	OSP	Y	Cable 288F Singlemode dielectric, 12 fibers per Loose Tube, gel-free cable single MDPE Jacket, for aerial and duct G.652D fiber complies with of exceeds the ITU-T Recommendation	Sumec Wasin	swGYFY-288B1	In Stock

ETA	NovaLight Reel #	Footage	Fiber Count	Armor Y/N	OSP/ Riser/ Plenum	Dry/Dry?	Description	Manufacturer	Part Number	Stock Status
	9948	20,068	288	N	OSP	Y	Cable 288F Singlemode dielectric, 12 fibers per Loose Tube, gel-free cable single MDPE Jacket, for aerial and duct G.652D fiber complies with or exceeds the ITU-T Recommendation	Sumec Wasin	swGYFY-288B1	In Stock
	9949	20,314	288	N	OSP	Y	Cable 288F Singlemode dielectric, 12 fibers per Loose Tube, gel-free cable single MDPE Jacket, for aerial and duct G.652D fiber complies with or exceeds the ITU-T Recommendation	Sumec Wasin	swGYFY-288B1	In Stock
	9950	20,266	288	N	OSP	Y	Cable 288F Singlemode dielectric, 12 fibers per Loose Tube, gel-free cable single MDPE Jacket, for aerial and duct G.652D fiber complies with or exceeds the ITU-T Recommendation	Sumec Wasin	swGYFY-288B1	In Stock
	9951	20,224	288	N	OSP	Y	Cable 288F Singlemode dielectric, 12 fibers per Loose Tube, gel-free cable single MDPE Jacket, for aerial and duct G.652D fiber complies with or exceeds the ITU-T Recommendation	Sumec Wasin	swGYFY-288B1	In Stock
	9565-A	9,094	288	Y	OSP	Y	Cable, Fiber optic. 288 fiber, Loose tube, single jacket/single armor, Dielectric strength member. Gel Free, Dry Water block, ESM Zero Water Peak glass. Marked in Feet.	Teldor	F92882447B	In Stock

ETA	NovaLight Reel #	Footage	Fiber Count	Armor Y/N	OSP/ Riser/ Plenum	Dry/Dry?	Description	Manufacturer	Part Number	Stock Status
	9566	20,359	288	Y	OSP	Y	Cable, Fiber optic. 288 fiber, Loose tube, single jacket/single armor, Dielectric strength member. Gel Free, Dry Water block, ESM Zero Water Peak glass. Marked in Feet.	Teldor	F92882447B	In Stock
	9808	20,000	288	Y	OSP	Y	"Cable, 288 Fiber Optic. FORTEX DT-100% DRY SINGLE JKT/ SINGLE ARMOR, DIELECTRIC CENTRAL MEMBER ALLWAVE-SM_.35/.31/.25 DB/KM@1310/1385/1550"	OFS	AT-3BEH2YT-288	In Stock
	9810	20,000	288	Y	OSP	Y	"Cable, 288 Fiber Optic. FORTEX DT-100% DRY SINGLE JKT/ SINGLE ARMOR, DIELECTRIC CENTRAL MEMBER ALLWAVE-SM_.35/.31/.25 DB/KM@1310/1385/1550"	OFS	AT-3BEH2YT-288	In Stock
	9811	20,000	288	Y	OSP	Y	"Cable, 288 Fiber Optic. FORTEX DT-100% DRY SINGLE JKT/ SINGLE ARMOR, DIELECTRIC CENTRAL MEMBER ALLWAVE-SM_.35/.31/.25 DB/KM@1310/1385/1550"	OFS	AT-3BEH2YT-288	In Stock
	9812	20,000	288	Y	OSP	Y	"Cable, 288 Fiber Optic. FORTEX DT-100% DRY SINGLE JKT/ SINGLE ARMOR, DIELECTRIC CENTRAL MEMBER ALLWAVE-SM_.35/.31/.25 DB/KM@1310/1385/1550"	OFS	AT-3BEH2YT-288	In Stock

ETA	NovaLight Reel #	Footage	Fiber Count	Armor Y/N	OSP/ Riser/ Plenum	Dry/Dry?	Description	Manufacturer	Part Number	Stock Status
	9813	20,000	288	Y	OSP	Y	"Cable, 288 Fiber Optic. FORTEX DT-100% DRY SINGLE JKT/ SINGLE ARMOR, DIELECTRIC CENTRAL MEMBER ALLWAVE-SM_.35/.31/.25 DB/KM@1310/1385/1550"	OFS	AT-3BEH2YT-288	In Stock
	9814-A	15,284	288	Y	OSP	Y	"Cable, 288 Fiber Optic. FORTEX DT-100% DRY SINGLE JKT/ SINGLE ARMOR, DIELECTRIC CENTRAL MEMBER ALLWAVE-SM_.35/.31/.25 DB/KM@1310/1385/1550"	OFS	AT-3BEH2YT-288	In Stock
Custom Print	10169	18,052	288	Y	OSP	Y	Cable, Fiber Optic. 288 Count, Dry-Dry Loose tube, Armored. 12 Fiber per tubes ESM glass. Custom print line.	CommScope	D-288-LA-8W-X12NS	In Stock
Custom Print	10172	15,500	288	Y	OSP	Y	Cable, Fiber Optic. 288 Count, Dry-Dry Loose tube, Armored. 12 Fiber per tubes ESM glass. Custom print line.	CommScope	D-288-LA-8W-X12NS	In Stock
Custom Print	10174	12,298	288	Y	OSP	Y	Cable, Fiber Optic. 288 Count, Dry-Dry Loose tube, Armored. 12 Fiber per tubes ESM glass. Custom print line.	CommScope	D-288-LA-8W-X12NS	In Stock



ETA	NovaLight Reel #	Footage	Fiber Count	Armor Y/N	OSP/ Riser/ Plenum	Dry/Dry?	Description	Manufacturer	Part Number	Stock Status
	10138-A	7,000	288	Y	OSP	Y	Cable, Fiber optic. 288-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube Print in ft	Corning	288EUC-T4100D20	In Stock
	10148-A	14,696	288	Y	OSP	Y	Cable, Fiber optic. 288-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube Print in ft	Corning	288EUC-T4100D20	In Stock
01/29/19		20,000	288	Y	OSP	Y	Cable, Fiber optic. 288-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube Print in ft	Corning	288EUC-T4100D20	On Order
01/29/19		20,000	288	Y	OSP	Y	Cable, Fiber optic. 288-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube Print in ft	Corning	288EUC-T4100D20	On Order
01/29/19		20,000	288	Y	OSP	Y	Cable, Fiber optic. 288-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube Print in ft	Corning	288EUC-T4100D20	On Order

ETA	NovaLight Reel #	Footage	Fiber Count	Armor Y/N	OSP/ Riser/ Plenum	Dry/Dry?	Description	Manufacturer	Part Number	Stock Status
03/13/19		20,000	288	Y	OSP	Y	Cable, Fiber optic. 288-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube Print in ft	Corning	288EUC-T4100D20	On Order
03/13/19		20,000	288	Y	OSP	Y	Cable, Fiber optic. 288-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube Print in ft	Corning	288EUC-T4100D20	On Order
03/13/19		20,000	288	Y	OSP	Y	Cable, Fiber optic. 288-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube Print in ft	Corning	288EUC-T4100D20	On Order
	9927	10,174	432	N	OSP	Y	Cable 432F Singlemode dielectric, 12 fibers per Loose Tube, gel-free cable single MDPE Jacket, for aerial and duct G.652D fiber complies with of exceeds the ITU-T Recommendation	Sumec Wasin	swGYFY-432B1	In Stock
	9928	10,088	432	N	OSP	Y	Cable 432F Singlemode dielectric, 12 fibers per Loose Tube, gel-free cable single MDPE Jacket, for aerial and duct G.652D fiber complies with of exceeds the ITU-T Recommendation	Sumec Wasin	swGYFY-432B1	In Stock

ETA	NovaLight Reel #	Footage	Fiber Count	Aarmor Y/N	OSP/ Riser/ Plenum	Dry/Dry?	Description	Manufacturer	Part Number	Stock Status
	9871	10,010	432	Y	OSP	Y	Cable 432F Singlemode gel-free, single-jacket MDPE, single-armored cable	Sumec Wasin	swGYFS-432B1	In Stock
	9872	10,034	432	Y	OSP	Y	Cable 432F Singlemode gel-free, single-jacket MDPE, single-armored cable	Sumec Wasin	swGYFS-432B1	In Stock
	9873	10,002	432	Y	OSP	Y	Cable 432F Singlemode gel-free, single-jacket MDPE, single-armored cable	Sumec Wasin	swGYFS-432B1	In Stock
	9914	2,336	432	Y	OSP	Y	Cable 432F Singlemode gel-free, single-jacket MDPE, single-armored cable	Sumec Wasin	swGYFS-432B1	In Stock
	9915	4,034	432	Y	OSP	Y	Cable 432F Singlemode gel-free, single-jacket MDPE, single-armored cable	Sumec Wasin	swGYFS-432B1	In Stock

ETA	NovaLight Reel #	Footage	Fiber Count	Aarmor Y/N	OSP/ Riser/ Plenum	Dry/Dry?	Description	Manufacturer	Part Number	Stock Status
	9916	10,124	432	Y	OSP	Y	Cable 432F Singlemode gel-free, single-jacket MDPE, single-armored cable	Sumec Wasin	swGYFS-432B1	In Stock
	9917	10,160	432	Y	OSP	Y	Cable 432F Singlemode gel-free, single-jacket MDPE, single-armored cable	Sumec Wasin	swGYFS-432B1	In Stock
	9929	10,104	432	Y	OSP	Y	Cable 432F Singlemode gel-free, single-jacket MDPE, single-armored cable	Sumec Wasin	swGYFS-432B1	In Stock
	9930	10,032	432	Y	OSP	Y	Cable 432F Singlemode gel-free, single-jacket MDPE, single-armored cable	Sumec Wasin	swGYFS-432B1	In Stock
XO Print Line	9416	15,000	432	N	OSP	Y	Cable, Fiber Optic. 432-Fiber SST-UltraRibbon# Cable Gel-Filled All-Dielectric Non Armored Hybrid 336-SMF-28e+@ Max: 0.4/0.4/0.3, Typical: 0.33/0.33/0.19 dB/km G.652.D 96-LEAF@ Max: -/ /0.25, Typical: -/ /0.19 dB/km NZ-DSF G.655 - with SOCC Print in ft	Corning	432XV4-CP992-53	Order Pending

ETA	NovaLight Reel #	Footage	Fiber Count	Armor Y/N	OSP/ Riser/ Plenum	Dry/Dry?	Description	Manufacturer	Part Number	Stock Status
XO Print Line	9427	14,849	432	N	OSP	Y	Cable, Fiber Optic. 432-Fiber SST-UltraRibbon# Cable Gel-Filled All-Dielectric Non Armored Hybrid 336-SMF-28e+® Max: 0.4/0.4/0.3, Typical: 0.33/0.33/0.19 dB/km G.652.D 96-LEAF® Max: -/-/0.25, Typical: -/-/0.19 dB/km NZ-DSF G.655 - with SOCC Print in ft	Corning	432XV4-CP992-53	Order Pending
	9781	5,000	864	N	OSP/ CT Ribbon	Y	OFS Cable, 864 Fiber, SM, Central Core AccuRibbon, Dielectric, LXE Sheath ALLWAVE, 24 Fibers per Ribbon, .35/.31/.25 db/km @ 1310/1385/1550 nm	OFS	AT-3BE8R3X-864	In Stock
	9755-A	5,500	864	N	OSP/ RILT	Y	OFS Cable, fiber Optic. 864 Fiber_SMF/AW_AccuTube Ribbon Cable12-fiber ribbon loose tube _0.35/0.31/0.25 dB/km_@ 1310/1385/1550 nm_DCM_1 PE Jacket_DryBlock	OFS	AT-3BE1XAT-864	In Stock
	9864-A	4,476	864	N	OSP/ RILT	N	Cable, Fiber optic. 864 Count, All Dielectric, Non-armored, Ribbon in Loose Tube Design. 144 Ribbon fibers per tube. G.652 Single Mode glass	Sumec Wasin	swGYFDTY-864B1	In Stock
	9865	10,018	864	N	OSP/ RILT	N	Cable, Fiber optic. 864 Count, All Dielectric, Non-armored, Ribbon in Loose Tube Design. 144 Ribbon fibers per tube. G.652 Single Mode glass	Sumec Wasin	swGYFDTY-864B1	In Stock

ETA	NovaLight Reel #	Footage	Fiber Count	Aarmor Y/N	OSP/ Riser/ Plenum	Dry/Dry?	Description	Manufacturer	Part Number	Stock Status
	9861	10,020	864	N	OSP/ RILT	N	Cable, Fiber optic. 864 Count, All Dielectric, Non-armored, Ribbon in Loose Tube Design. 144 Ribbon fibers per tube. G.652 Single Mode glass	Sumec Wasin	swGYFDTY-864B1	In Stock
	9868	10,032	864	N	OSP/ RILT	N	Cable, Fiber optic. 864 Count, All Dielectric, Non-armored, Ribbon in Loose Tube Design. 144 Ribbon fibers per tube. G.652 Single Mode glass	Sumec Wasin	swGYFDTY-864B1	In Stock
	9919-A	3,960	864	N	OSP/ RILT	N	Cable, Fiber optic. 864 Count, All Dielectric, Non-armored, Ribbon in Loose Tube Design. 144 Ribbon fibers per tube. G.652 Single Mode glass	Sumec Wasin	swGYFDTY-864B1	In Stock
	3287	5,000	2	N	OSP	N	Cable, Fiber Optic. 2-Fiber SST-Drop Cable Gel-Filled Toneable SMFe 0.4/0.4/0.3 dB/km	Corning	002EB1-14101A20	In Stock
	3300	5,000	2	N	OSP	N	Cable, Fiber Optic. 2-Fiber SST-Drop Cable Gel-Filled Toneable SMFe 0.4/0.4/0.3 dB/km	Corning	002EB1-14101A20	In Stock

ETA	NovaLight Reel #	Footage	Fiber Count	Aarmor Y/N	OSP/ Riser/ Plenum	Dry/Dry?	Description	Manufacturer	Part Number	Stock Status
	3301	5,000	2	N	OSP	N	Cable, Fiber Optic. 2-Fiber SST-Drop Cable Gel-Filled Toneable SMFe 0.4/0.4/0.3 dB/km	Corning	002EB1-14101A20	In Stock
	3302	5,000	2	N	OSP	N	Cable, Fiber Optic. 2-Fiber SST-Drop Cable Gel-Filled Toneable SMFe 0.4/0.4/0.3 dB/km	Corning	002EB1-14101A20	In Stock
	3303	5,000	2	N	OSP	N	Cable, Fiber Optic. 2-Fiber SST-Drop Cable Gel-Filled Toneable SMFe 0.4/0.4/0.3 dB/km	Corning	002EB1-14101A20	In Stock
	3304	5,000	2	N	OSP	N	Cable, Fiber Optic. 2-Fiber SST-Drop Cable Gel-Filled Toneable SMFe 0.4/0.4/0.3 dB/km	Corning	002EB1-14101A20	In Stock
	3306	5,000	2	N	OSP	N	Cable, Fiber Optic. 2-Fiber SST-Drop Cable Gel-Filled Toneable SMFe 0.4/0.4/0.3 dB/km	Corning	002EB1-14101A20	In Stock

ETA	NovaLight Reel #	Footage	Fiber Count	Aarmor Y/N	OSP/ Riser/ Plenum	Dry/Dry?	Description	Manufacturer	Part Number	Stock Status
	3307	5,000	2	N	OSP	N	Cable, Fiber Optic. 2-Fiber SST-Drop Cable Gel-Filled Toneable SMFe 0.4/0.4/0.3 dB/km	Corning	002EB1-14101A20	In Stock
	3308	5,000	2	N	OSP	N	Cable, Fiber Optic. 2-Fiber SST-Drop Cable Gel-Filled Toneable SMFe 0.4/0.4/0.3 dB/km	Corning	002EB1-14101A20	In Stock
	3309	5,000	2	N	OSP	N	Cable, Fiber Optic. 2-Fiber SST-Drop Cable Gel-Filled Toneable SMFe 0.4/0.4/0.3 dB/km	Corning	002EB1-14101A20	In Stock
	3310	5,000	2	N	OSP	N	Cable, Fiber Optic. 2-Fiber SST-Drop Cable Gel-Filled Toneable SMFe 0.4/0.4/0.3 dB/km	Corning	002EB1-14101A20	In Stock
	3293	10,000	2	N	OSP	N	Cable, Fiber Optic. 2-Fiber SST-Drop Cable Gel-Filled Toneable SMFe 0.4/0.4/0.3 dB/km	Corning	002EB1-14101A20	In Stock



ETA	NovaLight Reel #	Footage	Fiber Count	Armor Y/N	OSP/ Riser/ Plenum	Dry/Dry?	Description	Manufacturer	Part Number	Stock Status
	3294	10,000	2	N	OSP	N	Cable, Fiber Optic. 2-Fiber SST-Drop Cable Gel-Filled Toneable SMFe 0.4/0.4/0.3 dB/km	Corning	002EB1-14101A20	In Stock
	3295	10,000	2	N	OSP	N	Cable, Fiber Optic. 2-Fiber SST-Drop Cable Gel-Filled Toneable SMFe 0.4/0.4/0.3 dB/km	Corning	002EB1-14101A20	In Stock
	3305	10,000	2	N	OSP	N	Cable, Fiber Optic. 2-Fiber SST-Drop Cable Gel-Filled Toneable SMFe 0.4/0.4/0.3 dB/km	Corning	002EB1-14101A20	In Stock
	3176	5,000	6	N	OSP	N	Cable, Fiber Optic. 6-Fiber SST-Drop Cable Gel-Filled Toneable SMFe 0.4/0.4/0.3 dB/km. Toneable.	Corning	006EB1-14101A20	In Stock
	3177	5,000	6	N	OSP	N	Cable, Fiber Optic. 6-Fiber SST-Drop Cable Gel-Filled Toneable SMFe 0.4/0.4/0.3 dB/km. Toneable.	Corning	006EB1-14101A20	In Stock

ETA	NovaLight Reel #	Footage	Fiber Count	Aarmor Y/N	OSP/ Riser/ Plenum	Dry/Dry?	Description	Manufacturer	Part Number	Stock Status
	3178	5,000	6	N	OSP	N	Cable, Fiber Optic. 6-Fiber SST-Drop Cable Gel-Filled Toneable SMFe 0.4/0.4/0.3 dB/km. Toneable.	Corning	006EB1-14101A20	In Stock
	3179	5,000	6	N	OSP	N	Cable, Fiber Optic. 6-Fiber SST-Drop Cable Gel-Filled Toneable SMFe 0.4/0.4/0.3 dB/km. Toneable.	Corning	006EB1-14101A20	In Stock
	3180	5,000	6	N	OSP	N	Cable, Fiber Optic. 6-Fiber SST-Drop Cable Gel-Filled Toneable SMFe 0.4/0.4/0.3 dB/km. Toneable.	Corning	006EB1-14101A20	In Stock
	3181	5,000	6	N	OSP	N	Cable, Fiber Optic. 6-Fiber SST-Drop Cable Gel-Filled Toneable SMFe 0.4/0.4/0.3 dB/km. Toneable.	Corning	006EB1-14101A20	In Stock
	3182	5,000	6	N	OSP	N	Cable, Fiber Optic. 6-Fiber SST-Drop Cable Gel-Filled Toneable SMFe 0.4/0.4/0.3 dB/km. Toneable.	Corning	006EB1-14101A20	In Stock

ETA	NovaLight Reel #	Footage	Fiber Count	Aarmor Y/N	OSP/ Riser/ Plenum	Dry/Dry?	Description	Manufacturer	Part Number	Stock Status
	3183	5,000	6	N	OSP	N	Cable, Fiber Optic. 6-Fiber SST-Drop Cable Gel-Filled Toneable SMFe 0.4/0.4/0.3 dB/km. Toneable.	Corning	006EB1-14101A20	In Stock
	3184	5,000	6	N	OSP	N	Cable, Fiber Optic. 6-Fiber SST-Drop Cable Gel-Filled Toneable SMFe 0.4/0.4/0.3 dB/km. Toneable.	Corning	006EB1-14101A20	In Stock
	3202	5,000	6	N	OSP	N	Cable, Fiber Optic. 6-Fiber SST-Drop Cable Gel-Filled Toneable SMFe 0.4/0.4/0.3 dB/km. Toneable.	Corning	006EB1-14101A20	In Stock
	3226	10,000	6	N	OSP	N	Cable, Fiber Optic. 6-Fiber SST-Drop Cable Gel-Filled Toneable SMFe 0.4/0.4/0.3 dB/km. Toneable.	Corning	006EB1-14101A20	In Stock
	3261	5,000	12	N	OSP	N	Cable, Fiber optic. 12-Fiber SST-Drop Cable Gel-Filled Toneable SMFe 0.4/0.4/0.3 dB/km Print in feet	Corning	012EB1-14101A20	In Stock

ETA	NovaLight Reel #	Footage	Fiber Count	Aarmor Y/N	OSP/ Riser/ Plenum	Dry/Dry?	Description	Manufacturer	Part Number	Stock Status
	3262	5,000	12	N	OSP	N	Cable, Fiber optic. 12-Fiber SST-Drop Cable Gel-Filled Toneable SMFe 0.4/0.4/0.3 dB/km Print in feet	Corning	012EB1-14101A20	In Stock
	3263	5,000	12	N	OSP	N	Cable, Fiber optic. 12-Fiber SST-Drop Cable Gel-Filled Toneable SMFe 0.4/0.4/0.3 dB/km Print in feet	Corning	012EB1-14101A20	In Stock
	3264	5,000	12	N	OSP	N	Cable, Fiber optic. 12-Fiber SST-Drop Cable Gel-Filled Toneable SMFe 0.4/0.4/0.3 dB/km Print in feet	Corning	012EB1-14101A20	In Stock
	3266	5,000	12	N	OSP	N	Cable, Fiber optic. 12-Fiber SST-Drop Cable Gel-Filled Toneable SMFe 0.4/0.4/0.3 dB/km Print in feet	Corning	012EB1-14101A20	In Stock
	3268	5,000	12	N	OSP	N	Cable, Fiber optic. 12-Fiber SST-Drop Cable Gel-Filled Toneable SMFe 0.4/0.4/0.3 dB/km Print in feet	Corning	012EB1-14101A20	In Stock

ETA	NovaLight Reel #	Footage	Fiber Count	Aarmor Y/N	OSP/ Riser/ Plenum	Dry/Dry?	Description	Manufacturer	Part Number	Stock Status
	3271	5,000	12	N	OSP	N	Cable, Fiber optic. 12-Fiber SST-Drop Cable Gel-Filled Toneable SMFe 0.4/0.4/0.3 dB/km Print in feet	Corning	012EB1-14101A20	In Stock
	3275	5,000	12	N	OSP	N	Cable, Fiber optic. 12-Fiber SST-Drop Cable Gel-Filled Toneable SMFe 0.4/0.4/0.3 dB/km Print in feet	Corning	012EB1-14101A20	In Stock
	3296	5,000	12	N	OSP	N	Cable, Fiber optic. 12-Fiber SST-Drop Cable Gel-Filled Toneable SMFe 0.4/0.4/0.3 dB/km Print in feet	Corning	012EB1-14101A20	In Stock
	3298	5,000	12	N	OSP	N	Cable, Fiber optic. 12-Fiber SST-Drop Cable Gel-Filled Toneable SMFe 0.4/0.4/0.3 dB/km Print in feet	Corning	012EB1-14101A20	In Stock
	3272	10,000	12	N	OSP	N	Cable, Fiber optic. 12-Fiber SST-Drop Cable Gel-Filled Toneable SMFe 0.4/0.4/0.3 dB/km Print in feet	Corning	012EB1-14101A20	In Stock

ETA	NovaLight Reel #	Footage	Fiber Count	Aarmor Y/N	OSP/ Riser/ Plenum	Dry/Dry?	Description	Manufacturer	Part Number	Stock Status
	3273	10,000	12	N	OSP	N	Cable, Fiber optic. 12-Fiber SST-Drop Cable Gel-Filled Toneable SMFe 0.4/0.4/0.3 dB/km Print in feet	Corning	012EB1-14101A20	In Stock
	3274	10,000	12	N	OSP	N	Cable, Fiber optic. 12-Fiber SST-Drop Cable Gel-Filled Toneable SMFe 0.4/0.4/0.3 dB/km Print in feet	Corning	012EB1-14101A20	In Stock
	3276	10,000	12	N	OSP	N	Cable, Fiber optic. 12-Fiber SST-Drop Cable Gel-Filled Toneable SMFe 0.4/0.4/0.3 dB/km Print in feet	Corning	012EB1-14101A20	In Stock
	3297	10,000	12	N	OSP	N	Cable, Fiber optic. 12-Fiber SST-Drop Cable Gel-Filled Toneable SMFe 0.4/0.4/0.3 dB/km Print in feet	Corning	012EB1-14101A20	In Stock
	3299	10,000	12	N	OSP	N	Cable, Fiber optic. 12-Fiber SST-Drop Cable Gel-Filled Toneable SMFe 0.4/0.4/0.3 dB/km Print in feet	Corning	012EB1-14101A20	In Stock

ETA	NovaLight Reel #	Footage	Fiber Count	Armor Y/N	OSP/ Riser/ Plenum	Dry/Dry?	Description	Manufacturer	Part Number	Stock Status
	3766	5,000	2	N	OSP	N	Cable, Fiber Optic, 2F, SM, All-Wave ZWP, Flat Drop, All Dielectric, Loose Tube, Gel-Filled, "Mini LT Flat Drop", OFS	OFS	AT-3BE8T7X-002	In Stock
	6032	4,990	2	N	OSP	N	Cable, Fiber Optic. 002Fibers Reduce Water Peak SMF, G.652D PFM gel filled tube, Oval Drop FTTP Universal MDPE Jckt, Dry Core Print in Feet, Non-toneable.	Superior Essex	6U0023101	In Stock
	6037	5,000	2	N	OSP	N	Cable, Fiber Optic. 002Fibers Reduce Water Peak SMF, G.652D PFM gel filled tube, Oval Drop FTTP Universal MDPE Jckt, Dry Core Print in Feet, Non-toneable.	Superior Essex	6U0023101	In Stock
	6038	5,000	2	N	OSP	N	Cable, Fiber Optic. 002Fibers Reduce Water Peak SMF, G.652D PFM gel filled tube, Oval Drop FTTP Universal MDPE Jckt, Dry Core Print in Feet, Non-toneable.	Superior Essex	6U0023101	In Stock
	6049	5,000	2	N	OSP	N	Cable, Fiber Optic. 002Fibers Reduce Water Peak SMF, G.652D PFM gel filled tube, Oval Drop FTTP Universal MDPE Jckt, Dry Core Print in Feet, Non-toneable.	Superior Essex	6U0023101	In Stock

ETA	NovaLight Reel #	Footage	Fiber Count	Armor Y/N	OSP/ Riser/ Plenum	Dry/Dry?	Description	Manufacturer	Part Number	Stock Status
	6052	5,000	2	N	OSP	N	Cable, Fiber Optic. 002Fibers Reduce Water Peak SMF, G.652D PFM gel filled tube, Oval Drop FTTP Universal MDPE Jckt, Dry Core Print in Feet, Non-toneable.	Superior Essex	6U0023101	In Stock
	6061	5,000	2	N	OSP	N	Cable, Fiber Optic. 002Fibers Reduce Water Peak SMF, G.652D PFM gel filled tube, Oval Drop FTTP Universal MDPE Jckt, Dry Core Print in Feet, Non-toneable.	Superior Essex	6U0023101	In Stock
	6062	5,000	2	N	OSP	N	Cable, Fiber Optic. 002Fibers Reduce Water Peak SMF, G.652D PFM gel filled tube, Oval Drop FTTP Universal MDPE Jckt, Dry Core Print in Feet, Non-toneable.	Superior Essex	6U0023101	In Stock
	3767	10,000	2	N	OSP	N	Cable, Fiber Optic, 2F, SM, All-Wave ZWP, Flat Drop, All Dielectric, Loose Tube, Gel-Filled, "Mini LT Flat Drop", OFS	OFS	AT-3BE8T7X-002	In Stock
	3768	10,000	2	N	OSP	N	Cable, Fiber Optic, 2F, SM, All-Wave ZWP, Flat Drop, All Dielectric, Loose Tube, Gel-Filled, "Mini LT Flat Drop", OFS	OFS	AT-3BE8T7X-002	In Stock



ETA	NovaLight Reel #	Footage	Fiber Count	Armor Y/N	OSP/ Riser/ Plenum	Dry/Dry?	Description	Manufacturer	Part Number	Stock Status
	3769	10,000	2	N	OSP	N	Cable, Fiber Optic, 2F, SM, All-Wave ZWP, Flat Drop, All Dielectric, Loose Tube, Gel-Filled, "Mini LT Flat Drop", OFS	OFS	AT-3BE8T7X-002	In Stock
	3770	10,000	2	N	OSP	N	Cable, Fiber Optic, 2F, SM, All-Wave ZWP, Flat Drop, All Dielectric, Loose Tube, Gel-Filled, "Mini LT Flat Drop", OFS	OFS	AT-3BE8T7X-002	In Stock
	6034	10,000	2	N	OSP	N	Cable, Fiber Optic. 002Fibers Reduce Water Peak SMF, G.652D PFM gel filled tube, Oval Drop FTTP Universal MDPE Jckt, Dry Core Print in Feet, Non-toneable.	Superior Essex	6U0023101	In Stock
	6050	10,000	2	N	OSP	N	Cable, Fiber Optic. 002Fibers Reduce Water Peak SMF, G.652D PFM gel filled tube, Oval Drop FTTP Universal MDPE Jckt, Dry Core Print in Feet, Non-toneable.	Superior Essex	6U0023101	In Stock
	6059	10,000	2	N	OSP	N	Cable, Fiber Optic. 002Fibers Reduce Water Peak SMF, G.652D PFM gel filled tube, Oval Drop FTTP Universal MDPE Jckt, Dry Core Print in Feet, Non-toneable.	Superior Essex	6U0023101	In Stock

ETA	NovaLight Reel #	Footage	Fiber Count	Armor Y/N	OSP/ Riser/ Plenum	Dry/Dry?	Description	Manufacturer	Part Number	Stock Status
	6060	10,000	2	N	OSP	N	Cable, Fiber Optic. 002Fibers Reduce Water Peak SMF, G.652D PFM gel filled tube, Oval Drop FTTP Universal MDPE Jckt, Dry Core Print in Feet, Non-toneable.	Superior Essex	6U0023101	In Stock
	6132	5,000	6	N	OSP	N	Cable, Fiber Optic. 6-Fiber SST-Drop Cable Gel-Filled Dielectric Non Armored, Non-Toneable SMFe 0.4/0.4/0.3 dB/km	Corning	006EB4-14101A20	In Stock
	6133	5,000	6	N	OSP	N	Cable, Fiber Optic. 6-Fiber SST-Drop Cable Gel-Filled Dielectric Non Armored, Non-Toneable SMFe 0.4/0.4/0.3 dB/km	Corning	006EB4-14101A20	In Stock
	6134	5,000	6	N	OSP	N	Cable, Fiber Optic. 6-Fiber SST-Drop Cable Gel-Filled Dielectric Non Armored, Non-Toneable SMFe 0.4/0.4/0.3 dB/km	Corning	006EB4-14101A20	In Stock
	6135	5,000	6	N	OSP	N	Cable, Fiber Optic. 6-Fiber SST-Drop Cable Gel-Filled Dielectric Non Armored, Non-Toneable SMFe 0.4/0.4/0.3 dB/km	Corning	006EB4-14101A20	In Stock

ETA	NovaLight Reel #	Footage	Fiber Count	Aarmor Y/N	OSP/ Riser/ Plenum	Dry/Dry?	Description	Manufacturer	Part Number	Stock Status
	6096	10,000	6	N	OSP	N	Cable, Fiber Optic. 6-Fiber SST-Drop Cable Gel-Filled Dielectric Non Armored, Non-Toneable SMFe 0.4/0.4/0.3 dB/km	Corning	006EB4-14101A20	In Stock
	6097	10,000	6	N	OSP	N	Cable, Fiber Optic. 6-Fiber SST-Drop Cable Gel-Filled Dielectric Non Armored, Non-Toneable SMFe 0.4/0.4/0.3 dB/km	Corning	006EB4-14101A20	In Stock
	6107	10,000	6	N	OSP	N	Cable, Fiber Optic. 6-Fiber SST-Drop Cable Gel-Filled Dielectric Non Armored, Non-Toneable SMFe 0.4/0.4/0.3 dB/km	Corning	006EB4-14101A20	In Stock
	6108	10,000	6	N	OSP	N	Cable, Fiber Optic. 6-Fiber SST-Drop Cable Gel-Filled Dielectric Non Armored, Non-Toneable SMFe 0.4/0.4/0.3 dB/km	Corning	006EB4-14101A20	In Stock
	6109	10,000	6	N	OSP	N	Cable, Fiber Optic. 6-Fiber SST-Drop Cable Gel-Filled Dielectric Non Armored, Non-Toneable SMFe 0.4/0.4/0.3 dB/km	Corning	006EB4-14101A20	In Stock

ETA	NovaLight Reel #	Footage	Fiber Count	Armor Y/N	OSP/ Riser/ Plenum	Dry/Dry?	Description	Manufacturer	Part Number	Stock Status
	6111	10,000	6	N	OSP	N	Cable, Fiber Optic. 6-Fiber SST-Drop Cable Gel-Filled Dielectric Non Armored, Non-Toneable SMFe 0.4/0.4/0.3 dB/km	Corning	006EB4-14101A20	In Stock
	6137	5,000	12	N	OSP	N	Cable Fiber 12 Count,SST-Drop Cable Dielectric Non Armored, SMFe 0.40/0.40/0.30 dB/km, Print in ft.	Corning	012EB4-14101A20	Order Pending
	6143	5,000	12	N	OSP	N	Cable Fiber 12 Count,SST-Drop Cable Dielectric Non Armored, SMFe 0.40/0.40/0.30 dB/km, Print in ft.	Corning	012EB4-14101A20	In Stock
	6144	5,000	12	N	OSP	N	Cable Fiber 12 Count,SST-Drop Cable Dielectric Non Armored, SMFe 0.40/0.40/0.30 dB/km, Print in ft.	Corning	012EB4-14101A20	In Stock
	6145	5,000	12	N	OSP	N	Cable Fiber 12 Count,SST-Drop Cable Dielectric Non Armored, SMFe 0.40/0.40/0.30 dB/km, Print in ft.	Corning	012EB4-14101A20	In Stock

ETA	NovaLight Reel #	Footage	Fiber Count	Aarmor Y/N	OSP/ Riser/ Plenum	Dry/Dry?	Description	Manufacturer	Part Number	Stock Status
	6146	5,000	12	N	OSP	N	Cable Fiber 12 Count,SST-Drop Cable Dielectric Non Armored, SMFe 0.40/0.40/0.30 dB/km, Print in ft.	Corning	012EB4-14101A20	In Stock
	6123	10,000	12	N	OSP	N	Cable Fiber 12 Count,SST-Drop Cable Dielectric Non Armored, SMFe 0.40/0.40/0.30 dB/km, Print in ft.	Corning	012EB4-14101A20	In Stock
	6127	10,000	12	N	OSP	N	Cable Fiber 12 Count,SST-Drop Cable Dielectric Non Armored, SMFe 0.40/0.40/0.30 dB/km, Print in ft.	Corning	012EB4-14101A20	In Stock
	6138	10,000	12	N	OSP	N	Cable Fiber 12 Count,SST-Drop Cable Dielectric Non Armored, SMFe 0.40/0.40/0.30 dB/km, Print in ft.	Corning	012EB4-14101A20	In Stock
	6139	10,000	12	N	OSP	N	Cable Fiber 12 Count,SST-Drop Cable Dielectric Non Armored, SMFe 0.40/0.40/0.30 dB/km, Print in ft.	Corning	012EB4-14101A20	In Stock

ETA	NovaLight Reel #	Footage	Fiber Count	Aarmor Y/N	OSP/ Riser/ Plenum	Dry/Dry?	Description	Manufacturer	Part Number	Stock Status
	6140	10,000	12	N	OSP	N	Cable Fiber 12 Count,SST-Drop Cable Dielectric Non Armored, SMFe 0.40/0.40/0.30 dB/km, Print in ft.	Corning	012EB4-14101A20	In Stock
	6141	10,000	12	N	OSP	N	Cable Fiber 12 Count,SST-Drop Cable Dielectric Non Armored, SMFe 0.40/0.40/0.30 dB/km, Print in ft.	Corning	012EB4-14101A20	In Stock
	6142	10,000	12	N	OSP	N	Cable Fiber 12 Count,SST-Drop Cable Dielectric Non Armored, SMFe 0.40/0.40/0.30 dB/km, Print in ft.	Corning	012EB4-14101A20	In Stock
	4014-A	984	12	N	P	Y	Cable, Hitachi made with Corning glass, 12 Fiber Single Mode OS2 Tight Buffered Indoor Distribution SingleUnit (Plenum) Plenum 900 μm non Armored round thermoplastic Yellow HITACHI Fiber Optic Cable	Hitachi	60029-12	In Stock
	4007	4,506	24	N	P	Y	Cable, Fiber optic. 24 Fiber. Central Tube Distribution Cable, Yellow Jacket: OFNP/FT6 Flame Rated, 900μm Tight Buffered Corning Ultra SMF (ITU G.657.A1 and G.652.D). 0.5/0.5/0.5 dB/km at 1310/1383/1550 nm (1383 nm uncabled)	Prysmian	F-800-00-CU-024-EA	In Stock

ETA	NovaLight Reel #	Footage	Fiber Count	Armor Y/N	OSP/ Riser/ Plenum	Dry/Dry?	Description	Manufacturer	Part Number	Stock Status
	4020	5,000	24	N	P	Y	Cable, Fiber optic. 24 Fiber. Central Tube Distribution Cable, Yellow Jacket: OFNP/FT6 Flame Rated, 900µm Tight Buffered Corning Ultra SMF (ITU G.657.A1 and G.652.D). 0.5/0.5/0.5 dB/km at 1310/1383/1550 nm (1383 nm uncabled)	Prysmian	F-800-00-CU-024-EA	In Stock
	4008-A	2,006	12	Y	P	Y	Cable, Fiber Optic. 12 Fiber Distribution Cable 900µm Tight Buffered: OFCP/FT6 Flame Rated Aluminum Interlock Armor, Overall Yellow Jacket 12 Fiber Corning Ultra SMF (ITU G.657.A1 and G.652.D).	Prysmian	F-800AJ-00-CU-012-EA	In Stock
	4002	498	24	Y	P	Y	Cable Fiber 24 strand Central Tube Distribution Cable 900µm Tight Buffered Aluminum Interlock Armor, Overall Jacket Corning SMF28e+ Single Mode (ITU G.652.D). 0.40/0.40/0.30 dB/km at 1310/1383/1550 nm	Prysmian	F-800AJ-00-CE-024-E7	In Stock
	4024	4,254	24	Y	P	Y	Cable Fiber 24 strand Central Tube Distribution Cable 900µm Tight Buffered Aluminum Interlock Armor, Overall Jacket Corning SMF28e+ Single Mode (ITU G.652.D). 0.40/0.40/0.30 dB/km at 1310/1383/1550 nm	Prysmian	F-800AJ-00-CE-024-E7	In Stock
	4515	5,000	48	N	P/O	Y	Cable, Fiber optic. 48 Fiber Indoor/Outdoor Plenum. Black Jacket. Loose Tube Cable: OFNP/FT6 Flame Rated Non-Armor, Single Jacket 48 Fiber Corning Ultra SMF (ITU G.657.A1 and G.652.D). 0.35/0.35/0.25 dB/km at 1310/1383/1550 nm (1383 nm uncabled) Complies with GR-20 and ANSI/ICEA S-104-696 performance criteria.	Prysmian	F-DPLDB-12-CU-048-E3	In Stock

ETA	NovaLight Reel #	Footage	Fiber Count	Aarmor Y/N	OSP/ Riser/ Plenum	Dry/Dry?	Description	Manufacturer	Part Number	Stock Status
	4516	5,000	48	N	P/IO	Y	Cable, Fiber optic. 48 Fiber Indoor/Outdoor Plenum. Black Jacket. Loose Tube Cable: OFNP/FT6 Flame Rated Non-Aarmor, Single Jacket 48 Fiber Corning Ultra SMF (ITU G.657.A1 and G.652.D). 0.35/0.35/0.25 dB/km at 1310/1383/1550 nm (1383 nm uncabled) Complies with GR-20 and ANSI/ICEA S-104-696 performance criteria.	Prysmian	F-DPLDB-12-CU-048-E3	In Stock
	4609	1,984	48	Y	P/IO Yellow	Y	Cable, fiber optic. 48 Fiber Plenum. Indoor/Outdoor Loose Tube Cable: OFCP/FT6 Flame Rated Aluminum Interlock Aarmor, Overall Jacket 48 Fiber Corning Ultra SMF (ITU G.657.A1 and G.652.D). 0.35/0.35/0.25 dB/km at 1310/1383/1550 nm (1383 nm uncabled) Complies with GR-20 and ANSI/ICEA S-104-696 performance criteria.	Prysmian	F-DPLDBAJ-12-CU-048-E3	In Stock
	4604-B	574	72	Y	P/IO Yellow	Y	Cable, Fiber optic. 72 fiber Plenum Rated. Indoor/Outdoor Loose Tube Cable 72 Fiber SMF28e+ Single Mode (ITU G.652.D). Aluminum Interlock Aarmor, with Overall Jacket 12 Fibers per Tube 0.35/0.35/0.25 dB/km at 1310/1383/1550 nm (1383 nm uncabled) Complies with GR-20 and ANSI/ICEA S-104-696 performance criteria.	Prysmian	F-DPLDBAJ-12-CE-072-E1	In Stock
	4607	1,590	72	Y	P/IO Yellow	Y	Cable, Fiber optic. 72 fiber Plenum Rated. Indoor/Outdoor Loose Tube Cable 72 Fiber SMF28e+ Single Mode (ITU G.652.D). Aluminum Interlock Aarmor, with Overall Jacket 12 Fibers per Tube 0.35/0.35/0.25 dB/km at 1310/1383/1550 nm (1383 nm uncabled) Complies with GR-20 and ANSI/ICEA S-104-696 performance criteria.	Prysmian	F-DPLDBAJ-12-CE-072-E1	In Stock
	4610	5,000	72	Y	R/IO Yellow	Y	Cable, Fiber Optic. 72 Fiber. Indoor/Outdoor Loose Tube Cable Aluminum Interlock Aarmor, with Overall OFNR Jacket. 0.35/0.35/0.25 dB/km at 1310/1383/1550 nm (1383 nm uncabled) Complies with GR-20 and ANSI/ICEA S-104-696 performance criteria	Prysmian	F-DRLDBAJ-12-CU-072-E3	In Stock



ETA	NovaLight Reel #	Footage	Fiber Count	Aarmor Y/N	OSP/ Riser/ Plenum	Dry/Dry?	Description	Manufacturer	Part Number	Stock Status
	6205	13,200	12	N	R		012-Fiber Cable, Singlemode, Fan Out Cable, Riser Rated, Yellow Jacket	Siecor	012R61-31231-24	In Stock
	6206	13,123	12	N	R		012-Fiber Cable, Singlemode, Fan Out Cable, Riser Rated, Yellow Jacket	Siecor	012R61-31231-24	In Stock
	6207	13,108	12	N	R		012-Fiber Cable, Singlemode, Fan Out Cable, Riser Rated, Yellow Jacket	Siecor	012R61-31231-24	In Stock
Jumpers	1016-A	1,750	24	N	R		Cable, Fiber optic. 24 Fiber Enhanced Single Mode Central Tube, Tight Buffer, Riser Rated, Yellow Jacket	Draka	F-400-00-ES-024-EB	Order Pending
	1012	1,878	24	N	R		24 fiber Tight buffer 8.3 SM DIST Riser Rated cable Indoor cable dielectric	Hitachi	60014-24	In Stock

ETA	NovaLight Reel #	Footage	Fiber Count	Aarmor Y/N	OSP/ Riser/ Plenum	Dry/Dry?	Description	Manufacturer	Part Number	Stock Status
	1028	5,000	24	N	R	Y	Cable, Fiber Optic. 24 fiber, tight buffer Indoor, Riser Rated OFNR, single mode Corning Ultra glass	TLC	S09DI24CZNR	In Stock
	1029	5,000	24	N	R	Y	Cable, Fiber Optic. 24 fiber, tight buffer Indoor, Riser Rated OFNR, single mode Corning Ultra glass	TLC	S09DI24CZNR	In Stock
	1020	4,870	48	N	R	Y	48 Fiber ESM Tight buffer Distribution Cable. 12 fibers per unit. Riser FT4 Rated Yellow Jacket Enhanced Single Mode ( ITU G.652.D ) 12 Fibers per Unit 0.7/0.7/0.7 dB/km at 1310/1383/1550 nm	Prysmian	F-400-12-ES-048-EB	In Stock
	1014	4,324	48	N	R		48 Fiber SM Tight Buffer FT-4 Riser Rated Cable with Yellow Jacket. Hitachi cable made with Corning Glass	Hitachi	60015-48	In Stock
	1015	2,416	48	N	R		48 Fiber SM Tight Buffer FT-4 Riser Rated Cable with Yellow Jacket. Hitachi cable made with Corning Glass	Hitachi	60015-48	In Stock

ETA	NovaLight Reel #	Footage	Fiber Count	Armor Y/N	OSP/ Riser/ Plenum	Dry/Dry?	Description	Manufacturer	Part Number	Stock Status
jumpers	1027	552	72	N	R	Y	Cable, Fiber optic. 72 fiber Tight Buffer Distribution, OFNR Riser, Yellow, Jacket, single mode Corning Ultra Glass.	TLC	S09DI72CZNR-Y	Order Pending
	1030	2,532	72	N	R	Y	Cable, Fiber optic. 72 fiber Tight Buffer Distribution, OFNR Riser, Yellow, Jacket, single mode Corning Ultra Glass.	TLC	S09DI72CZNR-Y	In Stock
	1018	2,500	96	N	R		96-Fiber, SM, Riser Rated, Tight Buffer, Yellow Jacket Cable.	Hitachi	60015-96	In Stock
	1019	1,776	96	N	R		96-Fiber, SM, Riser Rated, Tight Buffer, Yellow Jacket Cable.	Hitachi	60015-96	In Stock
	2052-C	890	12	N	R/IO		Cable, Fiber, 12 strand Singlemode low water peak, distribution style, tight buffer 900um indoor/outdoor riser rated dielectric ***REDUCED DIAMETER****	OCC	DX012DSLX9KR	In Stock

ETA	NovaLight Reel #	Footage	Fiber Count	Armor Y/N	OSP/ Riser/ Plenum	Dry/Dry?	Description	Manufacturer	Part Number	Stock Status
	2124	5,000	12	N	R/IO	Y	Cable, Fiber optic. 12 Fiber Corning Ultra SMF (ITU G.657.A1 and G.652.D). 0.5/0.5/0.5 dB/km at 1310/1383/1550 nm (1383 nm uncabled) Indoor/Outdoor Tight Buffer Distribution Cable: OFNR/FT4 Flame Rated 900µm Tight Buffered	Prysmian	C1181-00-CU-012-EA	In Stock
	2117	8,814	24	N	R/IO	Y	Cable, Fiber Optic. 24 Fiber Corning Ultra SMF. Indoor/Outdoor Loose Tube Cable: OFNR/FT4 Flame Rated Non-Armor, Single Jacket. (ITU G.657.A1 and G.652.D). 0.35/0.35/0.25 dB/km at 1310/1383/1550 nm (1383 nm uncabled) Complies with GR-20 and ANSI/ICEA S-104-696 performance criteria.	Prysmian	F-DRLDB-12-CU-024-E3	In Stock
	2118	10,000	24	N	R/IO	Y	Cable, Fiber Optic. 24 Fiber Corning Ultra SMF. Indoor/Outdoor Loose Tube Cable: OFNR/FT4 Flame Rated Non-Armor, Single Jacket. (ITU G.657.A1 and G.652.D). 0.35/0.35/0.25 dB/km at 1310/1383/1550 nm (1383 nm uncabled) Complies with GR-20 and ANSI/ICEA S-104-696 performance criteria.	Prysmian	F-DRLDB-12-CU-024-E3	In Stock
	2119	10,000	24	N	R/IO	Y	Cable, Fiber Optic. 24 Fiber Corning Ultra SMF. Indoor/Outdoor Loose Tube Cable: OFNR/FT4 Flame Rated Non-Armor, Single Jacket. (ITU G.657.A1 and G.652.D). 0.35/0.35/0.25 dB/km at 1310/1383/1550 nm (1383 nm uncabled) Complies with GR-20 and ANSI/ICEA S-104-696 performance criteria.	Prysmian	F-DRLDB-12-CU-024-E3	In Stock
	2055-B	560	96	N	R/IO	Y	Cable, Fiber Optic. 96-Fiber FREEDM® Loose Tube Cable 2.5 mm Buffer Gel-Free Riser SMFe 0.4/0.4/0.3 dB/km 12f/tube	Corning	096EUF-T4101D20	In Stock

ETA	NovaLight Reel #	Footage	Fiber Count	Aarmor Y/N	OSP/ Riser/ Plenum	Dry/Dry?	Description	Manufacturer	Part Number	Stock Status
	2065	278	96	N	R/IO	Y	Cable, Fiber Optic. 96-Fiber FREEDM® Loose Tube Cable 2.5 mm Buffer Gel-Free Riser SMFe 0.4/0.4/0.3 dB/km 12f/tube	Corning	096EUF-T4101D20	In Stock
	2071	8,570	96	N	R/IO	Y	Cable, Fiber Optic. 96-Fiber FREEDM® Loose Tube Cable 2.5 mm Buffer Gel-Free Riser SMFe 0.4/0.4/0.3 dB/km 12f/tube	Corning	096EUF-T4101D20	In Stock
	2070	10,000	96	N	R/IO	Y	Cable, Fiber Optic. 96-Fiber FREEDM® Loose Tube Cable 2.5 mm Buffer Gel-Free Riser SMFe 0.4/0.4/0.3 dB/km 12f/tube	Corning	096EUF-T4101D20	In Stock
	2081-A	9,382	96	N	R/IO	Y	Cable 96 Fiber TOTALLY DRY OPTION 1 SINGLE OFNR JKT, DIELECTRIC CENTRAL MEMBER ALLWAVE-SM .35/.31/.25 DB/KM @1310/1385/1550NM	OFS	AT-3BE12RT-096	In Stock
	2064	818	144	N	R/IO	Y	Cable, Fiber Optic. 144-FIBER FREEDM® LOOSE TUBE GEL-FREE CABLE RISER SMF-28E+® MAX: 0.35/0.35/0.25, TYPICAL: 0.33/0.33/0.19 DB/KM G.652.D 12F/TUBEPRINT IN FT	Corning	144EUF-T4100D20	In Stock

ETA	NovaLight Reel #	Footage	Fiber Count	Aarmor Y/N	OSP/ Riser/ Plenum	Dry/Dry?	Description	Manufacturer	Part Number	Stock Status
	2116-A	1,494	144	N	R/IO	Y	Cable, Fiber optic. 144 Fiber. indoor/Outdoor Riser. Loose Tube Cable: OFNR/FT4 Flame Rated Non-Aarmor, Single Jacket 144 Fiber Corning Ultra SMF (ITU G.657.A1 and G.652.D). 0.35/0.35/0.25 dB/km at 1310/1383/1550 nm (1383 nm uncabled) Complies with GR-20 and ANSI/ICEA S-104-696 performance criteria.	Prysmian	F-DRLDB-12-CU-144-E3	In Stock
	2090	1,284	288	N	R/IO	Y	Cable, Fiber optic. Indoor/Outdoor Loose Tube Cable 288 Fiber Enhanced Single Mode ( ITU G.652.D ) Non-Aarmor, Single Jacket, Dry	Prysmian	F-DRLDB-12-HB-288-E3	In Stock
	2048	144	288	N	R/IO	Y	Cable, Fiber optic. Indoor/Outdoor Loose Tube Cable 288 Fiber Enhanced Single Mode ( ITU G.652.D ) Non-Aarmor, Single Jacket, Dry	Prysmian	DRLDB-12-ES-288-E1	In Stock