

ETA	REEL #	Footage	Fiber Count	Aarmor Y/N	OSP/Riser/ Plenum	Dry/Dry?	Description	Manufacturer	Part Number	Stock Status
	9804-A	8,746	6	N	OSP	Y	Cable 6F, Fortex DT-100% Dry Single Jkt Single PE Jkt, Dielectric Central Member ALLWAVE-SM-.35/.31/.25 db/km@1310/1385/1550	OFS	AT-3BE12YT-006	In Stock
	9834	20,000	6	N	OSP	Y	Cable 6F, Fortex DT-100% Dry Single Jkt Single PE Jkt, Dielectric Central Member ALLWAVE-SM-.35/.31/.25 db/km@1310/1385/1550	OFS	AT-3BE12YT-006	In Stock
	9836	20,000	6	N	OSP	Y	Cable 6F, Fortex DT-100% Dry Single Jkt Single PE Jkt, Dielectric Central Member ALLWAVE-SM-.35/.31/.25 db/km@1310/1385/1550	OFS	AT-3BE12YT-006	In Stock
	9851	20,000	6	N	OSP	Y	Cable 6F, Fortex DT-100% Dry Single Jkt Single PE Jkt, Dielectric Central Member ALLWAVE-SM-.35/.31/.25 db/km@1310/1385/1550	OFS	AT-3BE12YT-006	In Stock
	9852	20,000	6	N	OSP	Y	Cable 6F, Fortex DT-100% Dry Single Jkt Single PE Jkt, Dielectric Central Member ALLWAVE-SM-.35/.31/.25 db/km@1310/1385/1550	OFS	AT-3BE12YT-006	In Stock
	9952-A	15,730	12	N	OSP	Y	Cable,12-Fiber, SM, LT, OS2, Dielectric, ALTOS®, Gel-Free, Enhanced 2.5 mm Buffer Tubes	Corning	012EU4-T4101D20	In Stock
	10004	20,000	12	N	OSP	Y	Cable,12-Fiber, SM, LT, OS2, Dielectric, ALTOS®, Gel-Free, Enhanced 2.5 mm Buffer Tubes	Corning	012EU4-T4101D20	In Stock

ETA	REEL #	Footage	Fiber Count	Aarmor Y/N	OSP/Riser/ Plenum	Dry/Dry?	Description	Manufacturer	Part Number	Stock Status
03/01/18		20,000	12	N	OSP	Y	Cable,12-Fiber, SM, LT, OS2, Dielectric, ALTOS®, Gel-Free, Enhanced 2.5 mm Buffer Tubes	Corning	012EU4-T4101D20	On Order
03/01/18		20,000	12	N	OSP	Y	Cable,12-Fiber, SM, LT, OS2, Dielectric, ALTOS®, Gel-Free, Enhanced 2.5 mm Buffer Tubes	Corning	012EU4-T4101D20	On Order
04/01/18		20,000	12	N	OSP	Y	Cable,12-Fiber, SM, LT, OS2, Dielectric, ALTOS®, Gel-Free, Enhanced 2.5 mm Buffer Tubes	Corning	012EU4-T4101D20	On Order
04/01/18		20,000	12	N	OSP	Y	Cable,12-Fiber, SM, LT, OS2, Dielectric, ALTOS®, Gel-Free, Enhanced 2.5 mm Buffer Tubes	Corning	012EU4-T4101D20	On Order
05/01/18		20,000	12	N	OSP	Y	Cable,12-Fiber, SM, LT, OS2, Dielectric, ALTOS®, Gel-Free, Enhanced 2.5 mm Buffer Tubes	Corning	012EU4-T4101D20	On Order
05/01/18		20,000	12	N	OSP	Y	Cable,12-Fiber, SM, LT, OS2, Dielectric, ALTOS®, Gel-Free, Enhanced 2.5 mm Buffer Tubes	Corning	012EU4-T4101D20	On Order
06/01/18		20,000	12	N	OSP	Y	Cable,12-Fiber, SM, LT, OS2, Dielectric, ALTOS®, Gel-Free, Enhanced 2.5 mm Buffer Tubes	Corning	012EU4-T4101D20	On Order

ETA	REEL #	Footage	Fiber Count	Armor Y/N	OSP/Riser/ Plenum	Dry/Dry?	Description	Manufacturer	Part Number	Stock Status
06/01/18		20,000	12	N	OSP	Y	Cable,12-Fiber, SM, LT, OS2, Dielectric, ALTOS®, Gel-Free, Enhanced 2.5 mm Buffer Tubes	Corning	012EU4-T4101D20	On Order
	9423	20,000	12	Y	OSP	Y	Cable, 12 fiber FORTEX DT-100% DRY LIGHT ARMOR SINGLE PE JKT, SINGLE ARMOR, DIELECTRIC CENTRAL MEMBER ALLWAVE-SM_.35/.31/.25 DB/KM @1310/1385/1550NM	OFS	AT-3BEH2YT-012	In Stock
	9425	20,000	12	Y	OSP	Y	Cable, 12 fiber FORTEX DT-100% DRY LIGHT ARMOR SINGLE PE JKT, SINGLE ARMOR, DIELECTRIC CENTRAL MEMBER ALLWAVE-SM_.35/.31/.25 DB/KM @1310/1385/1550NM	OFS	AT-3BEH2YT-012	In Stock
	9426	20,000	12	Y	OSP	Y	Cable, 12 fiber FORTEX DT-100% DRY LIGHT ARMOR SINGLE PE JKT, SINGLE ARMOR, DIELECTRIC CENTRAL MEMBER ALLWAVE-SM_.35/.31/.25 DB/KM @1310/1385/1550NM	OFS	AT-3BEH2YT-012	In Stock
	9622-A	14,296	12	Y	OSP	Y	12-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.4/0.4/0.3 dB/km 12f/tube Print in ft	Corning	012EUC-T4101D20	In Stock
	9669	20,000	12	Y	OSP	Y	12-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.4/0.4/0.3 dB/km 12f/tube Print in ft	Corning	012EUC-T4101D20	In Stock
	9671	20,000	12	Y	OSP	Y	12-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.4/0.4/0.3 dB/km 12f/tube Print in ft	Corning	012EUC-T4101D20	In Stock

ETA	REEL #	Footage	Fiber Count	Armor Y/N	OSP/Riser/ Plenum	Dry/Dry?	Description	Manufacturer	Part Number	Stock Status
	9685	20,000	12	Y	OSP	Y	12-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.4/0.4/0.3 dB/km 12f/tube Print in ft	Corning	012EUC-T4101D20	In Stock
	9686	20,000	12	Y	OSP	Y	12-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.4/0.4/0.3 dB/km 12f/tube Print in ft	Corning	012EUC-T4101D20	In Stock
	9687	20,000	12	Y	OSP	Y	12-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.4/0.4/0.3 dB/km 12f/tube Print in ft	Corning	012EUC-T4101D20	In Stock
	9689	20,000	12	Y	OSP	Y	12-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.4/0.4/0.3 dB/km 12f/tube Print in ft	Corning	012EUC-T4101D20	In Stock
	9690	20,000	12	Y	OSP	Y	12-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.4/0.4/0.3 dB/km 12f/tube Print in ft	Corning	012EUC-T4101D20	In Stock
	9691	20,000	12	Y	OSP	Y	12-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.4/0.4/0.3 dB/km 12f/tube Print in ft	Corning	012EUC-T4101D20	In Stock
	9694	20,000	12	Y	OSP	Y	12-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.4/0.4/0.3 dB/km 12f/tube Print in ft	Corning	012EUC-T4101D20	In Stock

ETA	REEL #	Footage	Fiber Count	Armor Y/N	OSP/Riser/ Plenum	Dry/Dry?	Description	Manufacturer	Part Number	Stock Status
	9720	20,000	12	Y	OSP	Y	12-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.4/0.4/0.3 dB/km 12f/tube Print in ft	Corning	012EUC-T4101D20	In Stock
	9721	20,000	12	Y	OSP	Y	12-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.4/0.4/0.3 dB/km 12f/tube Print in ft	Corning	012EUC-T4101D20	In Stock
	9904-A	15,194	24	N	OSP	Y	Cable, Fiber Optic, 24F SM, Loose Tube, Single PE Jkt, Dielectric Central Member, Dry Core, Gel-Filled Tubes, Non-Armored, ALLWAVE SM-.35/.31/.25 db/km@1310/1385/1550	OFS	AT-3BE12YT-024	In Stock
	9905	20,000	24	N	OSP	Y	Cable, Fiber Optic, 24F SM, Loose Tube, Single PE Jkt, Dielectric Central Member, Dry Core, Gel-Filled Tubes, Non-Armored, ALLWAVE SM-.35/.31/.25 db/km@1310/1385/1550	OFS	AT-3BE12YT-024	In Stock
	9906	20,000	24	N	OSP	Y	Cable, Fiber Optic, 24F SM, Loose Tube, Single PE Jkt, Dielectric Central Member, Dry Core, Gel-Filled Tubes, Non-Armored, ALLWAVE SM-.35/.31/.25 db/km@1310/1385/1550	OFS	AT-3BE12YT-024	In Stock
	9921	20,000	24	N	OSP	Y	Cable, Fiber Optic, 24F SM, Loose Tube, Single PE Jkt, Dielectric Central Member, Dry Core, Gel-Filled Tubes, Non-Armored, ALLWAVE SM-.35/.31/.25 db/km@1310/1385/1550	OFS	AT-3BE12YT-024	In Stock
	9922	20,000	24	N	OSP	Y	Cable, Fiber Optic, 24F SM, Loose Tube, Single PE Jkt, Dielectric Central Member, Dry Core, Gel-Filled Tubes, Non-Armored, ALLWAVE SM-.35/.31/.25 db/km@1310/1385/1550	OFS	AT-3BE12YT-024	In Stock

ETA	REEL #	Footage	Fiber Count	Armor Y/N	OSP/Riser/ Plenum	Dry/Dry?	Description	Manufacturer	Part Number	Stock Status
	9923	20,000	24	N	OSP	Y	Cable, Fiber Optic, 24F SM, Loose Tube, Single PE Jkt, Dielectric Central Member, Dry Core, Gel-Filled Tubes, Non-Armored, ALLWAVE SM-.35/.31/.25 db/km@1310/1385/1550	OFS	AT-3BE12YT-024	In Stock
	9924-A	15,466	24	N	OSP	Y	Cable, Fiber Optic, 24F SM, Loose Tube, Single PE Jkt, Dielectric Central Member, Dry Core, Gel-Filled Tubes, Non-Armored, ALLWAVE SM-.35/.31/.25 db/km@1310/1385/1550	OFS	AT-3BE12YT-024	In Stock
	9933-A	16,994	24	N	OSP	Y	Cable, 24 Fiber, SM, ALTOS, Dielectric, 2.5mm Buffer, Gel-Free, SMFe, 0.35/0.35/0.25 dB/km, 12 fibers per tube	Corning	024EU4-T4100D20	In Stock
	9936	20,000	24	N	OSP	Y	Cable, 24 Fiber, SM, ALTOS, Dielectric, 2.5mm Buffer, Gel-Free, SMFe, 0.35/0.35/0.25 dB/km, 12 fibers per tube	Corning	024EU4-T4100D20	In Stock
	10013	20,000	24	N	OSP	Y	Cable, 24 Fiber, SM, ALTOS, Dielectric, 2.5mm Buffer, Gel-Free, SMFe, 0.35/0.35/0.25 dB/km, 12 fibers per tube	Corning	024EU4-T4100D20	In Stock
	10014	20,000	24	N	OSP	Y	Cable, 24 Fiber, SM, ALTOS, Dielectric, 2.5mm Buffer, Gel-Free, SMFe, 0.35/0.35/0.25 dB/km, 12 fibers per tube	Corning	024EU4-T4100D20	In Stock
03/01/18		20,000	24	N	OSP	Y	Cable, 24 Fiber, SM, ALTOS, Dielectric, 2.5mm Buffer, Gel-Free, SMFe, 0.35/0.35/0.25 dB/km, 12 fibers per tube	Corning	024EU4-T4100D20	On Order

ETA	REEL #	Footage	Fiber Count	Aarmor Y/N	OSP/Riser/ Plenum	Dry/Dry?	Description	Manufacturer	Part Number	Stock Status
03/01/18		20,000	24	N	OSP	Y	Cable, 24 Fiber, SM, ALTOS, Dielectric, 2.5mm Buffer, Gel-Free, SMFe, 0.35/0.35/0.25 dB/km, 12 fibers per tube	Corning	024EU4-T4100D20	On Order
04/01/18		20,000	24	N	OSP	Y	Cable, 24 Fiber, SM, ALTOS, Dielectric, 2.5mm Buffer, Gel-Free, SMFe, 0.35/0.35/0.25 dB/km, 12 fibers per tube	Corning	024EU4-T4100D20	On Order
04/01/18		20,000	24	N	OSP	Y	Cable, 24 Fiber, SM, ALTOS, Dielectric, 2.5mm Buffer, Gel-Free, SMFe, 0.35/0.35/0.25 dB/km, 12 fibers per tube	Corning	024EU4-T4100D20	On Order
05/01/18		20,000	24	N	OSP	Y	Cable, 24 Fiber, SM, ALTOS, Dielectric, 2.5mm Buffer, Gel-Free, SMFe, 0.35/0.35/0.25 dB/km, 12 fibers per tube	Corning	024EU4-T4100D20	On Order
05/01/18		20,000	24	N	OSP	Y	Cable, 24 Fiber, SM, ALTOS, Dielectric, 2.5mm Buffer, Gel-Free, SMFe, 0.35/0.35/0.25 dB/km, 12 fibers per tube	Corning	024EU4-T4100D20	On Order
06/01/18		20,000	24	N	OSP	Y	Cable, 24 Fiber, SM, ALTOS, Dielectric, 2.5mm Buffer, Gel-Free, SMFe, 0.35/0.35/0.25 dB/km, 12 fibers per tube	Corning	024EU4-T4100D20	On Order
06/01/18		20,000	24	N	OSP	Y	Cable, 24 Fiber, SM, ALTOS, Dielectric, 2.5mm Buffer, Gel-Free, SMFe, 0.35/0.35/0.25 dB/km, 12 fibers per tube	Corning	024EU4-T4100D20	On Order

ETA	REEL #	Footage	Fiber Count	Armor Y/N	OSP/Riser/ Plenum	Dry/Dry?	Description	Manufacturer	Part Number	Stock Status
	8962-A	5,022	24	Y	OSP	Y	Cable, Fiber Optic. 24 Fiber. Loose Tube, Corning Single Mode Fiber in Stranded Tubes Water-Swellable Material, Dielectric CSM, 12 Fibers/Tube HDPE Jacket, 600 lb Tensile Cable for Aerial, Duct, and Direct-Buried Applications	Teldor	F902402G5B	In Stock
	8881-A	15,430	24	Y	OSP	Y	Cable, Fiber Optic. 24 Fiber. Loose Tube, Corning Single Mode Fiber in Stranded Tubes Water-Swellable Material, Dielectric CSM, 12 Fibers/Tube HDPE Jacket, 600 lb Tensile Cable for Aerial, Duct, and Direct-Buried Applications	Teldor	F902402G5B	In Stock
	8970	18,895	24	Y	OSP	Y	Cable, Fiber Optic. 24 Fiber. Loose Tube, Corning Single Mode Fiber in Stranded Tubes Water-Swellable Material, Dielectric CSM, 12 Fibers/Tube HDPE Jacket, 600 lb Tensile Cable for Aerial, Duct, and Direct-Buried Applications	Teldor	F902402G5B	In Stock
02/26/18		20,000	24	Y	OSP	Y	Cable, Fiber optic. 24 count, Loose Tube, Single Amror, Single Jacket. DRY-DRY Cable. ESM Glass	Corning	0024EUC-T4100D20	On Order
02/26/18		20,000	24	Y	OSP	Y	Cable, Fiber optic. 24 count, Loose Tube, Single Amror, Single Jacket. DRY-DRY Cable. ESM Glass	Corning	0024EUC-T4100D20	On Order
02/26/18		20,000	24	Y	OSP	Y	Cable, Fiber optic. 24 count, Loose Tube, Single Amror, Single Jacket. DRY-DRY Cable. ESM Glass	Corning	0024EUC-T4100D20	On Order
02/26/18		20,000	24	Y	OSP	Y	Cable, Fiber optic. 24 count, Loose Tube, Single Amror, Single Jacket. DRY-DRY Cable. ESM Glass	Corning	0024EUC-T4100D20	On Order

ETA	REEL #	Footage	Fiber Count	Aarmor Y/N	OSP/Riser/ Plenum	Dry/Dry?	Description	Manufacturer	Part Number	Stock Status
02/26/18		20,000	24	Y	OSP	Y	Cable, Fiber optic.24 count, Loose Tube, Single Amror, Single Jacket. DRY-DRY Cable. ESM Glass	Corning	0024EUC-T4100D20	On Order
02/26/18		20,000	24	Y	OSP	Y	Cable, Fiber optic.24 count, Loose Tube, Single Amror, Single Jacket. DRY-DRY Cable. ESM Glass	Corning	0024EUC-T4100D20	On Order
02/26/18		20,000	24	Y	OSP	Y	Cable, Fiber optic.24 count, Loose Tube, Single Amror, Single Jacket. DRY-DRY Cable. ESM Glass	Corning	0024EUC-T4100D20	On Order
04/01/18		20,000	24	Y	OSP	Y	Cable, Fiber optic.24 count, Loose Tube, Single Amror, Single Jacket. DRY-DRY Cable. ESM Glass	Corning	0024EUC-T4100D20	On Order
04/01/18		20,000	24	Y	OSP	Y	Cable, Fiber optic.24 count, Loose Tube, Single Amror, Single Jacket. DRY-DRY Cable. ESM Glass	Corning	0024EUC-T4100D20	On Order
04/01/18		20,000	24	Y	OSP	Y	Cable, Fiber optic.24 count, Loose Tube, Single Amror, Single Jacket. DRY-DRY Cable. ESM Glass	Corning	0024EUC-T4100D20	On Order
05/01/18		20,000	24	Y	OSP	Y	Cable, Fiber optic.24 count, Loose Tube, Single Amror, Single Jacket. DRY-DRY Cable. ESM Glass	Corning	0024EUC-T4100D20	On Order

ETA	REEL #	Footage	Fiber Count	Aarmor Y/N	OSP/Riser/ Plenum	Dry/Dry?	Description	Manufacturer	Part Number	Stock Status
05/01/18		20,000	24	Y	OSP	Y	Cable, Fiber optic.24 count, Loose Tube, Single Amror, Single Jacket. DRY-DRY Cable. ESM Glass	Corning	0024EUC-T4100D20	On Order
05/01/18		20,000	24	Y	OSP	Y	Cable, Fiber optic.24 count, Loose Tube, Single Amror, Single Jacket. DRY-DRY Cable. ESM Glass	Corning	0024EUC-T4100D20	On Order
06/01/18		20,000	24	Y	OSP	Y	Cable, Fiber optic.24 count, Loose Tube, Single Amror, Single Jacket. DRY-DRY Cable. ESM Glass	Corning	0024EUC-T4100D20	On Order
06/01/18		20,000	24	Y	OSP	Y	Cable, Fiber optic.24 count, Loose Tube, Single Amror, Single Jacket. DRY-DRY Cable. ESM Glass	Corning	0024EUC-T4100D20	On Order
	9291	5,462	36	N	OSP	N	Cable, fiber optic. 36-FIBER ALTOS GEL-FILLED CABLE ALL DIELECTRIC SINGLE JACKET SMF-28E+ MAX: 0.35/0.35/0.25 G.652.D 12F/TUBE PRINT IN FT	Corning	036EW4-T4100A53	In Stock
	9925	20,000	48	N	OSP	Y	Cable 48F FORTEX DT-100% DRY SINGLE JKT SINGLE PE JKT, DIELECTRIC CENTRAL MEMBER ALLWAVE-SM_.35/.31/.25 DB/KM @1310/1385/1550NM	OFS	AT-3BE12YT-048	In Stock
	9926	20,000	48	N	OSP	Y	Cable 48F FORTEX DT-100% DRY SINGLE JKT SINGLE PE JKT, DIELECTRIC CENTRAL MEMBER ALLWAVE-SM_.35/.31/.25 DB/KM @1310/1385/1550NM	OFS	AT-3BE12YT-048	In Stock

ETA	REEL #	Footage	Fiber Count	Aarmor Y/N	OSP/Riser/ Plenum	Dry/Dry?	Description	Manufacturer	Part Number	Stock Status
	9956-A	9,994	48	N	OSP	Y	Cable, Fiber Optic. 48-Fiber ALTOS® Cable 2.5 mm Buffer Gel-Free, Dielectric, Single-Jacket SMFe 0.35/0.35/0.25 dB/km 12f/tube	Corning	048EU4-T4100D20	In Stock
	10002	20,000	48	N	OSP	Y	Cable, Fiber Optic. 48-Fiber ALTOS® Cable 2.5 mm Buffer Gel-Free, Dielectric, Single-Jacket SMFe 0.35/0.35/0.25 dB/km 12f/tube	Corning	048EU4-T4100D20	In Stock
	10003	20,000	48	N	OSP	Y	Cable, Fiber Optic. 48-Fiber ALTOS® Cable 2.5 mm Buffer Gel-Free, Dielectric, Single-Jacket SMFe 0.35/0.35/0.25 dB/km 12f/tube	Corning	048EU4-T4100D20	In Stock
03/01/18		20,000	48	N	OSP	Y	Cable, Fiber Optic. 48-Fiber ALTOS® Cable 2.5 mm Buffer Gel-Free, Dielectric, Single-Jacket SMFe 0.35/0.35/0.25 dB/km 12f/tube	Corning	048EU4-T4100D20	On Order
03/01/18		20,000	48	N	OSP	Y	Cable, Fiber Optic. 48-Fiber ALTOS® Cable 2.5 mm Buffer Gel-Free, Dielectric, Single-Jacket SMFe 0.35/0.35/0.25 dB/km 12f/tube	Corning	048EU4-T4100D20	On Order
04/01/18		20,000	48	N	OSP	Y	Cable, Fiber Optic. 48-Fiber ALTOS® Cable 2.5 mm Buffer Gel-Free, Dielectric, Single-Jacket SMFe 0.35/0.35/0.25 dB/km 12f/tube	Corning	048EU4-T4100D20	On Order
04/01/18		20,000	48	N	OSP	Y	Cable, Fiber Optic. 48-Fiber ALTOS® Cable 2.5 mm Buffer Gel-Free, Dielectric, Single-Jacket SMFe 0.35/0.35/0.25 dB/km 12f/tube	Corning	048EU4-T4100D20	On Order

ETA	REEL #	Footage	Fiber Count	Armor Y/N	OSP/Riser/ Plenum	Dry/Dry?	Description	Manufacturer	Part Number	Stock Status
05/01/18		20,000	48	N	OSP	Y	Cable, Fiber Optic. 48-Fiber ALTOS® Cable 2.5 mm Buffer Gel-Free, Dielectric, Single-Jacket SMFe 0.35/0.35/0.25 dB/km 12f/tube	Corning	048EU4-T4100D20	On Order
05/01/18		20,000	48	N	OSP	Y	Cable, Fiber Optic. 48-Fiber ALTOS® Cable 2.5 mm Buffer Gel-Free, Dielectric, Single-Jacket SMFe 0.35/0.35/0.25 dB/km 12f/tube	Corning	048EU4-T4100D20	On Order
06/01/18		20,000	48	N	OSP	Y	Cable, Fiber Optic. 48-Fiber ALTOS® Cable 2.5 mm Buffer Gel-Free, Dielectric, Single-Jacket SMFe 0.35/0.35/0.25 dB/km 12f/tube	Corning	048EU4-T4100D20	On Order
06/01/18		20,000	48	N	OSP	Y	Cable, Fiber Optic. 48-Fiber ALTOS® Cable 2.5 mm Buffer Gel-Free, Dielectric, Single-Jacket SMFe 0.35/0.35/0.25 dB/km 12f/tube	Corning	048EU4-T4100D20	On Order
	9878	20,224	48	Y	OSP	Y	Cable, DRY/DRY 48 Fiber, SM, Loose Tube, Single Armor/Single Jacket, Dry-Dry, Water-Swellable Matl, Dielectric CSM, 12 Fibers per Tube, HDPE Jacket, 600 lb Tensile, Cable for Aerial, Duct, And Direct-Buried DRC-9-04X12-D-ZRP-D BK	Teldor	F904804M6B	In Stock
	9879	20,044	48	Y	OSP	Y	Cable, DRY/DRY 48 Fiber, SM, Loose Tube, Single Armor/Single Jacket, Dry-Dry, Water-Swellable Matl, Dielectric CSM, 12 Fibers per Tube, HDPE Jacket, 600 lb Tensile, Cable for Aerial, Duct, And Direct-Buried DRC-9-04X12-D-ZRP-D BK	Teldor	F904804M6B	In Stock
	9882	20,076	48	Y	OSP	Y	Cable, DRY/DRY 48 Fiber, SM, Loose Tube, Single Armor/Single Jacket, Dry-Dry, Water-Swellable Matl, Dielectric CSM, 12 Fibers per Tube, HDPE Jacket, 600 lb Tensile, Cable for Aerial, Duct, And Direct-Buried DRC-9-04X12-D-ZRP-D BK	Teldor	F904804M6B	In Stock

ETA	REEL #	Footage	Fiber Count	Armor Y/N	OSP/Riser/ Plenum	Dry/Dry?	Description	Manufacturer	Part Number	Stock Status
	9884	20,198	48	Y	OSP	Y	Cable, DRY/DRY 48 Fiber, SM, Loose Tube, Single Armor/Single Jacket, Dry-Dry, Water-Swellable Matl, Dielectric CSM, 12 Fibers per Tube, HDPE Jacket, 600 lb Tensile, Cable for Aerial, Duct, And Direct-Buried DRC-9-04X12-D-ZRP-D BK	Teldor	F904804M6B	In Stock
	9885	20,218	48	Y	OSP	Y	Cable, DRY/DRY 48 Fiber, SM, Loose Tube, Single Armor/Single Jacket, Dry-Dry, Water-Swellable Matl, Dielectric CSM, 12 Fibers per Tube, HDPE Jacket, 600 lb Tensile, Cable for Aerial, Duct, And Direct-Buried DRC-9-04X12-D-ZRP-D BK	Teldor	F904804M6B	In Stock
	9886	20,178	48	Y	OSP	Y	Cable, DRY/DRY 48 Fiber, SM, Loose Tube, Single Armor/Single Jacket, Dry-Dry, Water-Swellable Matl, Dielectric CSM, 12 Fibers per Tube, HDPE Jacket, 600 lb Tensile, Cable for Aerial, Duct, And Direct-Buried DRC-9-04X12-D-ZRP-D BK	Teldor	F904804M6B	In Stock
	9816	21,225	48	Y	OSP	Y	Cable, 48-FIBER ALTOS® LITE GEL-FREE CABLE SINGLE JACKET, SINGLE ARMOR WITH FAST ACCESS® TECHNOLOGY SMF-28® ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM G652.D/G657.A1 12F/TUBE PRINT IN FT	Corning	048ZUC-T4F22D20	In Stock
	9961-A	14,996	48	Y	OSP	Y	48-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube Print in ft	Corning	048EUC-T4100D20	In Stock
	10018	20,000	48	Y	OSP	Y	48-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube Print in ft	Corning	048EUC-T4100D20	In Stock
	10019-A	14,994	48	Y	OSP	Y	48-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube Print in ft	Corning	048EUC-T4100D20	In Stock

ETA	REEL #	Footage	Fiber Count	Armor Y/N	OSP/Riser/ Plenum	Dry/Dry?	Description	Manufacturer	Part Number	Stock Status
	10008	20,000	48	Y	OSP	Y	48-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube Print in ft	Corning	048EUC-T4100D20	In Stock
	10009	20,000	48	Y	OSP	Y	48-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube Print in ft	Corning	048EUC-T4100D20	In Stock
03/01/18		20,000	48	Y	OSP	Y	48-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube Print in ft	Corning	048EUC-T4100D20	On Order
03/01/18		20,000	48	Y	OSP	Y	48-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube Print in ft	Corning	048EUC-T4100D20	On Order
03/01/18		20,000	48	Y	OSP	Y	48-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube Print in ft	Corning	048EUC-T4100D20	On Order
03/01/18		20,000	48	Y	OSP	Y	48-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube Print in ft	Corning	048EUC-T4100D20	On Order
03/01/18		20,000	48	Y	OSP	Y	48-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube Print in ft	Corning	048EUC-T4100D20	On Order
03/01/18		20,000	48	Y	OSP	Y	48-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube Print in ft	Corning	048EUC-T4100D20	On Order

ETA	REEL #	Footage	Fiber Count	Armor Y/N	OSP/Riser/ Plenum	Dry/Dry?	Description	Manufacturer	Part Number	Stock Status
03/01/18		20,000	48	Y	OSP	Y	48-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube Print in ft	Corning	048EUC-T4100D20	On Order
04/01/18		20,000	48	Y	OSP	Y	48-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube Print in ft	Corning	048EUC-T4100D20	On Order
04/01/18		20,000	48	Y	OSP	Y	48-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube Print in ft	Corning	048EUC-T4100D20	On Order
04/01/18		20,000	48	Y	OSP	Y	48-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube Print in ft	Corning	048EUC-T4100D20	On Order
04/01/18		20,000	48	Y	OSP	Y	48-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube Print in ft	Corning	048EUC-T4100D20	On Order
04/01/18		20,000	48	Y	OSP	Y	48-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube Print in ft	Corning	048EUC-T4100D20	On Order
04/01/18		20,000	48	Y	OSP	Y	48-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube Print in ft	Corning	048EUC-T4100D20	On Order
04/01/18		20,000	48	Y	OSP	Y	48-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube Print in ft	Corning	048EUC-T4100D20	On Order

ETA	REEL #	Footage	Fiber Count	Armor Y/N	OSP/Riser/ Plenum	Dry/Dry?	Description	Manufacturer	Part Number	Stock Status
05/01/18		20,000	48	Y	OSP	Y	48-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube Print in ft	Corning	048EUC-T4100D20	On Order
05/01/18		20,000	48	Y	OSP	Y	48-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube Print in ft	Corning	048EUC-T4100D20	On Order
05/01/18		20,000	48	Y	OSP	Y	48-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube Print in ft	Corning	048EUC-T4100D20	On Order
05/01/18		20,000	48	Y	OSP	Y	48-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube Print in ft	Corning	048EUC-T4100D20	On Order
05/01/18		20,000	48	Y	OSP	Y	48-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube Print in ft	Corning	048EUC-T4100D20	On Order
05/01/18		20,000	48	Y	OSP	Y	48-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube Print in ft	Corning	048EUC-T4100D20	On Order
05/01/18		20,000	48	Y	OSP	Y	48-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube Print in ft	Corning	048EUC-T4100D20	On Order
06/01/18		20,000	48	Y	OSP	Y	48-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube Print in ft	Corning	048EUC-T4100D20	On Order

ETA	REEL #	Footage	Fiber Count	Armor Y/N	OSP/Riser/ Plenum	Dry/Dry?	Description	Manufacturer	Part Number	Stock Status
06/01/18		20,000	48	Y	OSP	Y	48-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube Print in ft	Corning	048EUC-T4100D20	On Order
06/01/18		20,000	48	Y	OSP	Y	48-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube Print in ft	Corning	048EUC-T4100D20	On Order
06/01/18		20,000	48	Y	OSP	Y	48-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube Print in ft	Corning	048EUC-T4100D20	On Order
06/01/18		20,000	48	Y	OSP	Y	48-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube Print in ft	Corning	048EUC-T4100D20	On Order
06/01/18		20,000	48	Y	OSP	Y	48-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube Print in ft	Corning	048EUC-T4100D20	On Order
06/01/18		20,000	48	Y	OSP	Y	48-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube Print in ft	Corning	048EUC-T4100D20	On Order
	9741-A	4,652	72	N	OSP	Y	Cable 72F FORTEX DT-100% DRY SINGLE JKT SINGLE PE JKT, DIELECTRIC CENTRAL MEMBER ALLWAVE-SM_.35/.31/.25 DB/KM @1310/1385/1550NM	OFS	AT-3BE12YT-072	In Stock
	9844-A	12,596	72	N	OSP	Y	Cable 72F FORTEX DT-100% DRY SINGLE JKT SINGLE PE JKT, DIELECTRIC CENTRAL MEMBER ALLWAVE-SM_.35/.31/.25 DB/KM @1310/1385/1550NM	OFS	AT-3BE12YT-072	In Stock

ETA	REEL #	Footage	Fiber Count	Armor Y/N	OSP/Riser/ Plenum	Dry/Dry?	Description	Manufacturer	Part Number	Stock Status
	9845	11,842	72	N	OSP	Y	Cable 72F FORTEX DT-100% DRY SINGLE JKT SINGLE PE JKT, DIELECTRIC CENTRAL MEMBER ALLWAVE-SM_.35/.31/.25 DB/KM @1310/1385/1550NM	OFS	AT-3BE12YT-072	In Stock
	9846	8,210	72	N	OSP	Y	Cable 72F FORTEX DT-100% DRY SINGLE JKT SINGLE PE JKT, DIELECTRIC CENTRAL MEMBER ALLWAVE-SM_.35/.31/.25 DB/KM @1310/1385/1550NM	OFS	AT-3BE12YT-072	In Stock
	9847	20,000	72	N	OSP	Y	Cable 72F FORTEX DT-100% DRY SINGLE JKT SINGLE PE JKT, DIELECTRIC CENTRAL MEMBER ALLWAVE-SM_.35/.31/.25 DB/KM @1310/1385/1550NM	OFS	AT-3BE12YT-072	In Stock
	9858	20,000	72	Y	OSP	Y	Cable, 72 Fiber, SM. FORTEX DT-100% Dry, Light Armor, Single PE Jacket, Dielectric Central Member, ALLWAVE, .35/.31/.25 db/km @ 1310/1385/1550 nm	OFS	AT-3BEH2YT-072	In Stock
	10007	20,000	72	Y	OSP	Y	72-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube	Corning	072EUC-T4100D20	In Stock
	10028	20,000	72	Y	OSP	Y	72-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube	Corning	072EUC-T4100D20	In Stock
	10030	20,000	72	Y	OSP	Y	72-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube	Corning	072EUC-T4100D20	In Stock

ETA	REEL #	Footage	Fiber Count	Armor Y/N	OSP/Riser/ Plenum	Dry/Dry?	Description	Manufacturer	Part Number	Stock Status
	10034	20,000	72	Y	OSP	Y	72-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube	Corning	072EUC-T4100D20	In Stock
	10035	20,000	72	Y	OSP	Y	72-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube	Corning	072EUC-T4100D20	In Stock
	10036	20,000	72	Y	OSP	Y	72-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube	Corning	072EUC-T4100D20	In Stock
	10037	20,000	72	Y	OSP	Y	72-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube	Corning	072EUC-T4100D20	In Stock
03/01/18		20,000	72	Y	OSP	Y	72-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube	Corning	072EUC-T4100D20	On Order
03/01/18		20,000	72	Y	OSP	Y	72-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube	Corning	072EUC-T4100D20	On Order
03/01/18		20,000	72	Y	OSP	Y	72-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube	Corning	072EUC-T4100D20	On Order

ETA	REEL #	Footage	Fiber Count	Armor Y/N	OSP/Riser/ Plenum	Dry/Dry?	Description	Manufacturer	Part Number	Stock Status
03/01/18		20,000	72	Y	OSP	Y	72-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube	Corning	072EUC-T4100D20	On Order
03/01/18		20,000	72	Y	OSP	Y	72-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube	Corning	072EUC-T4100D20	On Order
04/01/18		20,000	72	Y	OSP	Y	72-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube	Corning	072EUC-T4100D20	On Order
04/01/18		20,000	72	Y	OSP	Y	72-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube	Corning	072EUC-T4100D20	On Order
04/01/18		20,000	72	Y	OSP	Y	72-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube	Corning	072EUC-T4100D20	On Order
04/01/18		20,000	72	Y	OSP	Y	72-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube	Corning	072EUC-T4100D20	On Order
04/01/18		20,000	72	Y	OSP	Y	72-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube	Corning	072EUC-T4100D20	On Order
04/01/18		20,000	72	Y	OSP	Y	72-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube	Corning	072EUC-T4100D20	On Order

ETA	REEL #	Footage	Fiber Count	Armor Y/N	OSP/Riser/ Plenum	Dry/Dry?	Description	Manufacturer	Part Number	Stock Status
05/01/18		20,000	72	Y	OSP	Y	72-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube	Corning	072EUC-T4100D20	On Order
05/01/18		20,000	72	Y	OSP	Y	72-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube	Corning	072EUC-T4100D20	On Order
05/01/18		20,000	72	Y	OSP	Y	72-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube	Corning	072EUC-T4100D20	On Order
05/01/18		20,000	72	Y	OSP	Y	72-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube	Corning	072EUC-T4100D20	On Order
05/01/18		20,000	72	Y	OSP	Y	72-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube	Corning	072EUC-T4100D20	On Order
06/01/18		20,000	72	Y	OSP	Y	72-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube	Corning	072EUC-T4100D20	On Order
06/01/18		20,000	72	Y	OSP	Y	72-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube	Corning	072EUC-T4100D20	On Order

ETA	REEL #	Footage	Fiber Count	Armor Y/N	OSP/Riser/ Plenum	Dry/Dry?	Description	Manufacturer	Part Number	Stock Status
06/01/18		20,000	72	Y	OSP	Y	72-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube	Corning	072EUC-T4100D20	On Order
06/01/18		20,000	72	Y	OSP	Y	72-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube	Corning	072EUC-T4100D20	On Order
06/01/18		20,000	72	Y	OSP	Y	72-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube	Corning	072EUC-T4100D20	On Order
	9953-A	9,998	96	N	OSP	Y	Cable, Fiber Optic. 96 cout, loose tube, OSP, Single Jacket, Non- armored, Dry-Dry, Corning ESM glass	Corning	096EU4-T4100D20	In Stock
	9938	24,875	96	N	OSP	Y	Cable, Fiber Optic. 96 cout, loose tube, OSP, Single Jacket, Non- armored, Dry-Dry, Corning ESM glass	Corning	096EU4-T4100D20	In Stock
	9390-A	5,024	96	N	OSP	Y	Cable, Fiber Optic. 96 cout, loose tube, OSP, Single Jacket, Non- armored, Dry-Dry, Corning ESM glass	Corning	096EU4-T4100D20	In Stock
	9954	20,000	96	N	OSP	Y	Cable, Fiber Optic. 96 cout, loose tube, OSP, Single Jacket, Non- armored, Dry-Dry, Corning ESM glass	Corning	096EU4-T4100D20	In Stock

ETA	REEL #	Footage	Fiber Count	Aarmor Y/N	OSP/Riser/ Plenum	Dry/Dry?	Description	Manufacturer	Part Number	Stock Status
	10015	20,000	96	N	OSP	Y	Cable, Fiber Optic. 96 cout, loose tube, OSP, Single Jacket, Non- armored, Dry-Dry, Corning ESM glass	Corning	096EU4-T4100D20	In Stock
	10016	20,000	96	N	OSP	Y	Cable, Fiber Optic. 96 cout, loose tube, OSP, Single Jacket, Non- armored, Dry-Dry, Corning ESM glass	Corning	096EU4-T4100D20	In Stock
03/01/18		20,000	96	N	OSP	Y	Cable, Fiber Optic. 96 cout, loose tube, OSP, Single Jacket, Non- armored, Dry-Dry, Corning ESM glass	Corning	096EU4-T4100D20	On Order
03/01/18		20,000	96	N	OSP	Y	Cable, Fiber Optic. 96 cout, loose tube, OSP, Single Jacket, Non- armored, Dry-Dry, Corning ESM glass	Corning	096EU4-T4100D20	On Order
04/01/18		20,000	96	N	OSP	Y	Cable, Fiber Optic. 96 cout, loose tube, OSP, Single Jacket, Non- armored, Dry-Dry, Corning ESM glass	Corning	096EU4-T4100D20	On Order
04/01/18		20,000	96	N	OSP	Y	Cable, Fiber Optic. 96 cout, loose tube, OSP, Single Jacket, Non- armored, Dry-Dry, Corning ESM glass	Corning	096EU4-T4100D20	On Order
05/01/18		20,000	96	N	OSP	Y	Cable, Fiber Optic. 96 cout, loose tube, OSP, Single Jacket, Non- armored, Dry-Dry, Corning ESM glass	Corning	096EU4-T4100D20	On Order

ETA	REEL #	Footage	Fiber Count	Armor Y/N	OSP/Riser/ Plenum	Dry/Dry?	Description	Manufacturer	Part Number	Stock Status
05/01/18		20,000	96	N	OSP	Y	Cable, Fiber Optic. 96 cout, loose tube, OSP, Single Jacket, Non- armored, Dry-Dry, Corning ESM glass	Corning	096EU4-T4100D20	On Order
06/01/18		20,000	96	N	OSP	Y	Cable, Fiber Optic. 96 cout, loose tube, OSP, Single Jacket, Non- armored, Dry-Dry, Corning ESM glass	Corning	096EU4-T4100D20	On Order
06/01/18		20,000	96	N	OSP	Y	Cable, Fiber Optic. 96 cout, loose tube, OSP, Single Jacket, Non- armored, Dry-Dry, Corning ESM glass	Corning	096EU4-T4100D20	On Order
	8357-A	5,092	96	N	OSP	Y	Cable, Fiber Optis. 96 Fiber FORTEx DT-100% DRY SINGLE JKT SINGLE PE JKT, DIELECTRIC CENTRAL MEMBER ALLWAVE-SM_.35/.31/.25 DB/KM @1310/1385/1550NM	OFS	AT-3BE12YT-096	In Stock
	9353-A	8,710	96	N	OSP	N	Cable, Fiber Optic. 96 Fiber. Single Jkt Single PE Jkt, Dielectric Central Member ALLWAVE-SM-.35/.31/.25 db/km@1310/1385/1550	OFS	AT-3BE12TT-096	In Stock
	9385-A	15,918	96	N	OSP	N	Cable, Fiber Optic. 96 Fiber. Single Jkt Single PE Jkt, Dielectric Central Member ALLWAVE-SM-.35/.31/.25 db/km@1310/1385/1550	OFS	AT-3BE12TT-096	In Stock
	9172-A	9,632	96	N	OSP	Y	Cable, Fiber Optic. 96 fiber. Loose Single Mode Fiber in Stranded Tubes Water-Swellable Material,Dielectric CSM,12Fibers/Tube HDPE Jacket, 600 lb Tensile Cable for Aerial, Duct, and Direct-Buried Applications	Teldor	F909608G7B	In Stock

ETA	REEL #	Footage	Fiber Count	Armor Y/N	OSP/Riser/ Plenum	Dry/Dry?	Description	Manufacturer	Part Number	Stock Status
	9261-A	7,054	96	N	OSP	Y	Cable, DRY/DRY 96 Fiber, SM, Loose Tube, Single Jacket, Dry-Dry, Water-Swellable Matl, Dielectric CSM, 12 Fibers per Tube, HDPE Jacket, 600 lb Tensile DRC-9-08X12-D-ZRP-D BK	Teldor	F909608G7B	In Stock
	9451	20,300	96	Y	OSP	Y	Cable, DRY/DRY 96 Fiber, SM, Loose Tube, Single Armor/Single Jacket, Dry-Dry, Water-Swellable Matl, Dielectric CSM, 12 Fibers per Tube, HDPE Jacket, 600 lb Tensile DRC-9-08X12-D-ZRP-D BK	Teldor	F909608E7B	In Stock
	9784-A	13,996	96	Y	OSP	Y	Cable, Fiber Optic. 96-Fiber ALTOS® Gel-Free Cable 2.5 mm Buffer Armor Lite# Single-Jacket/Single-Armor SMFe 0.33/0.33/0.19 dB/km G.652.D12f/tube Print in ft	Corning	0096EUC-T4100D20	In Stock
	9981	20,000	96	Y	OSP	Y	Cable, Fiber Optic. 96-Fiber ALTOS® Gel-Free Cable 2.5 mm Buffer Armor Lite# Single-Jacket/Single-Armor SMFe 0.33/0.33/0.19 dB/km G.652.D12f/tube Print in ft	Corning	0096EUC-T4100D20	In Stock
	9982	20,000	96	Y	OSP	Y	Cable, Fiber Optic. 96-Fiber ALTOS® Gel-Free Cable 2.5 mm Buffer Armor Lite# Single-Jacket/Single-Armor SMFe 0.33/0.33/0.19 dB/km G.652.D12f/tube Print in ft	Corning	0096EUC-T4100D20	In Stock
	9983	20,000	96	Y	OSP	Y	Cable, Fiber Optic. 96-Fiber ALTOS® Gel-Free Cable 2.5 mm Buffer Armor Lite# Single-Jacket/Single-Armor SMFe 0.33/0.33/0.19 dB/km G.652.D12f/tube Print in ft	Corning	0096EUC-T4100D20	In Stock
04/01/18		20,000	96	Y	OSP	Y	Cable, Fiber Optic. 96-Fiber ALTOS® Gel-Free Cable 2.5 mm Buffer Armor Lite# Single-Jacket/Single-Armor SMFe 0.33/0.33/0.19 dB/km G.652.D12f/tube Print in ft	Corning	0096EUC-T4100D20	On Order

ETA	REEL #	Footage	Fiber Count	Armor Y/N	OSP/Riser/ Plenum	Dry/Dry?	Description	Manufacturer	Part Number	Stock Status
04/01/18		20,000	96	Y	OSP	Y	Cable, Fiber Optic. 96-Fiber ALTOS® Gel-Free Cable 2.5 mm Buffer Armor Lite# Single-Jacket/Single-Armor SMFe 0.33/0.33/0.19 dB/km G.652.D12f/tube Print in ft	Corning	0096EUC-T4100D20	On Order
05/01/18		20,000	96	Y	OSP	Y	Cable, Fiber Optic. 96-Fiber ALTOS® Gel-Free Cable 2.5 mm Buffer Armor Lite# Single-Jacket/Single-Armor SMFe 0.33/0.33/0.19 dB/km G.652.D12f/tube Print in ft	Corning	0096EUC-T4100D20	On Order
05/01/18		20,000	96	Y	OSP	Y	Cable, Fiber Optic. 96-Fiber ALTOS® Gel-Free Cable 2.5 mm Buffer Armor Lite# Single-Jacket/Single-Armor SMFe 0.33/0.33/0.19 dB/km G.652.D12f/tube Print in ft	Corning	0096EUC-T4100D20	On Order
06/01/18		20,000	96	Y	OSP	Y	Cable, Fiber Optic. 96-Fiber ALTOS® Gel-Free Cable 2.5 mm Buffer Armor Lite# Single-Jacket/Single-Armor SMFe 0.33/0.33/0.19 dB/km G.652.D12f/tube Print in ft	Corning	0096EUC-T4100D20	On Order
06/01/18		20,000	96	Y	OSP	Y	Cable, Fiber Optic. 96-Fiber ALTOS® Gel-Free Cable 2.5 mm Buffer Armor Lite# Single-Jacket/Single-Armor SMFe 0.33/0.33/0.19 dB/km G.652.D12f/tube Print in ft	Corning	0096EUC-T4100D20	On Order
	9355-A	4,758	144	N	OSP	Y	"Cable, Fiber Optic. 144 count Loose Single Mode Fiber in Stranded Tubes Water-Swellable Material, Dry-Gel. Dielectric CSM,12Fibers/Tube HDPE Jacket, 600 lb Tensile Cable for Aerial, Duct, and Direct-Buried Applications"	OFS	AT-3BE12TT-144	In Stock
	9389-A	15,112	144	N	OSP	Y	"Cable, Fiber Optic. 144 count Loose Single Mode Fiber in Stranded Tubes Water-Swellable Material, Dry-Gel. Dielectric CSM,12Fibers/Tube HDPE Jacket, 600 lb Tensile Cable for Aerial, Duct, and Direct-Buried Applications"	OFS	AT-3BE12TT-144	In Stock

ETA	REEL #	Footage	Fiber Count	Armor Y/N	OSP/Riser/ Plenum	Dry/Dry?	Description	Manufacturer	Part Number	Stock Status
	9232	10,590	144	N	OSP	N	Cable, Fiber optic. (144) SMF-28e+ fibers, Loose Tube, Gel Filled, All-Dielectric, 12f/Tube, Marked in feet, Standard Sheath print + SOCC code	Corning	144EW4-CK701A53	In Stock
	9392-A	12,154	144	N	OSP	N	Cable, fiber optic. 144 Fiber, ALTOS Loose Tube, All-dielectric, Gel Filled buffer tubes, Non-armored, SMF-28e glass	Corning	144EU4-T4100A20	In Stock
	9067	17,422	144	N	OSP	N	Cable, 144 Fiber, Dielectric, Single Jacket, Gel-Filled, Corning SMF28e+ SM Glass, 1310 / 1383 /1550 nm	Prysmian	F-ETH1JKT-12-CE-144-E3	In Stock
	9733	20,000	144	Y	OSP	Y	Cable 144F, AT-3BEH2YT-144_ FORTEX DT-100% DRY LIGHT ARMOR SINGLE PE JKT, SINGLE ARMOR, DIELECTRIC CENTRAL MEMBER ALLWAVE-SM_.35/.31/.25 DB/KM@1310/1385/1550	OFS	AT-3BEH2YT-144	In Stock
	9135-A	6,438	144	Y	OSP	Y	Cable 144F, AT-3BEH2YT-144_ FORTEX DT-100% DRY LIGHT ARMOR SINGLE PE JKT, SINGLE ARMOR, DIELECTRIC CENTRAL MEMBER ALLWAVE-SM_.35/.31/.25 DB/KM@1310/1385/1550	OFS	AT-3BEH2YT-144	In Stock
	9749	20,000	144	Y	OSP	Y	Cable 144F, AT-3BEH2YT-144_ FORTEX DT-100% DRY LIGHT ARMOR SINGLE PE JKT, SINGLE ARMOR, DIELECTRIC CENTRAL MEMBER ALLWAVE-SM_.35/.31/.25 DB/KM@1310/1385/1550	OFS	AT-3BEH2YT-144	In Stock
	9750	20,000	144	Y	OSP	Y	Cable 144F, AT-3BEH2YT-144_ FORTEX DT-100% DRY LIGHT ARMOR SINGLE PE JKT, SINGLE ARMOR, DIELECTRIC CENTRAL MEMBER ALLWAVE-SM_.35/.31/.25 DB/KM@1310/1385/1550	OFS	AT-3BEH2YT-144	In Stock

ETA	REEL #	Footage	Fiber Count	Armor Y/N	OSP/Riser/ Plenum	Dry/Dry?	Description	Manufacturer	Part Number	Stock Status
	9788-A	11,392	144	Y	OSP	Y	144-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube Print in ft	Corning	144EUC-T4100D20	In Stock
	9984	20,000	144	Y	OSP	Y	144-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube Print in ft	Corning	144EUC-T4100D20	In Stock
	9985	20,000	144	Y	OSP	Y	144-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube Print in ft	Corning	144EUC-T4100D20	In Stock
	9986	20,000	144	Y	OSP	Y	144-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube Print in ft	Corning	144EUC-T4100D20	In Stock
	9987	20,000	144	Y	OSP	Y	144-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube Print in ft	Corning	144EUC-T4100D20	In Stock
	9988	20,000	144	Y	OSP	Y	144-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube Print in ft	Corning	144EUC-T4100D20	In Stock
	9989	20,000	144	Y	OSP	Y	144-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube Print in ft	Corning	144EUC-T4100D20	In Stock

ETA	REEL #	Footage	Fiber Count	Armor Y/N	OSP/Riser/ Plenum	Dry/Dry?	Description	Manufacturer	Part Number	Stock Status
	9990	20,000	144	Y	OSP	Y	144-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube Print in ft	Corning	144EUC-T4100D20	In Stock
	9991	20,000	144	Y	OSP	Y	144-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube Print in ft	Corning	144EUC-T4100D20	In Stock
	9996	20,000	144	Y	OSP	Y	144-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube Print in ft	Corning	144EUC-T4100D20	In Stock
	9997	20,000	144	Y	OSP	Y	144-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube Print in ft	Corning	144EUC-T4100D20	In Stock
	9998	20,000	144	Y	OSP	Y	144-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube Print in ft	Corning	144EUC-T4100D20	In Stock
	9999	20,000	144	Y	OSP	Y	144-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube Print in ft	Corning	144EUC-T4100D20	In Stock
	10000	20,000	144	Y	OSP	Y	144-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube Print in ft	Corning	144EUC-T4100D20	In Stock

ETA	REEL #	Footage	Fiber Count	Armor Y/N	OSP/Riser/ Plenum	Dry/Dry?	Description	Manufacturer	Part Number	Stock Status
	10001	20,000	144	Y	OSP	Y	144-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube Print in ft	Corning	144EUC-T4100D20	In Stock
04/01/18		20,000	144	Y	OSP	Y	144-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube Print in ft	Corning	144EUC-T4100D20	On Order
04/01/18		20,000	144	Y	OSP	Y	144-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube Print in ft	Corning	144EUC-T4100D20	On Order
04/01/18		20,000	144	Y	OSP	Y	144-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube Print in ft	Corning	144EUC-T4100D20	On Order
04/01/18		20,000	144	Y	OSP	Y	144-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube Print in ft	Corning	144EUC-T4100D20	On Order
05/01/18		20,000	144	Y	OSP	Y	144-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube Print in ft	Corning	144EUC-T4100D20	On Order
05/01/18		20,000	144	Y	OSP	Y	144-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube Print in ft	Corning	144EUC-T4100D20	On Order

ETA	REEL #	Footage	Fiber Count	Armor Y/N	OSP/Riser/ Plenum	Dry/Dry?	Description	Manufacturer	Part Number	Stock Status
05/01/18		20,000	144	Y	OSP	Y	144-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube Print in ft	Corning	144EUC-T4100D20	On Order
05/01/18		20,000	144	Y	OSP	Y	144-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube Print in ft	Corning	144EUC-T4100D20	On Order
06/01/18		20,000	144	Y	OSP	Y	144-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube Print in ft	Corning	144EUC-T4100D20	On Order
06/01/18		20,000	144	Y	OSP	Y	144-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube Print in ft	Corning	144EUC-T4100D20	On Order
06/01/18		20,000	144	Y	OSP	Y	144-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube Print in ft	Corning	144EUC-T4100D20	On Order
06/01/18		20,000	144	Y	OSP	Y	144-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube Print in ft	Corning	144EUC-T4100D20	On Order
06/01/18		20,000	144	Y	OSP	Y	144-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube Print in ft	Corning	144EUC-T4100D20	On Order
	8574-A	5,080	216	N	OSP	Y	Cable, Fiber Optic. 216 Count. Non-armored. FORTEx DT-100% DRY SINGLE JKT SINGLE PE JKT, DIELECTRIC CENTRAL MEMBER ALLWAVE-SM_.35/.31/.25 DB/KM@1310/1385/1550	OFS	AT-3BE12YT-216	In Stock

ETA	REEL #	Footage	Fiber Count	Armor Y/N	OSP/Riser/ Plenum	Dry/Dry?	Description	Manufacturer	Part Number	Stock Status
	9748-A	19,702	216	N	OSP	Y	Cable, Fiber Optic. 216 Count. Non-armored. FORTEX DT-100% DRY SINGLE JKT SINGLE PE JKT, DIELECTRIC CENTRAL MEMBER ALLWAVE-SM_.35/.31/.25 DB/KM@1310/1385/1550	OFS	AT-3BE12YT-216	In Stock
	9230	12,008	216	N	OSP	N	Cable, Fiber Optic. (216) SMF-28e+ fibers, Loose Tube, Gel Filled, All-Dielectric, 12f/Tube, Marked in feet, Standard Sheath print + SOCC code	Corning	216EW4-T4100A53	In Stock
	9976	20,000	216	Y	OSP	Y	216-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube Print in ft	Corning	216EUC-T4100D20	In Stock
	9805	20,000	288	N	OSP	Y	Cable, Fiber Optic, 288 Fiber Cable, Enhanced Singlemode, Loose Tube, Non-Armored.	OFS	AT-3BE12YT-288	In Stock
	9806	20,000	288	N	OSP	Y	Cable, Fiber Optic, 288 Fiber Cable, Enhanced Singlemode, Loose Tube, Non-Armored.	OFS	AT-3BE12YT-288	In Stock
	9807-A	18,304	288	N	OSP	Y	Cable, Fiber Optic, 288 Fiber Cable, Enhanced Singlemode, Loose Tube, Non-Armored.	OFS	AT-3BE12YT-288	In Stock
	9947	20,002	288	N	OSP	Y	Cable 288F Singlemode dielectric, 12 fibers per Loose Tube, gel-free cable single MDPE Jacket, for aerial and duct G.652D fiber complies with of exceeds the ITU-T Recommendation	Sumec Wasin	swGYFY-288B1	In Stock

ETA	REEL #	Footage	Fiber Count	Armor Y/N	OSP/Riser/ Plenum	Dry/Dry?	Description	Manufacturer	Part Number	Stock Status
	9948	20,068	288	N	OSP	Y	Cable 288F Singlemode dielectric, 12 fibers per Loose Tube, gel-free cable single MDPE Jacket, for aerial and duct G.652D fiber complies with of exceeds the ITU-T Recommendation	Sumec Wasin	swGYFY-288B1	In Stock
	9949	20,314	288	N	OSP	Y	Cable 288F Singlemode dielectric, 12 fibers per Loose Tube, gel-free cable single MDPE Jacket, for aerial and duct G.652D fiber complies with of exceeds the ITU-T Recommendation	Sumec Wasin	swGYFY-288B1	In Stock
	9950	20,266	288	N	OSP	Y	Cable 288F Singlemode dielectric, 12 fibers per Loose Tube, gel-free cable single MDPE Jacket, for aerial and duct G.652D fiber complies with of exceeds the ITU-T Recommendation	Sumec Wasin	swGYFY-288B1	In Stock
	9951	20,224	288	N	OSP	Y	Cable 288F Singlemode dielectric, 12 fibers per Loose Tube, gel-free cable single MDPE Jacket, for aerial and duct G.652D fiber complies with of exceeds the ITU-T Recommendation	Sumec Wasin	swGYFY-288B1	In Stock
	9565-A	9,094	288	Y	OSP	Y	Cable, Fiber optic. 288 fiber, Loose tube, single jacket/single armor, Dielectric strength member. Gel Free, Dry Water block, ESM Zero Water Peak glass. Marked in Feet.	Teldor	F92882447B	In Stock
	9566	20,359	288	Y	OSP	Y	Cable, Fiber optic. 288 fiber, Loose tube, single jacket/single armor, Dielectric strength member. Gel Free, Dry Water block, ESM Zero Water Peak glass. Marked in Feet.	Teldor	F92882447B	In Stock
	9808	20,000	288	Y	OSP	Y	"Cable, 288 Fiber Optic. FORTEX DT-100% DRY SINGLE JKT/ SINGLE ARMOR, DIELECTRIC CENTRAL MEMBER ALLWAVE-SM_.35/.31/.25 DB/KM@1310/1385/1550"	OFS	AT-3BEH2YT-288	In Stock

ETA	REEL #	Footage	Fiber Count	Armor Y/N	OSP/Riser/ Plenum	Dry/Dry?	Description	Manufacturer	Part Number	Stock Status
	9810	20,000	288	Y	OSP	Y	"Cable, 288 Fiber Optic. FORTEX DT-100% DRY SINGLE JKT/ SINGLE ARMOR, DIELECTRIC CENTRAL MEMBER ALLWAVE-SM_.35/.31/.25 DB/KM@1310/1385/1550"	OFS	AT-3BEH2YT-288	In Stock
	9811	20,000	288	Y	OSP	Y	"Cable, 288 Fiber Optic. FORTEX DT-100% DRY SINGLE JKT/ SINGLE ARMOR, DIELECTRIC CENTRAL MEMBER ALLWAVE-SM_.35/.31/.25 DB/KM@1310/1385/1550"	OFS	AT-3BEH2YT-288	In Stock
	9812	20,000	288	Y	OSP	Y	"Cable, 288 Fiber Optic. FORTEX DT-100% DRY SINGLE JKT/ SINGLE ARMOR, DIELECTRIC CENTRAL MEMBER ALLWAVE-SM_.35/.31/.25 DB/KM@1310/1385/1550"	OFS	AT-3BEH2YT-288	In Stock
	9813	20,000	288	Y	OSP	Y	"Cable, 288 Fiber Optic. FORTEX DT-100% DRY SINGLE JKT/ SINGLE ARMOR, DIELECTRIC CENTRAL MEMBER ALLWAVE-SM_.35/.31/.25 DB/KM@1310/1385/1550"	OFS	AT-3BEH2YT-288	In Stock
	9814	17,292	288	Y	OSP	Y	"Cable, 288 Fiber Optic. FORTEX DT-100% DRY SINGLE JKT/ SINGLE ARMOR, DIELECTRIC CENTRAL MEMBER ALLWAVE-SM_.35/.31/.25 DB/KM@1310/1385/1550"	OFS	AT-3BEH2YT-288	In Stock
04/01/18		20,000	288	Y	OSP	Y	Cable, Fiber optic. 288-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube Print in ft	Corning	288EUC-T4100D20	On Order
04/01/18		20,000	288	Y	OSP	Y	Cable, Fiber optic. 288-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube Print in ft	Corning	288EUC-T4100D20	On Order

ETA	REEL #	Footage	Fiber Count	Armor Y/N	OSP/Riser/ Plenum	Dry/Dry?	Description	Manufacturer	Part Number	Stock Status
04/01/18		20,000	288	Y	OSP	Y	Cable, Fiber optic. 288-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube Print in ft	Corning	288EUC-T4100D20	On Order
05/01/18		20,000	288	Y	OSP	Y	Cable, Fiber optic. 288-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube Print in ft	Corning	288EUC-T4100D20	On Order
05/01/18		20,000	288	Y	OSP	Y	Cable, Fiber optic. 288-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube Print in ft	Corning	288EUC-T4100D20	On Order
05/01/18		20,000	288	Y	OSP	Y	Cable, Fiber optic. 288-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube Print in ft	Corning	288EUC-T4100D20	On Order
06/01/18		20,000	288	Y	OSP	Y	Cable, Fiber optic. 288-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube Print in ft	Corning	288EUC-T4100D20	On Order
06/01/18		20,000	288	Y	OSP	Y	Cable, Fiber optic. 288-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube Print in ft	Corning	288EUC-T4100D20	On Order
06/01/18		20,000	288	Y	OSP	Y	Cable, Fiber optic. 288-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube Print in ft	Corning	288EUC-T4100D20	On Order

ETA	REEL #	Footage	Fiber Count	Aarmor Y/N	OSP/Riser/ Plenum	Dry/Dry?	Description	Manufacturer	Part Number	Stock Status
	9927	10,174	432	N	OSP	Y	Cable 432F Singlemode dielectric, 12 fibers per Loose Tube, gel-free cable single MDPE Jacket, for aerial and duct G.652D fiber complies with or exceeds the ITU-T Recommendation	Sumec Wasin	swGYFY-432B1	In Stock
	9928	10,088	432	N	OSP	Y	Cable 432F Singlemode dielectric, 12 fibers per Loose Tube, gel-free cable single MDPE Jacket, for aerial and duct G.652D fiber complies with or exceeds the ITU-T Recommendation	Sumec Wasin	swGYFY-432B1	In Stock
	9871	10,010	432	Y	OSP	Y	Cable 432F Singlemode gel-free, single-jacket MDPE, single-armored cable	Sumec Wasin	swGYFS-432B1	In Stock
	9872	10,034	432	Y	OSP	Y	Cable 432F Singlemode gel-free, single-jacket MDPE, single-armored cable	Sumec Wasin	swGYFS-432B1	In Stock
	9873	10,002	432	Y	OSP	Y	Cable 432F Singlemode gel-free, single-jacket MDPE, single-armored cable	Sumec Wasin	swGYFS-432B1	In Stock
	9914	10,162	432	Y	OSP	Y	Cable 432F Singlemode gel-free, single-jacket MDPE, single-armored cable	Sumec Wasin	swGYFS-432B1	In Stock
	9915	10,096	432	Y	OSP	Y	Cable 432F Singlemode gel-free, single-jacket MDPE, single-armored cable	Sumec Wasin	swGYFS-432B1	In Stock

ETA	REEL #	Footage	Fiber Count	Aarmor Y/N	OSP/Riser/ Plenum	Dry/Dry?	Description	Manufacturer	Part Number	Stock Status
	9916	10,124	432	Y	OSP	Y	Cable 432F Singlemode gel-free, single-jacket MDPE, single-armored cable	Sumec Wasin	swGYFS-432B1	In Stock
	9917	10,160	432	Y	OSP	Y	Cable 432F Singlemode gel-free, single-jacket MDPE, single-armored cable	Sumec Wasin	swGYFS-432B1	In Stock
	9929	10,104	432	Y	OSP	Y	Cable 432F Singlemode gel-free, single-jacket MDPE, single-armored cable	Sumec Wasin	swGYFS-432B1	In Stock
	9930	10,032	432	Y	OSP	Y	Cable 432F Singlemode gel-free, single-jacket MDPE, single-armored cable	Sumec Wasin	swGYFS-432B1	In Stock
	9415	9,986	432	N	OSP/ RILT	Y	Cable, Fiebr Optic. 432-FIBER ALTOS® LOOSE TUBE RIBBON GEL-FREE NON-ARMORED SMF-28E+® MAX: 0.35/0.35/0.25, TYPICAL: 0.33/0.33/0.19 DB/KM G.652.D PRINT IN FT	Corning	432EQ4-14100D20	In Stock
	9760	10,000	432	Y	OSP/ CT Ribbon	Y	Cable, Fiber optic. 432 Ribbon. Armored. 24F per ribbon AccuRibbon Dry Core-LXE MET ALLWAVE-SM-.35/.31/.25 db/km@1310/1385/1550	OFS	AT-3BE84SX-432	In Stock
	9761	10,000	432	Y	OSP/ CT Ribbon	Y	Cable, Fiber optic. 432 Ribbon. Armored. 24F per ribbon AccuRibbon Dry Core-LXE MET ALLWAVE-SM-.35/.31/.25 db/km@1310/1385/1550	OFS	AT-3BE84SX-432	In Stock

ETA	REEL #	Footage	Fiber Count	Armor Y/N	OSP/Riser/ Plenum	Dry/Dry?	Description	Manufacturer	Part Number	Stock Status
	9781	5,000	864	N	OSP/ CT Ribbon	Y	OFS Cable, 864 Fiber, SM, Central Core AccuRibbon, Dielectric, LXE Sheath ALLWAVE, 24 Fibers per Ribbon, .35/.31/.25 db/km @ 1310/1385/1550 nm	OFS	AT-3BE8R3X-864	In Stock
	9755-A	5,500	864	N	OSP/ RILT	Y	OFS Cable, fiber Optic. 864 Fiber_SMF/AW_AccuTube Ribbon Cable12-fiber ribbon loose tube _0.35/0.31/0.25 dB/km_@ 1310/1385/1550 nm_DCM_1 PE Jacket_DryBlock	OFS	AT-3BE1XAT-864	In Stock
	9861	10,020	864	N	OSP/ RILT	N	Cable, Fiber optic. 864 Count, All Dielectric, Non-armored, Ribbon in Loose Tube Design. 144 Ribbon fibers per tube. G.652 Single Mode glass	Sumec Wasin	swGYFDY-864B1	In Stock
	9862	10,106	864	N	OSP/ RILT	N	Cable, Fiber optic. 864 Count, All Dielectric, Non-armored, Ribbon in Loose Tube Design. 144 Ribbon fibers per tube. G.652 Single Mode glass	Sumec Wasin	swGYFDY-864B1	In Stock
	9864	10,100	864	N	OSP/ RILT	N	Cable, Fiber optic. 864 Count, All Dielectric, Non-armored, Ribbon in Loose Tube Design. 144 Ribbon fibers per tube. G.652 Single Mode glass	Sumec Wasin	swGYFDY-864B1	In Stock
	9865	10,018	864	N	OSP/ RILT	N	Cable, Fiber optic. 864 Count, All Dielectric, Non-armored, Ribbon in Loose Tube Design. 144 Ribbon fibers per tube. G.652 Single Mode glass	Sumec Wasin	swGYFDY-864B1	In Stock
	9866	10,132	864	N	OSP/ RILT	N	Cable, Fiber optic. 864 Count, All Dielectric, Non-armored, Ribbon in Loose Tube Design. 144 Ribbon fibers per tube. G.652 Single Mode glass	Sumec Wasin	swGYFDY-864B1	In Stock

ETA	REEL #	Footage	Fiber Count	Armor Y/N	OSP/Riser/ Plenum	Dry/Dry?	Description	Manufacturer	Part Number	Stock Status
	9867	10,012	864	N	OSP/ RILT	N	Cable, Fiber optic. 864 Count, All Dielectric, Non-armored, Ribbon in Loose Tube Design. 144 Ribbon fibers per tube. G.652 Single Mode glass	Sumec Wasin	swGYFDY-864B1	In Stock
	9868	10,032	864	N	OSP/ RILT	N	Cable, Fiber optic. 864 Count, All Dielectric, Non-armored, Ribbon in Loose Tube Design. 144 Ribbon fibers per tube. G.652 Single Mode glass	Sumec Wasin	swGYFDY-864B1	In Stock
	9918	10,004	864	N	OSP/ RILT	N	Cable, Fiber optic. 864 Count, All Dielectric, Non-armored, Ribbon in Loose Tube Design. 144 Ribbon fibers per tube. G.652 Single Mode glass	Sumec Wasin	swGYFDY-864B1	In Stock
	9919	10,062	864	N	OSP/ RILT	N	Cable, Fiber optic. 864 Count, All Dielectric, Non-armored, Ribbon in Loose Tube Design. 144 Ribbon fibers per tube. G.652 Single Mode glass	Sumec Wasin	swGYFDY-864B1	In Stock
	9920	10,080	864	N	OSP/ RILT	N	Cable, Fiber optic. 864 Count, All Dielectric, Non-armored, Ribbon in Loose Tube Design. 144 Ribbon fibers per tube. G.652 Single Mode glass	Sumec Wasin	swGYFDY-864B1	In Stock
	3070	4,523	2	N	OSP	N	Cable, Fiber Optic. 2-Fiber SST-Drop Cable Gel-Filled Toneable SMFe 0.4/0.4/0.3 dB/km	Corning	002EB1-14101A20	In Stock
	3069	4,389	2	N	OSP	N	Cable, Fiber Optic. 2-Fiber SST-Drop Cable Gel-Filled Toneable SMFe 0.4/0.4/0.3 dB/km	Corning	002EB1-14101A20	In Stock

ETA	REEL #	Footage	Fiber Count	Aarmor Y/N	OSP/Riser/ Plenum	Dry/Dry?	Description	Manufacturer	Part Number	Stock Status
	3110	5,000	2	N	OSP	N	Cable, Fiber Optic. 2-Fiber SST-Drop Cable Gel-Filled Toneable SMFe 0.4/0.4/0.3 dB/km	Corning	002EB1-14101A20	In Stock
	3111	5,000	2	N	OSP	N	Cable, Fiber Optic. 2-Fiber SST-Drop Cable Gel-Filled Toneable SMFe 0.4/0.4/0.3 dB/km	Corning	002EB1-14101A20	In Stock
	3114	5,000	2	N	OSP	N	Cable, Fiber Optic. 2-Fiber SST-Drop Cable Gel-Filled Toneable SMFe 0.4/0.4/0.3 dB/km	Corning	002EB1-14101A20	In Stock
	3115	5,000	2	N	OSP	N	Cable, Fiber Optic. 2-Fiber SST-Drop Cable Gel-Filled Toneable SMFe 0.4/0.4/0.3 dB/km	Corning	002EB1-14101A20	In Stock
	3116	5,000	2	N	OSP	N	Cable, Fiber Optic. 2-Fiber SST-Drop Cable Gel-Filled Toneable SMFe 0.4/0.4/0.3 dB/km	Corning	002EB1-14101A20	In Stock
	3117	5,000	2	N	OSP	N	Cable, Fiber Optic. 2-Fiber SST-Drop Cable Gel-Filled Toneable SMFe 0.4/0.4/0.3 dB/km	Corning	002EB1-14101A20	In Stock
	3118	5,000	2	N	OSP	N	Cable, Fiber Optic. 2-Fiber SST-Drop Cable Gel-Filled Toneable SMFe 0.4/0.4/0.3 dB/km	Corning	002EB1-14101A20	In Stock

ETA	REEL #	Footage	Fiber Count	Aarmor Y/N	OSP/Riser/ Plenum	Dry/Dry?	Description	Manufacturer	Part Number	Stock Status
	3119	5,000	2	N	OSP	N	Cable, Fiber Optic. 2-Fiber SST-Drop Cable Gel-Filled Toneable SMFe 0.4/0.4/0.3 dB/km	Corning	002EB1-14101A20	In Stock
	3120	5,000	2	N	OSP	N	Cable, Fiber Optic. 2-Fiber SST-Drop Cable Gel-Filled Toneable SMFe 0.4/0.4/0.3 dB/km	Corning	002EB1-14101A20	In Stock
	3132	5,000	2	N	OSP	N	Cable, Fiber Optic. 2-Fiber SST-Drop Cable Gel-Filled Toneable SMFe 0.4/0.4/0.3 dB/km	Corning	002EB1-14101A20	In Stock
	3131	5,000	2	N	OSP	N	Cable, Fiber Optic. 2-Fiber SST-Drop Cable Gel-Filled Toneable SMFe 0.4/0.4/0.3 dB/km	Corning	002EB1-14101A20	In Stock
	3095	10,000	2	N	OSP	N	Cable, Fiber Optic. 2-Fiber SST-Drop Cable Gel-Filled Toneable SMFe 0.4/0.4/0.3 dB/km	Corning	002EB1-14101A20	In Stock
	3096	10,000	2	N	OSP	N	Cable, Fiber Optic. 2-Fiber SST-Drop Cable Gel-Filled Toneable SMFe 0.4/0.4/0.3 dB/km	Corning	002EB1-14101A20	In Stock
	3097	10,000	2	N	OSP	N	Cable, Fiber Optic. 2-Fiber SST-Drop Cable Gel-Filled Toneable SMFe 0.4/0.4/0.3 dB/km	Corning	002EB1-14101A20	In Stock

ETA	REEL #	Footage	Fiber Count	Aarmor Y/N	OSP/Riser/ Plenum	Dry/Dry?	Description	Manufacturer	Part Number	Stock Status
	3100	10,000	2	N	OSP	N	Cable, Fiber Optic. 2-Fiber SST-Drop Cable Gel-Filled Toneable SMFe 0.4/0.4/0.3 dB/km	Corning	002EB1-14101A20	In Stock
	3101	10,000	2	N	OSP	N	Cable, Fiber Optic. 2-Fiber SST-Drop Cable Gel-Filled Toneable SMFe 0.4/0.4/0.3 dB/km	Corning	002EB1-14101A20	In Stock
	3102	10,000	2	N	OSP	N	Cable, Fiber Optic. 2-Fiber SST-Drop Cable Gel-Filled Toneable SMFe 0.4/0.4/0.3 dB/km	Corning	002EB1-14101A20	In Stock
	3121	10,000	2	N	OSP	N	Cable, Fiber Optic. 2-Fiber SST-Drop Cable Gel-Filled Toneable SMFe 0.4/0.4/0.3 dB/km	Corning	002EB1-14101A20	In Stock
	3122	10,000	2	N	OSP	N	Cable, Fiber Optic. 2-Fiber SST-Drop Cable Gel-Filled Toneable SMFe 0.4/0.4/0.3 dB/km	Corning	002EB1-14101A20	In Stock
	3125	10,000	2	N	OSP	N	Cable, Fiber Optic. 2-Fiber SST-Drop Cable Gel-Filled Toneable SMFe 0.4/0.4/0.3 dB/km	Corning	002EB1-14101A20	In Stock
	3128	10,000	2	N	OSP	N	Cable, Fiber Optic. 2-Fiber SST-Drop Cable Gel-Filled Toneable SMFe 0.4/0.4/0.3 dB/km	Corning	002EB1-14101A20	In Stock

ETA	REEL #	Footage	Fiber Count	Armor Y/N	OSP/Riser/ Plenum	Dry/Dry?	Description	Manufacturer	Part Number	Stock Status
	3129	10,000	2	N	OSP	N	Cable, Fiber Optic. 2-Fiber SST-Drop Cable Gel-Filled Toneable SMFe 0.4/0.4/0.3 dB/km	Corning	002EB1-14101A20	In Stock
	3130	10,000	2	N	OSP	N	Cable, Fiber Optic. 2-Fiber SST-Drop Cable Gel-Filled Toneable SMFe 0.4/0.4/0.3 dB/km	Corning	002EB1-14101A20	In Stock
	3090	5,000	6	N	OSP	N	Cable, Fiber Optic. 6-Fiber SST-Drop Cable Gel-Filled Toneable SMFe 0.4/0.4/0.3 dB/km. Toneable.	Corning	006EB1-14101A20	In Stock
		5,000	6	N	OSP	N	Cable, Fiber Optic. 6-Fiber SST-Drop Cable Gel-Filled Toneable SMFe 0.4/0.4/0.3 dB/km. Toneable.	Corning	006EB1-14101A20	On Order
		5,000	6	N	OSP	N	Cable, Fiber Optic. 6-Fiber SST-Drop Cable Gel-Filled Toneable SMFe 0.4/0.4/0.3 dB/km. Toneable.	Corning	006EB1-14101A20	On Order
		5,000	6	N	OSP	N	Cable, Fiber Optic. 6-Fiber SST-Drop Cable Gel-Filled Toneable SMFe 0.4/0.4/0.3 dB/km. Toneable.	Corning	006EB1-14101A20	On Order
		5,000	6	N	OSP	N	Cable, Fiber Optic. 6-Fiber SST-Drop Cable Gel-Filled Toneable SMFe 0.4/0.4/0.3 dB/km. Toneable.	Corning	006EB1-14101A20	On Order

ETA	REEL #	Footage	Fiber Count	Aarmor Y/N	OSP/Riser/ Plenum	Dry/Dry?	Description	Manufacturer	Part Number	Stock Status
		5,000	6	N	OSP	N	Cable, Fiber Optic. 6-Fiber SST-Drop Cable Gel-Filled Toneable SMFe 0.4/0.4/0.3 dB/km. Toneable.	Corning	006EB1-14101A20	On Order
		5,000	6	N	OSP	N	Cable, Fiber Optic. 6-Fiber SST-Drop Cable Gel-Filled Toneable SMFe 0.4/0.4/0.3 dB/km. Toneable.	Corning	006EB1-14101A20	On Order
		5,000	6	N	OSP	N	Cable, Fiber Optic. 6-Fiber SST-Drop Cable Gel-Filled Toneable SMFe 0.4/0.4/0.3 dB/km. Toneable.	Corning	006EB1-14101A20	On Order
		5,000	6	N	OSP	N	Cable, Fiber Optic. 6-Fiber SST-Drop Cable Gel-Filled Toneable SMFe 0.4/0.4/0.3 dB/km. Toneable.	Corning	006EB1-14101A20	On Order
		5,000	6	N	OSP	N	Cable, Fiber Optic. 6-Fiber SST-Drop Cable Gel-Filled Toneable SMFe 0.4/0.4/0.3 dB/km. Toneable.	Corning	006EB1-14101A20	On Order
		5,000	6	N	OSP	N	Cable, Fiber Optic. 6-Fiber SST-Drop Cable Gel-Filled Toneable SMFe 0.4/0.4/0.3 dB/km. Toneable.	Corning	006EB1-14101A20	On Order
		5,000	6	N	OSP	N	Cable, Fiber Optic. 6-Fiber SST-Drop Cable Gel-Filled Toneable SMFe 0.4/0.4/0.3 dB/km. Toneable.	Corning	006EB1-14101A20	On Order
	3994	10,000	6	N	OSP	N	Cable, Fiber optic. 6 Fiber Flat Drop, Toneable. ESM Low Water Peak glass	Superior Essex	6T0063101	In Stock

ETA	REEL #	Footage	Fiber Count	Aarmor Y/N	OSP/Riser/ Plenum	Dry/Dry?	Description	Manufacturer	Part Number	Stock Status
	3008	10,000	6	N	OSP	N	Cable, Fiber optic. 6 Fiber Flat Drop, Toneable. ESM Low Water Peak glass	Superior Essex	6T0063101	In Stock
	3087	10,000	6	N	OSP	N	Cable, Fiber Optic. 6-Fiber SST-Drop Cable Gel-Filled Toneable SMFe 0.4/0.4/0.3 dB/km. Toneable.	Corning	006EB1-14101A20	In Stock
	3088	10,000	6	N	OSP	N	Cable, Fiber Optic. 6-Fiber SST-Drop Cable Gel-Filled Toneable SMFe 0.4/0.4/0.3 dB/km. Toneable.	Corning	006EB1-14101A20	In Stock
		10,000	6	N	OSP	N	Cable, Fiber Optic. 6-Fiber SST-Drop Cable Gel-Filled Toneable SMFe 0.4/0.4/0.3 dB/km. Toneable.	Corning	006EB1-14101A20	On Order
		10,000	6	N	OSP	N	Cable, Fiber Optic. 6-Fiber SST-Drop Cable Gel-Filled Toneable SMFe 0.4/0.4/0.3 dB/km. Toneable.	Corning	006EB1-14101A20	On Order
		10,000	6	N	OSP	N	Cable, Fiber Optic. 6-Fiber SST-Drop Cable Gel-Filled Toneable SMFe 0.4/0.4/0.3 dB/km. Toneable.	Corning	006EB1-14101A20	On Order
		10,000	6	N	OSP	N	Cable, Fiber Optic. 6-Fiber SST-Drop Cable Gel-Filled Toneable SMFe 0.4/0.4/0.3 dB/km. Toneable.	Corning	006EB1-14101A20	On Order

ETA	REEL #	Footage	Fiber Count	Aarmor Y/N	OSP/Riser/ Plenum	Dry/Dry?	Description	Manufacturer	Part Number	Stock Status
		10,000	6	N	OSP	N	Cable, Fiber Optic. 6-Fiber SST-Drop Cable Gel-Filled Toneable SMFe 0.4/0.4/0.3 dB/km. Toneable.	Corning	006EB1-14101A20	On Order
		10,000	6	N	OSP	N	Cable, Fiber Optic. 6-Fiber SST-Drop Cable Gel-Filled Toneable SMFe 0.4/0.4/0.3 dB/km. Toneable.	Corning	006EB1-14101A20	On Order
	3961	5,000	12	N	OSP	N	Cable, Fiber Optic. 012Fibers Reduce Water Peak SMF, G.652D PFM gel filled tube, Oval Drop FTTP Toneable MDPE Jckt, Dry Core Print in Feet	Superior Essex	6T0123101	In Stock
	3057	5,000	12	N	OSP	N	Cable, Fiber optic. 12-Fiber SST-Drop Cable Gel-Filled Toneable SMFe 0.4/0.4/0.3 dB/km Print in feet	Corning	012EB1-14101A20	In Stock
	3058	5,000	12	N	OSP	N	Cable, Fiber optic. 12-Fiber SST-Drop Cable Gel-Filled Toneable SMFe 0.4/0.4/0.3 dB/km Print in feet	Corning	012EB1-14101A20	In Stock
	3064	5,000	12	N	OSP	N	Cable, Fiber optic. 12-Fiber SST-Drop Cable Gel-Filled Toneable SMFe 0.4/0.4/0.3 dB/km Print in feet	Corning	012EB1-14101A20	In Stock
	3065	5,000	12	N	OSP	N	Cable, Fiber optic. 12-Fiber SST-Drop Cable Gel-Filled Toneable SMFe 0.4/0.4/0.3 dB/km Print in feet	Corning	012EB1-14101A20	In Stock

ETA	REEL #	Footage	Fiber Count	Aarmor Y/N	OSP/Riser/ Plenum	Dry/Dry?	Description	Manufacturer	Part Number	Stock Status
	3066	5,000	12	N	OSP	N	Cable, Fiber optic. 12-Fiber SST-Drop Cable Gel-Filled Toneable SMFe 0.4/0.4/0.3 dB/km Print in feet	Corning	012EB1-14101A20	In Stock
	3085	5,000	12	N	OSP	N	Cable, Fiber optic. 12-Fiber SST-Drop Cable Gel-Filled Toneable SMFe 0.4/0.4/0.3 dB/km Print in feet	Corning	012EB1-14101A20	In Stock
	3086	5,000	12	N	OSP	N	Cable, Fiber optic. 12-Fiber SST-Drop Cable Gel-Filled Toneable SMFe 0.4/0.4/0.3 dB/km Print in feet	Corning	012EB1-14101A20	In Stock
	3998	10,000	12	N	OSP	N	Cable, Fiber Optic. 012Fibers Reduce Water Peak SMF, G.652D PFM gel filled tube, Oval Drop FTTP Toneable MDPE Jckt, Dry Core Print in Feet	Superior Essex	6T0123101	In Stock
	3047	10,000	12	N	OSP	N	Cable, Fiber optic. 12-Fiber SST-Drop Cable Gel-Filled Toneable SMFe 0.4/0.4/0.3 dB/km Print in feet	Corning	012EB1-14101A20	In Stock
	3062	10,000	12	N	OSP	N	Cable, Fiber optic. 12-Fiber SST-Drop Cable Gel-Filled Toneable SMFe 0.4/0.4/0.3 dB/km Print in feet	Corning	012EB1-14101A20	In Stock
	3063	10,000	12	N	OSP	N	Cable, Fiber optic. 12-Fiber SST-Drop Cable Gel-Filled Toneable SMFe 0.4/0.4/0.3 dB/km Print in feet	Corning	012EB1-14101A20	In Stock

ETA	REEL #	Footage	Fiber Count	Aarmor Y/N	OSP/Riser/ Plenum	Dry/Dry?	Description	Manufacturer	Part Number	Stock Status
	3083	10,000	12	N	OSP	N	Cable, Fiber optic. 12-Fiber SST-Drop Cable Gel-Filled Toneable SMFe 0.4/0.4/0.3 dB/km Print in feet	Corning	012EB1-14101A20	In Stock
	3084	10,000	12	N	OSP	N	Cable, Fiber optic. 12-Fiber SST-Drop Cable Gel-Filled Toneable SMFe 0.4/0.4/0.3 dB/km Print in feet	Corning	012EB1-14101A20	In Stock
	3112	10,000	12	N	OSP	N	Cable, Fiber optic. 12-Fiber SST-Drop Cable Gel-Filled Toneable SMFe 0.4/0.4/0.3 dB/km Print in feet	Corning	012EB1-14101A20	In Stock
	3113	10,000	12	N	OSP	N	Cable, Fiber optic. 12-Fiber SST-Drop Cable Gel-Filled Toneable SMFe 0.4/0.4/0.3 dB/km Print in feet	Corning	012EB1-14101A20	In Stock
	3123	10,000	12	N	OSP	N	Cable, Fiber optic. 12-Fiber SST-Drop Cable Gel-Filled Toneable SMFe 0.4/0.4/0.3 dB/km Print in feet	Corning	012EB1-14101A20	In Stock
	3124	10,000	12	N	OSP	N	Cable, Fiber optic. 12-Fiber SST-Drop Cable Gel-Filled Toneable SMFe 0.4/0.4/0.3 dB/km Print in feet	Corning	012EB1-14101A20	In Stock
	3126	10,000	12	N	OSP	N	Cable, Fiber optic. 12-Fiber SST-Drop Cable Gel-Filled Toneable SMFe 0.4/0.4/0.3 dB/km Print in feet	Corning	012EB1-14101A20	In Stock

ETA	REEL #	Footage	Fiber Count	Aarmor Y/N	OSP/Riser/ Plenum	Dry/Dry?	Description	Manufacturer	Part Number	Stock Status
	3127	10,000	12	N	OSP	N	Cable, Fiber optic. 12-Fiber SST-Drop Cable Gel-Filled Toneable SMFe 0.4/0.4/0.3 dB/km Print in feet	Corning	012EB1-14101A20	In Stock
	3766	5,000	2	N	OSP	N	Cable, Fiber Optic, 2F, SM, All-Wave ZWP, Flat Drop, All Dielectric, Loose Tube, Gel-Filled, "Mini LT Flat Drop", OFS	OFS	AT-3BE8T7X-002	In Stock
	3779	4,900	2	N	OSP	N	Cable, Fiber optic. 2 Fiber Non-toneable, Drop Cable, Corning Ultra Low Loss, Bend Insensitive glass. .4/.18/.21	Superior Essex	6U002K101	In Stock
	6032	4,990	2	N	OSP	N	Cable, Fiber Optic. 002Fibers Reduce Water Peak SMF, G.652D PFM gel filled tube, Oval Drop FTTP Universal MDPE Jckt, Dry Core Print in Feet, Non-toneable.	Superior Essex	6U0023101	In Stock
	6035	5,000	2	N	OSP	N	Cable, Fiber Optic. 002Fibers Reduce Water Peak SMF, G.652D PFM gel filled tube, Oval Drop FTTP Universal MDPE Jckt, Dry Core Print in Feet, Non-toneable.	Superior Essex	6U0023101	In Stock
	6036	5,000	2	N	OSP	N	Cable, Fiber Optic. 002Fibers Reduce Water Peak SMF, G.652D PFM gel filled tube, Oval Drop FTTP Universal MDPE Jckt, Dry Core Print in Feet, Non-toneable.	Superior Essex	6U0023101	In Stock
	6037	5,000	2	N	OSP	N	Cable, Fiber Optic. 002Fibers Reduce Water Peak SMF, G.652D PFM gel filled tube, Oval Drop FTTP Universal MDPE Jckt, Dry Core Print in Feet, Non-toneable.	Superior Essex	6U0023101	In Stock

ETA	REEL #	Footage	Fiber Count	Aarmor Y/N	OSP/Riser/ Plenum	Dry/Dry?	Description	Manufacturer	Part Number	Stock Status
	6038	5,000	2	N	OSP	N	Cable, Fiber Optic. 002Fibers Reduce Water Peak SMF, G.652D PFM gel filled tube, Oval Drop FTTP Universal MDPE Jckt, Dry Core Print in Feet, Non-toneable.	Superior Essex	6U0023101	In Stock
	6049	5,000	2	N	OSP	N	Cable, Fiber Optic. 002Fibers Reduce Water Peak SMF, G.652D PFM gel filled tube, Oval Drop FTTP Universal MDPE Jckt, Dry Core Print in Feet, Non-toneable.	Superior Essex	6U0023101	In Stock
	6052	5,000	2	N	OSP	N	Cable, Fiber Optic. 002Fibers Reduce Water Peak SMF, G.652D PFM gel filled tube, Oval Drop FTTP Universal MDPE Jckt, Dry Core Print in Feet, Non-toneable.	Superior Essex	6U0023101	In Stock
	6061	5,000	2	N	OSP	N	Cable, Fiber Optic. 002Fibers Reduce Water Peak SMF, G.652D PFM gel filled tube, Oval Drop FTTP Universal MDPE Jckt, Dry Core Print in Feet, Non-toneable.	Superior Essex	6U0023101	In Stock
	6062	5,000	2	N	OSP	N	Cable, Fiber Optic. 002Fibers Reduce Water Peak SMF, G.652D PFM gel filled tube, Oval Drop FTTP Universal MDPE Jckt, Dry Core Print in Feet, Non-toneable.	Superior Essex	6U0023101	In Stock
	3767	10,000	2	N	OSP	N	Cable, Fiber Optic, 2F, SM, All-Wave ZWP, Flat Drop, All Dielectric, Loose Tube, Gel-Filled, "Mini LT Flat Drop", OFS	OFS	AT-3BE8T7X-002	In Stock
	3768	10,000	2	N	OSP	N	Cable, Fiber Optic, 2F, SM, All-Wave ZWP, Flat Drop, All Dielectric, Loose Tube, Gel-Filled, "Mini LT Flat Drop", OFS	OFS	AT-3BE8T7X-002	In Stock

ETA	REEL #	Footage	Fiber Count	Aarmor Y/N	OSP/Riser/ Plenum	Dry/Dry?	Description	Manufacturer	Part Number	Stock Status
	3769	10,000	2	N	OSP	N	Cable, Fiber Optic, 2F, SM, All-Wave ZWP, Flat Drop, All Dielectric, Loose Tube, Gel-Filled, "Mini LT Flat Drop", OFS	OFS	AT-3BE8T7X-002	In Stock
	3770	10,000	2	N	OSP	N	Cable, Fiber Optic, 2F, SM, All-Wave ZWP, Flat Drop, All Dielectric, Loose Tube, Gel-Filled, "Mini LT Flat Drop", OFS	OFS	AT-3BE8T7X-002	In Stock
	6034	10,000	2	N	OSP	N	Cable, Fiber Optic. 002Fibers Reduce Water Peak SMF, G.652D PFM gel filled tube, Oval Drop FTTP Universal MDPE Jckt, Dry Core Print in Feet, Non-toneable.	Superior Essex	6U0023101	In Stock
	6050	10,000	2	N	OSP	N	Cable, Fiber Optic. 002Fibers Reduce Water Peak SMF, G.652D PFM gel filled tube, Oval Drop FTTP Universal MDPE Jckt, Dry Core Print in Feet, Non-toneable.	Superior Essex	6U0023101	In Stock
	6059	10,000	2	N	OSP	N	Cable, Fiber Optic. 002Fibers Reduce Water Peak SMF, G.652D PFM gel filled tube, Oval Drop FTTP Universal MDPE Jckt, Dry Core Print in Feet, Non-toneable.	Superior Essex	6U0023101	In Stock
	6060	10,000	2	N	OSP	N	Cable, Fiber Optic. 002Fibers Reduce Water Peak SMF, G.652D PFM gel filled tube, Oval Drop FTTP Universal MDPE Jckt, Dry Core Print in Feet, Non-toneable.	Superior Essex	6U0023101	In Stock
	6072	5,000	6	N	OSP	N	Cable, Fiber Optic. 006Fibers Reduce Water Peak SMF, G.652D PFM gel filled tube, Oval Drop FTTP Universal MDPE Jckt, Dry Core Print in Feet. Non-toneable.	Superior Essex	6U0063101	In Stock

ETA	REEL #	Footage	Fiber Count	Armor Y/N	OSP/Riser/ Plenum	Dry/Dry?	Description	Manufacturer	Part Number	Stock Status
	6102	5,000	6	N	OSP	N	Cable, Fiber Optic. 6-Fiber SST-Drop Cable Gel-Filled Dielectric Non Armored, Non-Toneable SMFe 0.4/0.4/0.3 dB/km	Corning	006EB4-14101A20	In Stock
	6098	5,000	6	N	OSP	N	Cable, Fiber Optic. 6-Fiber SST-Drop Cable Gel-Filled Dielectric Non Armored, Non-Toneable SMFe 0.4/0.4/0.3 dB/km	Corning	006EB4-14101A20	In Stock
	6099	5,000	6	N	OSP	N	Cable, Fiber Optic. 6-Fiber SST-Drop Cable Gel-Filled Dielectric Non Armored, Non-Toneable SMFe 0.4/0.4/0.3 dB/km	Corning	006EB4-14101A20	In Stock
	6100	5,000	6	N	OSP	N	Cable, Fiber Optic. 6-Fiber SST-Drop Cable Gel-Filled Dielectric Non Armored, Non-Toneable SMFe 0.4/0.4/0.3 dB/km	Corning	006EB4-14101A20	In Stock
	6101	5,000	6	N	OSP	N	Cable, Fiber Optic. 6-Fiber SST-Drop Cable Gel-Filled Dielectric Non Armored, Non-Toneable SMFe 0.4/0.4/0.3 dB/km	Corning	006EB4-14101A20	In Stock
	6103	5,000	6	N	OSP	N	Cable, Fiber Optic. 6-Fiber SST-Drop Cable Gel-Filled Dielectric Non Armored, Non-Toneable SMFe 0.4/0.4/0.3 dB/km	Corning	006EB4-14101A20	In Stock
	6104	5,000	6	N	OSP	N	Cable, Fiber Optic. 6-Fiber SST-Drop Cable Gel-Filled Dielectric Non Armored, Non-Toneable SMFe 0.4/0.4/0.3 dB/km	Corning	006EB4-14101A20	In Stock

ETA	REEL #	Footage	Fiber Count	Armor Y/N	OSP/Riser/ Plenum	Dry/Dry?	Description	Manufacturer	Part Number	Stock Status
	6105	5,000	6	N	OSP	N	Cable, Fiber Optic. 6-Fiber SST-Drop Cable Gel-Filled Dielectric Non Armored, Non-Toneable SMFe 0.4/0.4/0.3 dB/km	Corning	006EB4-14101A20	In Stock
	6106	5,000	6	N	OSP	N	Cable, Fiber Optic. 6-Fiber SST-Drop Cable Gel-Filled Dielectric Non Armored, Non-Toneable SMFe 0.4/0.4/0.3 dB/km	Corning	006EB4-14101A20	In Stock
	6110	5,000	6	N	OSP	N	Cable, Fiber Optic. 6-Fiber SST-Drop Cable Gel-Filled Dielectric Non Armored, Non-Toneable SMFe 0.4/0.4/0.3 dB/km	Corning	006EB4-14101A20	In Stock
	6087	10,000	6	N	OSP	N	Cable, Fiber Optic. 6-Fiber SST-Drop Cable Gel-Filled Dielectric Non Armored, Non-Toneable SMFe 0.4/0.4/0.3 dB/km	Corning	006EB4-14101A20	In Stock
	6088	10,000	6	N	OSP	N	Cable, Fiber Optic. 6-Fiber SST-Drop Cable Gel-Filled Dielectric Non Armored, Non-Toneable SMFe 0.4/0.4/0.3 dB/km	Corning	006EB4-14101A20	In Stock
	6091	10,000	6	N	OSP	N	Cable, Fiber Optic. 6-Fiber SST-Drop Cable Gel-Filled Dielectric Non Armored, Non-Toneable SMFe 0.4/0.4/0.3 dB/km	Corning	006EB4-14101A20	In Stock
	6092	10,000	6	N	OSP	N	Cable, Fiber Optic. 6-Fiber SST-Drop Cable Gel-Filled Dielectric Non Armored, Non-Toneable SMFe 0.4/0.4/0.3 dB/km	Corning	006EB4-14101A20	In Stock

ETA	REEL #	Footage	Fiber Count	Armor Y/N	OSP/Riser/ Plenum	Dry/Dry?	Description	Manufacturer	Part Number	Stock Status
	6093	10,000	6	N	OSP	N	Cable, Fiber Optic. 6-Fiber SST-Drop Cable Gel-Filled Dielectric Non Armored, Non-Toneable SMFe 0.4/0.4/0.3 dB/km	Corning	006EB4-14101A20	In Stock
	6094	10,000	6	N	OSP	N	Cable, Fiber Optic. 6-Fiber SST-Drop Cable Gel-Filled Dielectric Non Armored, Non-Toneable SMFe 0.4/0.4/0.3 dB/km	Corning	006EB4-14101A20	In Stock
	6095	10,000	6	N	OSP	N	Cable, Fiber Optic. 6-Fiber SST-Drop Cable Gel-Filled Dielectric Non Armored, Non-Toneable SMFe 0.4/0.4/0.3 dB/km	Corning	006EB4-14101A20	In Stock
	6096	10,000	6	N	OSP	N	Cable, Fiber Optic. 6-Fiber SST-Drop Cable Gel-Filled Dielectric Non Armored, Non-Toneable SMFe 0.4/0.4/0.3 dB/km	Corning	006EB4-14101A20	In Stock
	6097	10,000	6	N	OSP	N	Cable, Fiber Optic. 6-Fiber SST-Drop Cable Gel-Filled Dielectric Non Armored, Non-Toneable SMFe 0.4/0.4/0.3 dB/km	Corning	006EB4-14101A20	In Stock
	6107	10,000	6	N	OSP	N	Cable, Fiber Optic. 6-Fiber SST-Drop Cable Gel-Filled Dielectric Non Armored, Non-Toneable SMFe 0.4/0.4/0.3 dB/km	Corning	006EB4-14101A20	In Stock
	6108	10,000	6	N	OSP	N	Cable, Fiber Optic. 6-Fiber SST-Drop Cable Gel-Filled Dielectric Non Armored, Non-Toneable SMFe 0.4/0.4/0.3 dB/km	Corning	006EB4-14101A20	In Stock

ETA	REEL #	Footage	Fiber Count	Aarmor Y/N	OSP/Riser/ Plenum	Dry/Dry?	Description	Manufacturer	Part Number	Stock Status
	6109	10,000	6	N	OSP	N	Cable, Fiber Optic. 6-Fiber SST-Drop Cable Gel-Filled Dielectric Non Armored, Non-Toneable SMFe 0.4/0.4/0.3 dB/km	Corning	006EB4-14101A20	In Stock
	6111	10,000	6	N	OSP	N	Cable, Fiber Optic. 6-Fiber SST-Drop Cable Gel-Filled Dielectric Non Armored, Non-Toneable SMFe 0.4/0.4/0.3 dB/km	Corning	006EB4-14101A20	In Stock
	6112	10,000	6	N	OSP	N	Cable, Fiber Optic. 6-Fiber SST-Drop Cable Gel-Filled Dielectric Non Armored, Non-Toneable SMFe 0.4/0.4/0.3 dB/km	Corning	006EB4-14101A20	In Stock
	6079	5,000	12	N	OSP	N	Cable, Fiber Optic. 012Fibers Reduce Water Peak SMF, G.652D PFM gel filled tube, Oval Drop FTTP Universal MDPE Jckt, Dry Core Print in Feet. Non-toneable.	Superior Essex	6U0123101	In Stock
	6080	5,000	12	N	OSP	N	Cable, Fiber Optic. 012Fibers Reduce Water Peak SMF, G.652D PFM gel filled tube, Oval Drop FTTP Universal MDPE Jckt, Dry Core Print in Feet. Non-toneable.	Superior Essex	6U0123101	In Stock
	6084	5,000	12	N	OSP	N	Cable Fiber 12 Count,SST-Drop Cable Dielectric Non Armored, SMFe 0.40/0.40/0.30 dB/km, Print in ft.	Cornign	012EB4-14101A20	In Stock
	6089	5,000	12	N	OSP	N	Cable Fiber 12 Count,SST-Drop Cable Dielectric Non Armored, SMFe 0.40/0.40/0.30 dB/km, Print in ft.	Cornign	012EB4-14101A20	In Stock

ETA	REEL #	Footage	Fiber Count	Armor Y/N	OSP/Riser/ Plenum	Dry/Dry?	Description	Manufacturer	Part Number	Stock Status
	6090	5,000	12	N	OSP	N	Cable Fiber 12 Count,SST-Drop Cable Dielectric Non Armored, SMFe 0.40/0.40/0.30 dB/km, Print in ft.	Cornign	012EB4-14101A20	In Stock
	6048	10,000	12	N	OSP	N	Cable, Fiber Optic. 012Fibers Reduce Water Peak SMF, G.652D PFM gel filled tube, Oval Drop FTTP Universal MDPE Jckt, Dry Core Print in Feet. Non-toneable.	Superior Essex	6U0123101	In Stock
	6057	10,000	12	N	OSP	N	Cable, Fiber Optic. 012Fibers Reduce Water Peak SMF, G.652D PFM gel filled tube, Oval Drop FTTP Universal MDPE Jckt, Dry Core Print in Feet. Non-toneable.	Superior Essex	6U0123101	In Stock
	6058	10,000	12	N	OSP	N	Cable, Fiber Optic. 012Fibers Reduce Water Peak SMF, G.652D PFM gel filled tube, Oval Drop FTTP Universal MDPE Jckt, Dry Core Print in Feet. Non-toneable.	Superior Essex	6U0123101	In Stock
	6067	10,000	12	N	OSP	N	Cable, Fiber Optic. 012Fibers Reduce Water Peak SMF, G.652D PFM gel filled tube, Oval Drop FTTP Universal MDPE Jckt, Dry Core Print in Feet. Non-toneable.	Superior Essex	6U0123101	In Stock
	6068	10,000	12	N	OSP	N	Cable, Fiber Optic. 012Fibers Reduce Water Peak SMF, G.652D PFM gel filled tube, Oval Drop FTTP Universal MDPE Jckt, Dry Core Print in Feet. Non-toneable.	Superior Essex	6U0123101	In Stock
	4014-A	4,012	12	N	P	Y	Cable, Hitachi made with Corning glass, 12 Fiber Single Mode OS2 Tight Buffered Indoor Distribution SingleUnit (Plenum) Plenum 900 μm non Armored round thermoplastic Yellow HITACHI Fiber Optic Cable	Hitachi	60029-12	In Stock

ETA	REEL #	Footage	Fiber Count	Armor Y/N	OSP/Riser/ Plenum	Dry/Dry?	Description	Manufacturer	Part Number	Stock Status
	4015	5,000	12	N	P	Y	Cable, Hitachi made with Corning glass, 12 Fiber Single Mode OS2 Tight Buffered Indoor Distribution SingleUnit (Plenum) Plenum 900 µm non Armored round thermoplastic Yellow HITACHI Fiber Optic Cable	Hitachi	60029-12	In Stock
	4007	4,506	24	N	P	Y	Cable, Fiber optic. 24 Fiber. Central Tube Distribution Cable, Yellow Jacket: OFNP/FT6 Flame Rated, 900µm Tight Buffered Corning Ultra SMF (ITU G.657.A1 and G.652.D). 0.5/0.5/0.5 dB/km at 1310/1383/1550 nm (1383 nm uncabled) Complies with GR-409 and ANSI/ICEA S-83-596 performance criteria.	Prysmian	F-800-00-CU-024-EA	In Stock
	4020	5,000	24	N	P	Y	Cable, Fiber optic. 24 Fiber. Central Tube Distribution Cable, Yellow Jacket: OFNP/FT6 Flame Rated, 900µm Tight Buffered Corning Ultra SMF (ITU G.657.A1 and G.652.D). 0.5/0.5/0.5 dB/km at 1310/1383/1550 nm (1383 nm uncabled) Complies with GR-409 and ANSI/ICEA S-83-596 performance criteria.	Prysmian	F-800-00-CU-024-EA	In Stock
	4008-A	2,006	12	Y	P	Y	Cable, Fiber Optic. 12 Fiber Distribution Cable 900µm Tight Buffered: OFCP/FT6 Flame Rated Aluminum Interlock Armor, Overall Yellow Jacket 12 Fiber Corning Ultra SMF (ITU G.657.A1 and G.652.D). 0.5/0.5/0.5 dB/km at 1310/1383/1550 nm (1383 nm uncabled)	Prysmian	F-800AJ-00-CU-012-EA	In Stock
	4002	498	24	Y	P	Y	Cable Fiber 24 strand Central Tube Distribution Cable 900µm Tight Buffered Aluminum Interlock Armor, Overall Jacket Corning SMF28e+ Single Mode (ITU G.652.D). 0.40/0.40/0.30 dB/km at 1310/1383/1550 nm	Prysmian	F-800AJ-00-CE-024-E7	In Stock
	4024	4,254	24	Y	P	Y	Cable Fiber 24 strand Central Tube Distribution Cable 900µm Tight Buffered Aluminum Interlock Armor, Overall Jacket Corning SMF28e+ Single Mode (ITU G.652.D). 0.40/0.40/0.30 dB/km at 1310/1383/1550 nm	Prysmian	F-800AJ-00-CE-024-E7	In Stock
	4515	5,000	48	N	P/O	Y	Cable, Fiber optic. 48 Fiber Indoor/Outdoor Plenum. Black Jacket. Loose Tube Cable: OFNP/FT6 Flame Rated Non-Armor, Single Jacket 48 Fiber Corning Ultra SMF (ITU G.657.A1 and G.652.D). 0.35/0.35/0.25 dB/km at 1310/1383/1550 nm (1383 nm uncabled)	Prysmian	F-DPLDB-12-CU-048-E3	In Stock

ETA	REEL #	Footage	Fiber Count	Armor Y/N	OSP/Riser/ Plenum	Dry/Dry?	Description	Manufacturer	Part Number	Stock Status
	4516	5,000	48	N	P/IO	Y	Cable, Fiber optic. 48 Fiber Indoor/Outdoor Plenum. Black Jacket. Loose Tube Cable: OFNP/FT6 Flame Rated Non-Armor, Single Jacket 48 Fiber Corning Ultra SMF (ITU G.657.A1 and G.652.D). 0.35/0.35/0.25 dB/km at 1310/1383/1550 nm (1383 nm uncabled)	Prysmian	F-DPLDB-12-CU-048-E3	In Stock
	4609	1,984	48	Y	P/IO Yellow	Y	Cable, fiber optic. 48 Fiber Plenum. Indoor/Outdoor Loose Tube Cable: OFCP/FT6 Flame Rated Aluminum Interlock Armor, Overall Jacket 48 Fiber Corning Ultra SMF (ITU G.657.A1 and G.652.D). 0.35/0.35/0.25 dB/km at 1310/1383/1550 nm (1383 nm uncabled)	Prysmian	F-DPLDBAJ-12-CU-048-E3	In Stock
	4604-B	574	72	Y	P/IO Yellow	Y	Cable, Fiber optic. 72 fiber Plenum Rated. Indoor/Outdoor Loose Tube Cable 72 Fiber SMF28e+ Single Mode (ITU G.652.D). Aluminum Interlock Armor, with Overall Jacket 12 Fibers per Tube	Prysmian	F-DPLDBAJ-12-CE-072-E1	In Stock
	4607	1,590	72	Y	P/IO Yellow	Y	Cable, Fiber optic. 72 fiber Plenum Rated. Indoor/Outdoor Loose Tube Cable 72 Fiber SMF28e+ Single Mode (ITU G.652.D). Aluminum Interlock Armor, with Overall Jacket 12 Fibers per Tube	Prysmian	F-DPLDBAJ-12-CE-072-E1	In Stock
	4610	5,000	72	Y	R/IO Yellow	Y	Cable, Fiber Optic. 72 Fiber. Indoor/Outdoor Loose Tube Cable Aluminum Interlock Armor, with Overall OFNR Jacket. 0.35/0.35/0.25 dB/km at 1310/1383/1550 nm (1383 nm uncabled) Complies with GR-20 and ANSI/ICEA S-104-696 performance criteria	Prysmian	F-DRLDBAJ-12-CU-072-E3	In Stock
	6205	13,200	12	N	R		012-Fiber Cable, Singlemode, Fan Out Cable, Riser Rated, Yellow Jacket	Siecor	012R61-31231-24	In Stock
	6206	13,123	12	N	R		012-Fiber Cable, Singlemode, Fan Out Cable, Riser Rated, Yellow Jacket	Siecor	012R61-31231-24	In Stock

ETA	REEL #	Footage	Fiber Count	Aarmor Y/N	OSP/Riser/ Plenum	Dry/Dry?	Description	Manufacturer	Part Number	Stock Status
	6207	13,108	12	N	R		012-Fiber Cable, Singlemode, Fan Out Cable, Riser Rated, Yellow Jacket	Siecor	012R61-31231-24	In Stock
	1016-A	2,454	24	N	R		Cable, Fiber optic. 24 Fiber Enhanced Single Mode Central Tube, Tight Buffer, Riser Rated, Yellow Jacket	Draka	F-400-00-ES-024-EB	In Stock
	1012	1,878	24	N	R		24 fiber Tight buffer 8.3 SM DIST Riser Rated cable Indoor cable dielectric	Hitachi	60014-24	In Stock
	1020	4,870	48	N	R	Y	48 Fiber ESM Tight buffer Distribution Cable. 12 fibers per unit. Riser FT4 Rated Yellow Jacket Enhanced Single Mode (ITU G.652.D) 12 Fibers per Unit 0.7/0.7/0.7 dB/km at 1310/1383/1550 nm	Prysmian	F-400-12-ES-048-EB	In Stock
	1014	4,324	48	N	R		48 Fiber SM Tight Buffer FT-4 Riser Rated Cable with Yellow Jacket. Hitachi cable made with Corning Glass	Hitachi	60015-48	In Stock
	1015	2,416	48	N	R		48 Fiber SM Tight Buffer FT-4 Riser Rated Cable with Yellow Jacket. Hitachi cable made with Corning Glass	Hitachi	60015-48	In Stock
	1024	1,320	72	N	R		72 Fiber SM Tight Buffer FT-4 Riser Rated Cable with Yellow Jacket. Hitachi cable made with Corning Glass	Hitachi	60015-72	In Stock

ETA	REEL #	Footage	Fiber Count	Armor Y/N	OSP/Riser/ Plenum	Dry/Dry?	Description	Manufacturer	Part Number	Stock Status
	1018	2,500	96	N	R		96-Fiber, SM, Riser Rated, Tight Buffer, Yellow Jacket Cable.	Hitachi	60015-96	In Stock
	1019	1,776	96	N	R		96-Fiber, SM, Riser Rated, Tight Buffer, Yellow Jacket Cable.	Hitachi	60015-96	In Stock
	2052-C	890	12	N	R/IO		Cable, Fiber, 12 strand Singlemode low water peak, distribution style, tight buffer 900um indoor/outdoor riser rated dielectric ***REDUCED DIAMETER****	OCC	DX012DSLX9KR	In Stock
	2124	5,000	12	N	R/IO	Y	Cable, Fiber optic. 12 Fiber Corning Ultra SMF (ITU G.657.A1 and G.652.D). 0.5/0.5/0.5 dB/km at 1310/1383/1550 nm (1383 nm uncabled) Indoor/Outdoor Tight Buffer Distribution Cable: OFNR/FT4 Flame Rated	Prysmian	C1181-00-CU-012-EA	In Stock
	2117	10,000	24	N	R/IO	Y	Cable, Fiber Optic. 24 Fiber Corning Ultra SMF.Indoor/Outdoor Loose Tube Cable: OFNR/FT4 Flame Rated Non-Armor, Single Jacket. (ITU G.657.A1 and G.652.D). 0.35/0.35/0.25 dB/km at 1310/1383/1550 nm (1383 nm uncabled) Complies with GR-20 and ANSI/ICEA S-104-696 performance criteria.	Prysmian	F-DRLDB-12-CU-024-E3	In Stock
	2118	10,000	24	N	R/IO	Y	Cable, Fiber Optic. 24 Fiber Corning Ultra SMF.Indoor/Outdoor Loose Tube Cable: OFNR/FT4 Flame Rated Non-Armor, Single Jacket. (ITU G.657.A1 and G.652.D). 0.35/0.35/0.25 dB/km at 1310/1383/1550 nm (1383 nm uncabled) Complies with GR-20 and ANSI/ICEA S-104-696 performance criteria.	Prysmian	F-DRLDB-12-CU-024-E3	In Stock
	2119	10,000	24	N	R/IO	Y	Cable, Fiber Optic. 24 Fiber Corning Ultra SMF.Indoor/Outdoor Loose Tube Cable: OFNR/FT4 Flame Rated Non-Armor, Single Jacket. (ITU G.657.A1 and G.652.D). 0.35/0.35/0.25 dB/km at 1310/1383/1550 nm (1383 nm uncabled) Complies with GR-20 and ANSI/ICEA S-104-696 performance criteria.	Prysmian	F-DRLDB-12-CU-024-E3	In Stock

ETA	REEL #	Footage	Fiber Count	Aarmor Y/N	OSP/Riser/ Plenum	Dry/Dry?	Description	Manufacturer	Part Number	Stock Status
	2055-B	560	96	N	R/IO	Y	Cable, Fiber Optic. 96-Fiber FREEDM® Loose Tube Cable 2.5 mm Buffer Gel-Free Riser SMFe 0.4/0.4/0.3 dB/km 12f/tube	Corning	096EUF-T4101D20	In Stock
	2065	278	96	N	R/IO	Y	Cable, Fiber Optic. 96-Fiber FREEDM® Loose Tube Cable 2.5 mm Buffer Gel-Free Riser SMFe 0.4/0.4/0.3 dB/km 12f/tube	Corning	096EUF-T4101D20	In Stock
	2071	8,570	96	N	R/IO	Y	Cable, Fiber Optic. 96-Fiber FREEDM® Loose Tube Cable 2.5 mm Buffer Gel-Free Riser SMFe 0.4/0.4/0.3 dB/km 12f/tube	Corning	096EUF-T4101D20	In Stock
	2070	10,000	96	N	R/IO	Y	Cable, Fiber Optic. 96-Fiber FREEDM® Loose Tube Cable 2.5 mm Buffer Gel-Free Riser SMFe 0.4/0.4/0.3 dB/km 12f/tube	Corning	096EUF-T4101D20	In Stock
	2081-A	10,016	96	N	R/IO	Y	Cable 96 Fiber TOTALLY DRY OPTION 1 SINGLE OFNR JKT, DIELECTRIC CENTRAL MEMBER ALLWAVE-SM .35/.31/.25 DB/KM @1310/1385/1550NM	OFS	AT-3BE12RT-096	In Stock
	2064	818	144	N	R/IO	Y	Cable, Fiber Optic. 144-FIBER FREEDM® LOOSE TUBE GEL-FREE CABLE RISER SMF-28E+® MAX: 0.35/0.35/0.25, TYPICAL: 0.33/0.33/0.19 DB/KM G.652.D 12F/TUBEPRINT IN FT	Corning	144EUF-T4100D20	In Stock
	2116-A	1,494	144	N	R/IO	Y	Cable, Fiber optic. 144 Fiber. indoor/Outdoor Riser. Loose Tube Cable: OFNR/FT4 Flame Rated Non-Aarmor, Single Jacket 144 Fiber Corning Ultra SMF (ITU G.657.A1 and G.652.D). 0.35/0.35/0.25 dB/km at 1310/1383/1550 nm (1383 nm uncabled)	Prysmian	F-DRLDB-12-CU-144-E3	In Stock

ETA	REEL #	Footage	Fiber Count	Armor Y/N	OSP/Riser/ Plenum	Dry/Dry?	Description	Manufacturer	Part Number	Stock Status
	2090	1,284	288	N	R/IO	Y	Cable, Fiber optic. Indoor/Outdoor Loose Tube Cable 288 Fiber Enhanced Single Mode (ITU G.652.D) Non-Armor, Single Jacket, Dry	Prysmian	F-DRLDB-12-HB-288-E3	In Stock
	2048	144	288	N	R/IO	Y	Cable, Fiber optic. Indoor/Outdoor Loose Tube Cable 288 Fiber Enhanced Single Mode (ITU G.652.D) Non-Armor, Single Jacket, Dry	Prysmian	DRLDB-12-ES-288-E1	In Stock