

ETA	NovaLight Reel #	Footage	Fiber Count	Description	Manufacturer	Part Number	Stock Status
				INNERDUCT AT BOTTOM			
				6 Fiber Non-Armored OSP:			
				12 Fiber Non-Armored OSP:			
02/15/21		20,000	12	Cable, Fiber Optic, 12 FIBER ALTOS® GEL-FREE CABLE ALL DIELECTRIC SINGLE JACKET SMF-28® ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM G652.D/G657.A1 12F/TUBE PRINT IN FT	Corning	012ZU4-T4F22D20	On Order
03/05/21		20,000	12	Cable, Fiber Optic, 12 FIBER ALTOS® GEL-FREE CABLE ALL DIELECTRIC SINGLE JACKET SMF-28® ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM G652.D/G657.A1 12F/TUBE PRINT IN FT	Corning	012ZU4-T4F22D20	On Order
04/25/21		20,000	12	Cable, Fiber Optic, 12 FIBER ALTOS® GEL-FREE CABLE ALL DIELECTRIC SINGLE JACKET SMF-28® ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM G652.D/G657.A1 12F/TUBE PRINT IN FT	Corning	012ZU4-T4F22D20	On Order
05/22/21		20,000	12	Cable, Fiber Optic, 12 FIBER ALTOS® GEL-FREE CABLE ALL DIELECTRIC SINGLE JACKET SMF-28® ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM G652.D/G657.A1 12F/TUBE PRINT IN FT	Corning	012ZU4-T4F22D20	On Order
06/22/21		20,000	12	Cable, Fiber Optic, 12 FIBER ALTOS® GEL-FREE CABLE ALL DIELECTRIC SINGLE JACKET SMF-28® ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM G652.D/G657.A1 12F/TUBE PRINT IN FT	Corning	012ZU4-T4F22D20	On Order
				12 Fiber Micro Cable:			
				12 Fiber Armored OSP:			
12/24/220		20,000	12	Cable, Fiber optic. 12 fiber Loose tube, Dry-Dry, Single Jacket, Single Armor. Corning Ultra Glass, Fast Access Tech.	Corning	012ZUC-T4F22D20	On Order
01/20/21		20,000	12	Cable, Fiber Optic, Fortex DT-100% Dry Light Armor Single PE Jkt, Single Armor, Dielectric Central Member ALLWAVE + SM-.35/31/25 db/km@1310/1385/1550	OFS	AT-3CEH2YT-012	On Order
02/05/21		20,000	12	Cable, Fiber optic. 12 fiber Loose tube, Dry-Dry, Single Jacket, Single Armor. Corning Ultra Glass, Fast Access Tech.	Corning	012ZUC-T4F22D20	On Order
02/05/21		20,000	12	Cable, Fiber optic. 12 fiber Loose tube, Dry-Dry, Single Jacket, Single Armor. Corning Ultra Glass, Fast Access Tech.	Corning	012ZUC-T4F22D20	On Order
02/16/21		20,000	12	Cable, Fiber Optic, Fortex DT-100% Dry Light Armor Single PE Jkt, Single Armor, Dielectric Central Member ALLWAVE + SM-.35/31/25 db/km@1310/1385/1550	OFS	AT-3CEH2YT-012	On Order
02/22/21		20,000	12	Cable, Fiber optic. 12 fiber Loose tube, Dry-Dry, Single Jacket, Single Armor. Corning Ultra Glass, Fast Access Tech.	Corning	012ZUC-T4F22D20	On Order

ETA	NovaLight Reel #	Footage	Fiber Count	Description	Manufacturer	Part Number	Stock Status
02/22/21		20,000	12	Cable, Fiber optic. 12 fiber Loose tube, Dry-Dry, Single Jacket, Single Armor. Corning Ultra Glass, Fast Access Tech.	Corning	012ZUC-T4F22D20	On Order
03/12/21		20,000	12	Cable, Fiber optic. 12 fiber Loose tube, Dry-Dry, Single Jacket, Single Armor. Corning Ultra Glass, Fast Access Tech.	Corning	012ZUC-T4F22D20	On Order
03/12/21		20,000	12	Cable, Fiber optic. 12 fiber Loose tube, Dry-Dry, Single Jacket, Single Armor. Corning Ultra Glass, Fast Access Tech.	Corning	012ZUC-T4F22D20	On Order
03/18/21		20,000	12	Cable, Fiber Optic, Fortex DT-100% Dry Light Armor Single PE Jkt, Single Armor, Dielectric Central Member ALLWAVE + SM-.35/.31/.25 db/km@1310/1385/1550	OFS	AT-3CEH2YT-012	On Order
04/30/21		20,000	12	Cable, Fiber optic. 12 fiber Loose tube, Dry-Dry, Single Jacket, Single Armor. Corning Ultra Glass, Fast Access Tech.	Corning	012ZUC-T4F22D20	On Order
04/30/21		20,000	12	Cable, Fiber optic. 12 fiber Loose tube, Dry-Dry, Single Jacket, Single Armor. Corning Ultra Glass, Fast Access Tech.	Corning	012ZUC-T4F22D20	On Order
04/30/21		20,000	12	Cable, Fiber optic. 12 fiber Loose tube, Dry-Dry, Single Jacket, Single Armor. Corning Ultra Glass, Fast Access Tech.	Corning	012ZUC-T4F22D20	On Order
05/16/21		20,000	12	Cable, Fiber optic. 12 fiber Loose tube, Dry-Dry, Single Jacket, Single Armor. Corning Ultra Glass, Fast Access Tech.	Corning	012ZUC-T4F22D20	On Order
05/16/21		20,000	12	Cable, Fiber optic. 12 fiber Loose tube, Dry-Dry, Single Jacket, Single Armor. Corning Ultra Glass, Fast Access Tech.	Corning	012ZUC-T4F22D20	On Order
05/16/21		20,000	12	Cable, Fiber optic. 12 fiber Loose tube, Dry-Dry, Single Jacket, Single Armor. Corning Ultra Glass, Fast Access Tech.	Corning	012ZUC-T4F22D20	On Order
06/27/21		20,000	12	Cable, Fiber optic. 12 fiber Loose tube, Dry-Dry, Single Jacket, Single Armor. Corning Ultra Glass, Fast Access Tech.	Corning	012ZUC-T4F22D20	On Order
06/27/21		20,000	12	Cable, Fiber optic. 12 fiber Loose tube, Dry-Dry, Single Jacket, Single Armor. Corning Ultra Glass, Fast Access Tech.	Corning	012ZUC-T4F22D20	On Order
06/27/21		20,000	12	Cable, Fiber optic. 12 fiber Loose tube, Dry-Dry, Single Jacket, Single Armor. Corning Ultra Glass, Fast Access Tech.	Corning	012ZUC-T4F22D20	On Order
				24 Fiber Non-Armored OSP:			
	11262-A	8,554	24	Cable 24F_ Fortex DT-100% Dry Light Armor Single PE Jkt, Single Armor, Dielectric Central Member ALLWAVE + SM-.35/.31/.25 db/km@1310/1385/1550	OFS	AT-3CE12YT-024	In Stock
	11510	20,000	24	Cable, Fiber Optic, FORTEX DT-100% DRY SINGLE JKT SINGLE PE JKT, DIELECTRIC CENTRAL MEMBER ALLWAVE + -.35/.31/.25 DB/KM@1310/1385/1550	OFS	AT-3CE12YT-024	In Stock

ETA	NovaLight Reel #	Footage	Fiber Count	Description	Manufacturer	Part Number	Stock Status
	11511	20,000	24	Cable, Fiber Optic, FORTEX DT-100% DRY SINGLE JKT SINGLE PE JKT, DIELECTRIC CENTRAL MEMBER ALLWAVE + -.35/31/25 DB/KM@1310/1385/1550	OFS	AT-3CE12YT-024	In Stock
	11512	20,000	24	Cable, Fiber Optic, FORTEX DT-100% DRY SINGLE JKT SINGLE PE JKT, DIELECTRIC CENTRAL MEMBER ALLWAVE + -.35/31/25 DB/KM@1310/1385/1550	OFS	AT-3CE12YT-024	In Stock
	11513	20,000	24	Cable, Fiber Optic, FORTEX DT-100% DRY SINGLE JKT SINGLE PE JKT, DIELECTRIC CENTRAL MEMBER ALLWAVE + -.35/31/25 DB/KM@1310/1385/1550	OFS	AT-3CE12YT-024	In Stock
	11514	20,000	24	Cable, Fiber Optic, FORTEX DT-100% DRY SINGLE JKT SINGLE PE JKT, DIELECTRIC CENTRAL MEMBER ALLWAVE + -.35/31/25 DB/KM@1310/1385/1550	OFS	AT-3CE12YT-024	In Stock
11/22/20		20,000	24	Cable, Fiber Optic, 24-FIBER ALTOS® GEL-FREE CABLE ALL DIELECTRIC SINGLE JACKET W/ BINDERLESS FASTACCESS® TECH SMF-28® ULTRA MAX: 0.34/0.34/0.22,	Corning	024ZU4-T4F22D20	On Order
01/20/20		20,000	24	Cable, Fiber Optic, FORTEX DT-100% DRY SINGLE JKT SINGLE PE JKT, DIELECTRIC CENTRAL MEMBER ALLWAVE + -.35/31/25 DB/KM@1310/1385/1550	OFS	AT-3CE12YT-024	On Order
02/16/21		20,000	24	Cable, Fiber Optic, FORTEX DT-100% DRY SINGLE JKT SINGLE PE JKT, DIELECTRIC CENTRAL MEMBER ALLWAVE + -.35/31/25 DB/KM@1310/1385/1550	OFS	AT-3CE12YT-024	On Order
02/22/20		20,000	24	Cable, Fiber Optic, 24-FIBER ALTOS® GEL-FREE CABLE ALL DIELECTRIC SINGLE JACKET W/ BINDERLESS FASTACCESS® TECH SMF-28® ULTRA MAX: 0.34/0.34/0.22,	Corning	024ZU4-T4F22D20	On Order

ETA	NovaLight Reel #	Footage	Fiber Count	Description	Manufacturer	Part Number	Stock Status
03/05/21		20,000	24	Cable, Fiber Optic, 24-FIBER ALTOS® GEL-FREE CABLE ALL DIELECTRIC SINGLE JACKET W/ BINDERLESS FASTACCESS® TECH SMF-28® ULTRA MAX: 0.34/0.34/0.22,	Corning	024ZU4-T4F22D20	On Order
03/18/21		20,000	24	Cable, Fiber Optic, FORTX DT-100% DRY SINGLE JKT SINGLE PE JKT, DIELECTRIC CENTRAL MEMBER ALLWAVE + -.35/31/25 DB/KM@1310/1385/1550	OFS	AT-3CE12YT-024	On Order
04/15/21		20,000	24	Cable, Fiber Optic, 24-FIBER ALTOS® GEL-FREE CABLE ALL DIELECTRIC SINGLE JACKET W/ BINDERLESS FASTACCESS® TECH SMF-28® ULTRA MAX: 0.34/0.34/0.22,	Corning	024ZU4-T4F22D20	On Order
04/15/21		20,000	24	Cable, Fiber Optic, 24-FIBER ALTOS® GEL-FREE CABLE ALL DIELECTRIC SINGLE JACKET W/ BINDERLESS FASTACCESS® TECH SMF-28® ULTRA MAX: 0.34/0.34/0.22,	Corning	024ZU4-T4F22D20	On Order
05/22/21		20,000	24	Cable, Fiber Optic, 24-FIBER ALTOS® GEL-FREE CABLE ALL DIELECTRIC SINGLE JACKET W/ BINDERLESS FASTACCESS® TECH SMF-28® ULTRA MAX: 0.34/0.34/0.22,	Corning	024ZU4-T4F22D20	On Order
05/22/21		20,000	24	Cable, Fiber Optic, 24-FIBER ALTOS® GEL-FREE CABLE ALL DIELECTRIC SINGLE JACKET W/ BINDERLESS FASTACCESS® TECH SMF-28® ULTRA MAX: 0.34/0.34/0.22,	Corning	024ZU4-T4F22D20	On Order
06/22/21		20,000	24	Cable, Fiber Optic, 24-FIBER ALTOS® GEL-FREE CABLE ALL DIELECTRIC SINGLE JACKET W/ BINDERLESS FASTACCESS® TECH SMF-28® ULTRA MAX: 0.34/0.34/0.22,	Corning	024ZU4-T4F22D20	On Order
06/22/21		20,000	24	Cable, Fiber Optic, 24-FIBER ALTOS® GEL-FREE CABLE ALL DIELECTRIC SINGLE JACKET W/ BINDERLESS FASTACCESS® TECH SMF-28® ULTRA MAX: 0.34/0.34/0.22,	Corning	024ZU4-T4F22D20	On Order
				24 Fiber Micro Cable:			
				24 Fiber Armored OSP:			
	10974	20,000	24	Cable, Fiber Optic. 24 fiber, Loose tube Dry-Dry, Single Mode 65.2D glass.	Prysmian	F-EDH1A1J-12-HB-024-E3	Sale Pending
	11447-A	4,172	24	Cable, Fiber optic. 24 fiber Loose tube, Dry-Dry, Single Jacket, Single Armor. Corning Ultra Glass, Fast Access Tech.	Corning	024ZUC-T4F22D20	Sale Pending
	11265-A	11,512	24	Cable 24F_ Fortex DT-100% Dry Light Armor Single PE Jkt, Single Armor, Dielectric Central Member ALLWAVE + SM-.35/31/25 db/km@1310/1385/1550	OFS	AT-3CEH2YT-024	Sale Pending
	11519	20,000	24	Cable 24F_ Fortex DT-100% Dry Light Armor Single PE Jkt, Single Armor, Dielectric Central Member ALLWAVE + SM-.35/31/25 db/km@1310/1385/1550	OFS	AT-3CEH2YT-024	In Stock

ETA	NovaLight Reel #	Footage	Fiber Count	Description	Manufacturer	Part Number	Stock Status
12/27/20		20,000	24	Cable, Fiber optic. 24 fiber Loose tube, Dry-Dry, Single Jacket, Single Armor. Corning Ultra Glass, Fast Access Tech.	Corning	024ZUC-T4F22D20	Sale Pending
12/27/20		20,000	24	Cable, Fiber optic. 24 fiber Loose tube, Dry-Dry, Single Jacket, Single Armor. Corning Ultra Glass, Fast Access Tech.	Corning	024ZUC-T4F22D20	On Order
12/27/20		20,000	24	Cable, Fiber optic. 24 fiber Loose tube, Dry-Dry, Single Jacket, Single Armor. Corning Ultra Glass, Fast Access Tech.	Corning	024ZUC-T4F22D20	On Order
12/27/20		20,000	24	Cable, Fiber optic. 24 fiber Loose tube, Dry-Dry, Single Jacket, Single Armor. Corning Ultra Glass, Fast Access Tech.	Corning	024ZUC-T4F22D20	On Order
12/27/20		20,000	24	Cable, Fiber optic. 24 fiber Loose tube, Dry-Dry, Single Jacket, Single Armor. Corning Ultra Glass, Fast Access Tech.	Corning	024ZUC-T4F22D20	On Order
12/27/20		20,000	24	Cable, Fiber optic. 24 fiber Loose tube, Dry-Dry, Single Jacket, Single Armor. Corning Ultra Glass, Fast Access Tech.	Corning	024ZUC-T4F22D20	On Order
01/20/21		20,000	24	Cable 24F_ Fortex DT-100% Dry Light Armor Single PE Jkt, Single Armor, Dielectric Central Member ALLWAVE + SM-.35/.31/.25 db/km@1310/1385/1550	OFS	AT-3CEH2YT-024	On Order
01/20/21		20,000	24	Cable 24F_ Fortex DT-100% Dry Light Armor Single PE Jkt, Single Armor, Dielectric Central Member ALLWAVE + SM-.35/.31/.25 db/km@1310/1385/1550	OFS	AT-3CEH2YT-024	On Order
02/05/21		20,000	24	Cable, Fiber optic. 24 fiber Loose tube, Dry-Dry, Single Jacket, Single Armor. Corning Ultra Glass, Fast Access Tech.	Corning	024ZUC-T4F22D20	On Order
02/05/21		20,000	24	Cable, Fiber optic. 24 fiber Loose tube, Dry-Dry, Single Jacket, Single Armor. Corning Ultra Glass, Fast Access Tech.	Corning	024ZUC-T4F22D20	On Order
02/05/21		20,000	24	Cable, Fiber optic. 24 fiber Loose tube, Dry-Dry, Single Jacket, Single Armor. Corning Ultra Glass, Fast Access Tech.	Corning	024ZUC-T4F22D20	On Order
02/05/21		20,000	24	Cable, Fiber optic. 24 fiber Loose tube, Dry-Dry, Single Jacket, Single Armor. Corning Ultra Glass, Fast Access Tech.	Corning	024ZUC-T4F22D20	On Order
02/18/21		20,000	24	Cable 24F_ Fortex DT-100% Dry Light Armor Single PE Jkt, Single Armor, Dielectric Central Member ALLWAVE + SM-.35/.31/.25 db/km@1310/1385/1550	OFS	AT-3CEH2YT-024	On Order
02/18/21		20,000	24	Cable 24F_ Fortex DT-100% Dry Light Armor Single PE Jkt, Single Armor, Dielectric Central Member ALLWAVE + SM-.35/.31/.25 db/km@1310/1385/1550	OFS	AT-3CEH2YT-024	On Order
02/22/21		20,000	24	Cable, Fiber optic. 24 fiber Loose tube, Dry-Dry, Single Jacket, Single Armor. Corning Ultra Glass, Fast Access Tech.	Corning	024ZUC-T4F22D20	On Order
02/22/21		20,000	24	Cable, Fiber optic. 24 fiber Loose tube, Dry-Dry, Single Jacket, Single Armor. Corning Ultra Glass, Fast Access Tech.	Corning	024ZUC-T4F22D20	On Order
02/22/21		20,000	24	Cable, Fiber optic. 24 fiber Loose tube, Dry-Dry, Single Jacket, Single Armor. Corning Ultra Glass, Fast Access Tech.	Corning	024ZUC-T4F22D20	On Order
02/22/21		20,000	24	Cable, Fiber optic. 24 fiber Loose tube, Dry-Dry, Single Jacket, Single Armor. Corning Ultra Glass, Fast Access Tech.	Corning	024ZUC-T4F22D20	On Order
03/12/21		20,000	24	Cable, Fiber optic. 24 fiber Loose tube, Dry-Dry, Single Jacket, Single Armor. Corning Ultra Glass, Fast Access Tech.	Corning	024ZUC-T4F22D20	On Order
03/12/21		20,000	24	Cable, Fiber optic. 24 fiber Loose tube, Dry-Dry, Single Jacket, Single Armor. Corning Ultra Glass, Fast Access Tech.	Corning	024ZUC-T4F22D20	On Order

ETA	NovaLight Reel #	Footage	Fiber Count	Description	Manufacturer	Part Number	Stock Status
03/12/21		20,000	24	Cable, Fiber optic. 24 fiber Loose tube, Dry-Dry, Single Jacket, Single Armor. Corning Ultra Glass, Fast Access Tech.	Corning	024ZUC-T4F22D20	On Order
03/12/21		20,000	24	Cable, Fiber optic. 24 fiber Loose tube, Dry-Dry, Single Jacket, Single Armor. Corning Ultra Glass, Fast Access Tech.	Corning	024ZUC-T4F22D20	On Order
03/18/21		20,000	24	Cable 24F_ Fortex DT-100% Dry Light Armor Single PE Jkt, Single Armor, Dielectric Central Member ALLWAVE + SM-.35/31/.25 db/km@1310/1385/1550	OFS	AT-3CEH2YT-024	On Order
03/18/21		20,000	24	Cable 24F_ Fortex DT-100% Dry Light Armor Single PE Jkt, Single Armor, Dielectric Central Member ALLWAVE + SM-.35/31/.25 db/km@1310/1385/1550	OFS	AT-3CEH2YT-024	On Order
04/30/21		20,000	24	Cable, Fiber optic. 24 fiber Loose tube, Dry-Dry, Single Jacket, Single Armor. Corning Ultra Glass, Fast Access Tech.	Corning	024ZUC-T4F22D20	On Order
04/30/21		20,000	24	Cable, Fiber optic. 24 fiber Loose tube, Dry-Dry, Single Jacket, Single Armor. Corning Ultra Glass, Fast Access Tech.	Corning	024ZUC-T4F22D20	On Order
04/30/21		20,000	24	Cable, Fiber optic. 24 fiber Loose tube, Dry-Dry, Single Jacket, Single Armor. Corning Ultra Glass, Fast Access Tech.	Corning	024ZUC-T4F22D20	On Order
04/30/21		20,000	24	Cable, Fiber optic. 24 fiber Loose tube, Dry-Dry, Single Jacket, Single Armor. Corning Ultra Glass, Fast Access Tech.	Corning	024ZUC-T4F22D20	On Order
04/30/21		20,000	24	Cable, Fiber optic. 24 fiber Loose tube, Dry-Dry, Single Jacket, Single Armor. Corning Ultra Glass, Fast Access Tech.	Corning	024ZUC-T4F22D20	On Order
04/30/21		20,000	24	Cable, Fiber optic. 24 fiber Loose tube, Dry-Dry, Single Jacket, Single Armor. Corning Ultra Glass, Fast Access Tech.	Corning	024ZUC-T4F22D20	On Order
05/16/21		20,000	24	Cable, Fiber optic. 24 fiber Loose tube, Dry-Dry, Single Jacket, Single Armor. Corning Ultra Glass, Fast Access Tech.	Corning	024ZUC-T4F22D20	On Order
05/16/21		20,000	24	Cable, Fiber optic. 24 fiber Loose tube, Dry-Dry, Single Jacket, Single Armor. Corning Ultra Glass, Fast Access Tech.	Corning	024ZUC-T4F22D20	On Order
05/16/21		20,000	24	Cable, Fiber optic. 24 fiber Loose tube, Dry-Dry, Single Jacket, Single Armor. Corning Ultra Glass, Fast Access Tech.	Corning	024ZUC-T4F22D20	On Order
05/16/21		20,000	24	Cable, Fiber optic. 24 fiber Loose tube, Dry-Dry, Single Jacket, Single Armor. Corning Ultra Glass, Fast Access Tech.	Corning	024ZUC-T4F22D20	On Order
05/16/21		20,000	24	Cable, Fiber optic. 24 fiber Loose tube, Dry-Dry, Single Jacket, Single Armor. Corning Ultra Glass, Fast Access Tech.	Corning	024ZUC-T4F22D20	On Order
05/16/21		20,000	24	Cable, Fiber optic. 24 fiber Loose tube, Dry-Dry, Single Jacket, Single Armor. Corning Ultra Glass, Fast Access Tech.	Corning	024ZUC-T4F22D20	On Order
06/27/21		20,000	24	Cable, Fiber optic. 24 fiber Loose tube, Dry-Dry, Single Jacket, Single Armor. Corning Ultra Glass, Fast Access Tech.	Corning	024ZUC-T4F22D20	On Order
06/27/21		20,000	24	Cable, Fiber optic. 24 fiber Loose tube, Dry-Dry, Single Jacket, Single Armor. Corning Ultra Glass, Fast Access Tech.	Corning	024ZUC-T4F22D20	On Order
06/27/21		20,000	24	Cable, Fiber optic. 24 fiber Loose tube, Dry-Dry, Single Jacket, Single Armor. Corning Ultra Glass, Fast Access Tech.	Corning	024ZUC-T4F22D20	On Order
06/27/21		20,000	24	Cable, Fiber optic. 24 fiber Loose tube, Dry-Dry, Single Jacket, Single Armor. Corning Ultra Glass, Fast Access Tech.	Corning	024ZUC-T4F22D20	On Order
06/27/21		20,000	24	Cable, Fiber optic. 24 fiber Loose tube, Dry-Dry, Single Jacket, Single Armor. Corning Ultra Glass, Fast Access Tech.	Corning	024ZUC-T4F22D20	On Order

ETA	NovaLight Reel #	Footage	Fiber Count	Description	Manufacturer	Part Number	Stock Status
06/27/21		20,000	24	Cable, Fiber optic. 24 fiber Loose tube, Dry-Dry, Single Jacket, Single Armor. Corning Ultra Glass, Fast Access Tech.	Corning	024ZUC-T4F22D20	On Order
				36 Fiber Non-Armored OSP:			
				36 Fiber Armored OSP:			
02/12/21		20,000	36	Cable, 36-FIBER ALTOS® LITE GEL-FREE CABLE SINGLE JACKET, SINGLE ARMOR SINGLE- MODE SMF-28 Ultra fiber G.652.D/G.657.A 0.34/0.34/0.22 12F/TUBE PRINT IN Feet	Corning	036ZUC-T4F22D20	On Order
02/22/21		20,000	36	Cable, 36-FIBER ALTOS® LITE GEL-FREE CABLE SINGLE JACKET, SINGLE ARMOR SINGLE- MODE SMF-28 Ultra fiber G.652.D/G.657.A 0.34/0.34/0.22 12F/TUBE PRINT IN Feet	Corning	036ZUC-T4F22D20	On Order
03/12/21		20,000	36	Cable, 36-FIBER ALTOS® LITE GEL-FREE CABLE SINGLE JACKET, SINGLE ARMOR SINGLE- MODE SMF-28 Ultra fiber G.652.D/G.657.A 0.34/0.34/0.22 12F/TUBE PRINT IN Feet	Corning	036ZUC-T4F22D20	On Order
04/25/21		20,000	36	Cable, 36-FIBER ALTOS® LITE GEL-FREE CABLE SINGLE JACKET, SINGLE ARMOR SINGLE- MODE SMF-28 Ultra fiber G.652.D/G.657.A 0.34/0.34/0.22 12F/TUBE PRINT IN Feet	Corning	036ZUC-T4F22D20	On Order
06/22/21		20,000	36	Cable, 36-FIBER ALTOS® LITE GEL-FREE CABLE SINGLE JACKET, SINGLE ARMOR SINGLE- MODE SMF-28 Ultra fiber G.652.D/G.657.A 0.34/0.34/0.22 12F/TUBE PRINT IN Feet	Corning	036ZUC-T4F22D20	On Order
				48 Fiber Non-Armored OSP:			
12/27/20		20,000	48	Cable, Fiber Optic, 48-FIBER ALTOS® GEL-FREE CABLE ALL DIELECTRIC SINGLE JACKET W/ BINDERLESS FASTACCESS® TECH SMF-28® ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM G652.D/G657.A1 12F/TUBE PRINT IN FT	Corning	048ZU4-T4F22D20	On Order
12/27/20		20,000	48	Cable, Fiber Optic, 48-FIBER ALTOS® GEL-FREE CABLE ALL DIELECTRIC SINGLE JACKET W/ BINDERLESS FASTACCESS® TECH SMF-28® ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM G652.D/G657.A1 12F/TUBE PRINT IN FT	Corning	048ZU4-T4F22D20	On Order
01/20/20		20,000	48	Cable, 48F FORTEX DT-100% DRY SINGLE JKT SINGLE PE JKT, DIELECTRIC CENTRAL MEMBER ALL WAVE + -.35/31/25 DB/KM@1310/1385/1550	OFS	AT-3CE12YT-048	On Order
01/29/21		20,000	48	Cable, Fiber Optic, 48-FIBER ALTOS® GEL-FREE CABLE ALL DIELECTRIC SINGLE JACKET W/ BINDERLESS FASTACCESS® TECH SMF-28® ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM G652.D/G657.A1 12F/TUBE PRINT IN FT	Corning	048ZU4-T4F22D20	On Order

ETA	NovaLight Reel #	Footage	Fiber Count	Description	Manufacturer	Part Number	Stock Status
02/18/21		20,000	48	Cable, 48F FORTEX DT-100% DRY SINGLE JKT SINGLE PE JKT, DIELECTRIC CENTRAL MEMBER ALLWAVE + -.35/31/25 DB/KM@1310/1385/1550	OFS	AT-3CE12YT-048	On Order
02/22/21		20,000	48	Cable, Fiber Optic, 48-FIBER ALTOS® GEL-FREE CABLE ALL DIELECTRIC SINGLE JACKET W/ BINDERLESS FASTACCESS® TECH SMF-28® ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM G652.D/G657.A1 12F/TUBE PRINT IN FT	Corning	048ZU4-T4F22D20	On Order
03/02/21		20,000	48	Cable, Fiber Optic, 48-FIBER ALTOS® GEL-FREE CABLE ALL DIELECTRIC SINGLE JACKET W/ BINDERLESS FASTACCESS® TECH SMF-28® ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM G652.D/G657.A1 12F/TUBE PRINT IN FT	Corning	048ZU4-T4F22D20	On Order
03/18/21		20,000	48	Cable, 48F FORTEX DT-100% DRY SINGLE JKT SINGLE PE JKT, DIELECTRIC CENTRAL MEMBER ALLWAVE + -.35/31/25 DB/KM@1310/1385/1550	OFS	AT-3CE12YT-048	On Order
03/31/21		20,000	48	Cable, Fiber Optic, 48-FIBER ALTOS® GEL-FREE CABLE ALL DIELECTRIC SINGLE JACKET W/ BINDERLESS FASTACCESS® TECH SMF-28® ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM G652.D/G657.A1 12F/TUBE PRINT IN FT	Corning	048ZU4-T4F22D20	On Order
04/15/21		20,000	48	Cable, Fiber Optic, 48-FIBER ALTOS® GEL-FREE CABLE ALL DIELECTRIC SINGLE JACKET W/ BINDERLESS FASTACCESS® TECH SMF-28® ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM G652.D/G657.A1 12F/TUBE PRINT IN FT	Corning	048ZU4-T4F22D20	On Order
05/15/21		20,000	48	Cable, Fiber Optic, 48-FIBER ALTOS® GEL-FREE CABLE ALL DIELECTRIC SINGLE JACKET W/ BINDERLESS FASTACCESS® TECH SMF-28® ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM G652.D/G657.A1 12F/TUBE PRINT IN FT	Corning	048ZU4-T4F22D20	On Order
05/15/21		20,000	48	Cable, Fiber Optic, 48-FIBER ALTOS® GEL-FREE CABLE ALL DIELECTRIC SINGLE JACKET W/ BINDERLESS FASTACCESS® TECH SMF-28® ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM G652.D/G657.A1 12F/TUBE PRINT IN FT	Corning	048ZU4-T4F22D20	On Order
06/22/21		20,000	48	Cable, Fiber Optic, 48-FIBER ALTOS® GEL-FREE CABLE ALL DIELECTRIC SINGLE JACKET W/ BINDERLESS FASTACCESS® TECH SMF-28® ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM G652.D/G657.A1 12F/TUBE PRINT IN FT	Corning	048ZU4-T4F22D20	On Order

ETA	NovaLight Reel #	Footage	Fiber Count	Description	Manufacturer	Part Number	Stock Status
06/22/21		20,000	48	Cable, Fiber Optic, 48-FIBER ALTOS® GEL-FREE CABLE ALL DIELECTRIC SINGLE JACKET W/ BINDERLESS FASTACCESS® TECH SMF-28® ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM G652.D/G657.A1 12F/TUBE PRINT IN FT	Corning	048ZU4-T4F22D20	On Order
				48 Fiber Micro Cable:			
				48 Fiber Armored OSP:			
	11303	20,700	48	Cable, DRY/DRY 48 Fiber, SM, Loose Tube, Single Armor/Single Jacket, Dry-Dry, Water-Swellable Matl, Dielectric CSM, 12 Fibers per Tube, HDPE Jacket, 600 lb Tensile, Cable for Aerial, Duct, And Direct-Buried DRC-9-04X12-D-ZRP-D BK	Teldor	F904804M6B	Sale Pending
	11478	4,246	48	48-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube Print in ft	Corning	048EUC-T4100D20	In Stock
	11480	4,688	48	48-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube Print in ft	Corning	048EUC-T4100D20	In Stock
	11163-A	4,148	48	Cable, DRY/DRY 48 Fiber, SM, Loose Tube, Single Armor/Single Jacket, Dry-Dry, Water-Swellable Matl, Dielectric CSM, 12 Fibers per Tube, HDPE Jacket, 600 lb Tensile, Cable for Aerial, Duct, And Direct-Buried DRC-9-04X12-D-ZRP-D BK	Teldor	F904804M6B	Sale Pending
10/25/20		4,272	48	48-Fiber ALTOS® Gel-Free Cable Enhanced 2.5 mm Buffer Tubes Armor Lite Single-Jacket/Single-Armor SMFe 0.35/0.35/0.25 dB/km 12f/tube Print in ft	Corning	048EUC-T4100D20	On Order
	11506	7,770	48	Cable, 48-FIBER ALTOS® LITE GEL-FREE CABLE SINGLE JACKET, SINGLE ARMOR WITH FASTACCESS® TECHNOLOGY, BEND INSENSITIVE SMF-28® ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM G652.D/G657.A1 12F/TUBE PRINT IN FT	Corning	048ZUC-T4F22D20	Sale Pending
11/22/20		20,000	48	Cable, 48-FIBER ALTOS® LITE GEL-FREE CABLE SINGLE JACKET, SINGLE ARMOR WITH FASTACCESS® TECHNOLOGY, BEND INSENSITIVE SMF-28® ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM G652.D/G657.A1 12F/TUBE PRINT IN FT	Corning	048ZUC-T4F22D20	Sale Pending
01/03/21		20,000	48	Cable, 48-FIBER ALTOS® LITE GEL-FREE CABLE SINGLE JACKET, SINGLE ARMOR WITH FASTACCESS® TECHNOLOGY, BEND INSENSITIVE SMF-28® ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM G652.D/G657.A1 12F/TUBE PRINT IN FT	Corning	048ZUC-T4F22D20	On Order

ETA	NovaLight Reel #	Footage	Fiber Count	Description	Manufacturer	Part Number	Stock Status
01/03/21		20,000	48	Cable, 48-FIBER ALTOS® LITE GEL-FREE CABLE SINGLE JACKET, SINGLE ARMOR WITH FASTACCESS® TECHNOLOGY, BEND INSENSITIVE SMF-28® ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM G652.D/G657.A1 12F/TUBE PRINT IN FT	Corning	048ZUC-T4F22D20	Sale Pending
01/03/21		20,000	48	Cable, 48-FIBER ALTOS® LITE GEL-FREE CABLE SINGLE JACKET, SINGLE ARMOR WITH FASTACCESS® TECHNOLOGY, BEND INSENSITIVE SMF-28® ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM G652.D/G657.A1 12F/TUBE PRINT IN FT	Corning	048ZUC-T4F22D20	Sale Pending
01/03/21		20,000	48	Cable, 48-FIBER ALTOS® LITE GEL-FREE CABLE SINGLE JACKET, SINGLE ARMOR WITH FASTACCESS® TECHNOLOGY, BEND INSENSITIVE SMF-28® ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM G652.D/G657.A1 12F/TUBE PRINT IN FT	Corning	048ZUC-T4F22D20	On Order
01/03/21		20,000	48	Cable, 48-FIBER ALTOS® LITE GEL-FREE CABLE SINGLE JACKET, SINGLE ARMOR WITH FASTACCESS® TECHNOLOGY, BEND INSENSITIVE SMF-28® ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM G652.D/G657.A1 12F/TUBE PRINT IN FT	Corning	048ZUC-T4F22D20	On Order
01/20/20		20,000	48	Cable 048F_ FORTEX DT-100% DRY LIGHT ARMOR SINGLE PE JKT, SINGLE ARMOR, DIELECTRIC CENTRAL MEMBER ALLWAVE + SM-.35/.31/.25 db/km@1310/1385/1550	OFS	AT-3CEH2YT-048	On Order
01/20/20		20,000	48	Cable 048F_ FORTEX DT-100% DRY LIGHT ARMOR SINGLE PE JKT, SINGLE ARMOR, DIELECTRIC CENTRAL MEMBER ALLWAVE + SM-.35/.31/.25 db/km@1310/1385/1550	OFS	AT-3CEH2YT-048	On Order
01/20/20		20,000	48	Cable 048F_ FORTEX DT-100% DRY LIGHT ARMOR SINGLE PE JKT, SINGLE ARMOR, DIELECTRIC CENTRAL MEMBER ALLWAVE + SM-.35/.31/.25 db/km@1310/1385/1550	OFS	AT-3CEH2YT-048	On Order
01/20/20		20,000	48	Cable 048F_ FORTEX DT-100% DRY LIGHT ARMOR SINGLE PE JKT, SINGLE ARMOR, DIELECTRIC CENTRAL MEMBER ALLWAVE + SM-.35/.31/.25 db/km@1310/1385/1550	OFS	AT-3CEH2YT-048	On Order
02/05/21		20,000	48	Cable, 48-FIBER ALTOS® LITE GEL-FREE CABLE SINGLE JACKET, SINGLE ARMOR WITH FASTACCESS® TECHNOLOGY, BEND INSENSITIVE SMF-28® ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM G652.D/G657.A1 12F/TUBE PRINT IN FT	Corning	048ZUC-T4F22D20	On Order
02/05/21		20,000	48	Cable, 48-FIBER ALTOS® LITE GEL-FREE CABLE SINGLE JACKET, SINGLE ARMOR WITH FASTACCESS® TECHNOLOGY, BEND INSENSITIVE SMF-28® ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM G652.D/G657.A1 12F/TUBE PRINT IN FT	Corning	048ZUC-T4F22D20	On Order
02/05/21		20,000	48	Cable, 48-FIBER ALTOS® LITE GEL-FREE CABLE SINGLE JACKET, SINGLE ARMOR WITH FASTACCESS® TECHNOLOGY, BEND INSENSITIVE SMF-28® ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM G652.D/G657.A1 12F/TUBE PRINT IN FT	Corning	048ZUC-T4F22D20	On Order
02/05/21		20,000	48	Cable, 48-FIBER ALTOS® LITE GEL-FREE CABLE SINGLE JACKET, SINGLE ARMOR WITH FASTACCESS® TECHNOLOGY, BEND INSENSITIVE SMF-28® ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM G652.D/G657.A1 12F/TUBE PRINT IN FT	Corning	048ZUC-T4F22D20	On Order

ETA	NovaLight Reel #	Footage	Fiber Count	Description	Manufacturer	Part Number	Stock Status
02/05/21		20,000	48	Cable, 48-FIBER ALTOS® LITE GEL-FREE CABLE SINGLE JACKET, SINGLE ARMOR WITH FASTACCESS® TECHNOLOGY, BEND INSENSITIVE SMF-28® ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM G652.D/G657.A1 12F/TUBE PRINT IN FT	Corning	048ZUC-T4F22D20	On Order
02/05/21		20,000	48	Cable, 48-FIBER ALTOS® LITE GEL-FREE CABLE SINGLE JACKET, SINGLE ARMOR WITH FASTACCESS® TECHNOLOGY, BEND INSENSITIVE SMF-28® ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM G652.D/G657.A1 12F/TUBE PRINT IN FT	Corning	048ZUC-T4F22D20	On Order
02/05/21		20,000	48	Cable, 48-FIBER ALTOS® LITE GEL-FREE CABLE SINGLE JACKET, SINGLE ARMOR WITH FASTACCESS® TECHNOLOGY, BEND INSENSITIVE SMF-28® ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM G652.D/G657.A1 12F/TUBE PRINT IN FT	Corning	048ZUC-T4F22D20	On Order
02/05/21		20,000	48	Cable, 48-FIBER ALTOS® LITE GEL-FREE CABLE SINGLE JACKET, SINGLE ARMOR WITH FASTACCESS® TECHNOLOGY, BEND INSENSITIVE SMF-28® ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM G652.D/G657.A1 12F/TUBE PRINT IN FT	Corning	048ZUC-T4F22D20	On Order
02/05/21		20,000	48	Cable, 48-FIBER ALTOS® LITE GEL-FREE CABLE SINGLE JACKET, SINGLE ARMOR WITH FASTACCESS® TECHNOLOGY, BEND INSENSITIVE SMF-28® ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM G652.D/G657.A1 12F/TUBE PRINT IN FT	Corning	048ZUC-T4F22D20	On Order
02/05/21		20,000	48	Cable, 48-FIBER ALTOS® LITE GEL-FREE CABLE SINGLE JACKET, SINGLE ARMOR WITH FASTACCESS® TECHNOLOGY, BEND INSENSITIVE SMF-28® ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM G652.D/G657.A1 12F/TUBE PRINT IN FT	Corning	048ZUC-T4F22D20	On Order
02/15/21		20,000	48	Cable, 48-FIBER ALTOS® LITE GEL-FREE CABLE SINGLE JACKET, SINGLE ARMOR WITH FASTACCESS® TECHNOLOGY, BEND INSENSITIVE SMF-28® ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM G652.D/G657.A1 12F/TUBE PRINT IN FT	Corning	048ZUC-T4F22D20	On Order
02/15/21		20,000	48	Cable, 48-FIBER ALTOS® LITE GEL-FREE CABLE SINGLE JACKET, SINGLE ARMOR WITH FASTACCESS® TECHNOLOGY, BEND INSENSITIVE SMF-28® ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM G652.D/G657.A1 12F/TUBE PRINT IN FT	Corning	048ZUC-T4F22D20	On Order
02/15/21		20,000	48	Cable, 48-FIBER ALTOS® LITE GEL-FREE CABLE SINGLE JACKET, SINGLE ARMOR WITH FASTACCESS® TECHNOLOGY, BEND INSENSITIVE SMF-28® ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM G652.D/G657.A1 12F/TUBE PRINT IN FT	Corning	048ZUC-T4F22D20	On Order
02/15/21		20,000	48	Cable, 48-FIBER ALTOS® LITE GEL-FREE CABLE SINGLE JACKET, SINGLE ARMOR WITH FASTACCESS® TECHNOLOGY, BEND INSENSITIVE SMF-28® ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM G652.D/G657.A1 12F/TUBE PRINT IN FT	Corning	048ZUC-T4F22D20	On Order
02/15/21		20,000	48	Cable, 48-FIBER ALTOS® LITE GEL-FREE CABLE SINGLE JACKET, SINGLE ARMOR WITH FASTACCESS® TECHNOLOGY, BEND INSENSITIVE SMF-28® ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM G652.D/G657.A1 12F/TUBE PRINT IN FT	Corning	048ZUC-T4F22D20	On Order

ETA	NovaLight Reel #	Footage	Fiber Count	Description	Manufacturer	Part Number	Stock Status
02/15/21		20,000	48	Cable, 48-FIBER ALTOS® LITE GEL-FREE CABLE SINGLE JACKET, SINGLE ARMOR WITH FASTACCESS® TECHNOLOGY, BEND INSENSITIVE SMF-28® ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM G652.D/G657.A1 12F/TUBE PRINT IN FT	Corning	048ZUC-T4F22D20	On Order
02/15/21		20,000	48	Cable, 48-FIBER ALTOS® LITE GEL-FREE CABLE SINGLE JACKET, SINGLE ARMOR WITH FASTACCESS® TECHNOLOGY, BEND INSENSITIVE SMF-28® ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM G652.D/G657.A1 12F/TUBE PRINT IN FT	Corning	048ZUC-T4F22D20	On Order
02/15/21		20,000	48	Cable, 48-FIBER ALTOS® LITE GEL-FREE CABLE SINGLE JACKET, SINGLE ARMOR WITH FASTACCESS® TECHNOLOGY, BEND INSENSITIVE SMF-28® ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM G652.D/G657.A1 12F/TUBE PRINT IN FT	Corning	048ZUC-T4F22D20	On Order
02/15/21		20,000	48	Cable, 48-FIBER ALTOS® LITE GEL-FREE CABLE SINGLE JACKET, SINGLE ARMOR WITH FASTACCESS® TECHNOLOGY, BEND INSENSITIVE SMF-28® ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM G652.D/G657.A1 12F/TUBE PRINT IN FT	Corning	048ZUC-T4F22D20	On Order
02/15/21		20,000	48	Cable, 48-FIBER ALTOS® LITE GEL-FREE CABLE SINGLE JACKET, SINGLE ARMOR WITH FASTACCESS® TECHNOLOGY, BEND INSENSITIVE SMF-28® ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM G652.D/G657.A1 12F/TUBE PRINT IN FT	Corning	048ZUC-T4F22D20	On Order
02/18/21		20,000	48	Cable 048F_ FORTEX DT-100% DRY LIGHT ARMOR SINGLE PE JKT, SINGLE ARMOR, DIELECTRIC CENTRAL MEMBER ALLWAVE + SM-.35/.31/.25 db/km@1310/1385/1550	OFS	AT-3CEH2YT-048	On Order
02/18/21		20,000	48	Cable 048F_ FORTEX DT-100% DRY LIGHT ARMOR SINGLE PE JKT, SINGLE ARMOR, DIELECTRIC CENTRAL MEMBER ALLWAVE + SM-.35/.31/.25 db/km@1310/1385/1550	OFS	AT-3CEH2YT-048	On Order
02/18/21		20,000	48	Cable 048F_ FORTEX DT-100% DRY LIGHT ARMOR SINGLE PE JKT, SINGLE ARMOR, DIELECTRIC CENTRAL MEMBER ALLWAVE + SM-.35/.31/.25 db/km@1310/1385/1550	OFS	AT-3CEH2YT-048	On Order
02/18/21		20,000	48	Cable 048F_ FORTEX DT-100% DRY LIGHT ARMOR SINGLE PE JKT, SINGLE ARMOR, DIELECTRIC CENTRAL MEMBER ALLWAVE + SM-.35/.31/.25 db/km@1310/1385/1550	OFS	AT-3CEH2YT-048	On Order
03/12/21		20,000	48	Cable, 48-FIBER ALTOS® LITE GEL-FREE CABLE SINGLE JACKET, SINGLE ARMOR WITH FASTACCESS® TECHNOLOGY, BEND INSENSITIVE SMF-28® ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM G652.D/G657.A1 12F/TUBE PRINT IN FT	Corning	048ZUC-T4F22D20	On Order
03/12/21		20,000	48	Cable, 48-FIBER ALTOS® LITE GEL-FREE CABLE SINGLE JACKET, SINGLE ARMOR WITH FASTACCESS® TECHNOLOGY, BEND INSENSITIVE SMF-28® ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM G652.D/G657.A1 12F/TUBE PRINT IN FT	Corning	048ZUC-T4F22D20	On Order
03/12/21		20,000	48	Cable, 48-FIBER ALTOS® LITE GEL-FREE CABLE SINGLE JACKET, SINGLE ARMOR WITH FASTACCESS® TECHNOLOGY, BEND INSENSITIVE SMF-28® ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM G652.D/G657.A1 12F/TUBE PRINT IN FT	Corning	048ZUC-T4F22D20	On Order

ETA	NovaLight Reel #	Footage	Fiber Count	Description	Manufacturer	Part Number	Stock Status
03/12/21		20,000	48	Cable, 48-FIBER ALTOS® LITE GEL-FREE CABLE SINGLE JACKET, SINGLE ARMOR WITH FASTACCESS® TECHNOLOGY, BEND INSENSITIVE SMF-28® ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM G652.D/G657.A1 12F/TUBE PRINT IN FT	Corning	048ZUC-T4F22D20	On Order
03/12/21		20,000	48	Cable, 48-FIBER ALTOS® LITE GEL-FREE CABLE SINGLE JACKET, SINGLE ARMOR WITH FASTACCESS® TECHNOLOGY, BEND INSENSITIVE SMF-28® ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM G652.D/G657.A1 12F/TUBE PRINT IN FT	Corning	048ZUC-T4F22D20	On Order
03/12/21		20,000	48	Cable, 48-FIBER ALTOS® LITE GEL-FREE CABLE SINGLE JACKET, SINGLE ARMOR WITH FASTACCESS® TECHNOLOGY, BEND INSENSITIVE SMF-28® ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM G652.D/G657.A1 12F/TUBE PRINT IN FT	Corning	048ZUC-T4F22D20	On Order
03/12/21		20,000	48	Cable, 48-FIBER ALTOS® LITE GEL-FREE CABLE SINGLE JACKET, SINGLE ARMOR WITH FASTACCESS® TECHNOLOGY, BEND INSENSITIVE SMF-28® ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM G652.D/G657.A1 12F/TUBE PRINT IN FT	Corning	048ZUC-T4F22D20	On Order
03/12/21		20,000	48	Cable, 48-FIBER ALTOS® LITE GEL-FREE CABLE SINGLE JACKET, SINGLE ARMOR WITH FASTACCESS® TECHNOLOGY, BEND INSENSITIVE SMF-28® ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM G652.D/G657.A1 12F/TUBE PRINT IN FT	Corning	048ZUC-T4F22D20	On Order
03/12/21		20,000	48	Cable, 48-FIBER ALTOS® LITE GEL-FREE CABLE SINGLE JACKET, SINGLE ARMOR WITH FASTACCESS® TECHNOLOGY, BEND INSENSITIVE SMF-28® ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM G652.D/G657.A1 12F/TUBE PRINT IN FT	Corning	048ZUC-T4F22D20	On Order
03/12/21		20,000	48	Cable, 48-FIBER ALTOS® LITE GEL-FREE CABLE SINGLE JACKET, SINGLE ARMOR WITH FASTACCESS® TECHNOLOGY, BEND INSENSITIVE SMF-28® ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM G652.D/G657.A1 12F/TUBE PRINT IN FT	Corning	048ZUC-T4F22D20	On Order
03/18/21		20,000	48	Cable 048F_ FORTEX DT-100% DRY LIGHT ARMOR SINGLE PE JKT, SINGLE ARMOR, DIELECTRIC CENTRAL MEMBER ALLWAVE + SM-.35/.31/.25 db/km@1310/1385/1550	OFS	AT-3CEH2YT-048	On Order
03/18/21		20,000	48	Cable 048F_ FORTEX DT-100% DRY LIGHT ARMOR SINGLE PE JKT, SINGLE ARMOR, DIELECTRIC CENTRAL MEMBER ALLWAVE + SM-.35/.31/.25 db/km@1310/1385/1550	OFS	AT-3CEH2YT-048	On Order
03/18/21		20,000	48	Cable 048F_ FORTEX DT-100% DRY LIGHT ARMOR SINGLE PE JKT, SINGLE ARMOR, DIELECTRIC CENTRAL MEMBER ALLWAVE + SM-.35/.31/.25 db/km@1310/1385/1550	OFS	AT-3CEH2YT-048	On Order
03/18/21		20,000	48	Cable 048F_ FORTEX DT-100% DRY LIGHT ARMOR SINGLE PE JKT, SINGLE ARMOR, DIELECTRIC CENTRAL MEMBER ALLWAVE + SM-.35/.31/.25 db/km@1310/1385/1550	OFS	AT-3CEH2YT-048	On Order
04/03/21		20,000	48	Cable, 48-FIBER ALTOS® LITE GEL-FREE CABLE SINGLE JACKET, SINGLE ARMOR WITH FASTACCESS® TECHNOLOGY, BEND INSENSITIVE SMF-28® ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM G652.D/G657.A1 12F/TUBE PRINT IN FT	Corning	048ZUC-T4F22D20	On Order

ETA	NovaLight Reel #	Footage	Fiber Count	Description	Manufacturer	Part Number	Stock Status
04/03/21		20,000	48	Cable, 48-FIBER ALTOS® LITE GEL-FREE CABLE SINGLE JACKET, SINGLE ARMOR WITH FASTACCESS® TECHNOLOGY, BEND INSENSITIVE SMF-28® ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM G652.D/G657.A1 12F/TUBE PRINT IN FT	Corning	048ZUC-T4F22D20	On Order
04/03/21		20,000	48	Cable, 48-FIBER ALTOS® LITE GEL-FREE CABLE SINGLE JACKET, SINGLE ARMOR WITH FASTACCESS® TECHNOLOGY, BEND INSENSITIVE SMF-28® ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM G652.D/G657.A1 12F/TUBE PRINT IN FT	Corning	048ZUC-T4F22D20	On Order
04/03/21		20,000	48	Cable, 48-FIBER ALTOS® LITE GEL-FREE CABLE SINGLE JACKET, SINGLE ARMOR WITH FASTACCESS® TECHNOLOGY, BEND INSENSITIVE SMF-28® ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM G652.D/G657.A1 12F/TUBE PRINT IN FT	Corning	048ZUC-T4F22D20	On Order
04/03/21		20,000	48	Cable, 48-FIBER ALTOS® LITE GEL-FREE CABLE SINGLE JACKET, SINGLE ARMOR WITH FASTACCESS® TECHNOLOGY, BEND INSENSITIVE SMF-28® ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM G652.D/G657.A1 12F/TUBE PRINT IN FT	Corning	048ZUC-T4F22D20	On Order
04/03/21		20,000	48	Cable, 48-FIBER ALTOS® LITE GEL-FREE CABLE SINGLE JACKET, SINGLE ARMOR WITH FASTACCESS® TECHNOLOGY, BEND INSENSITIVE SMF-28® ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM G652.D/G657.A1 12F/TUBE PRINT IN FT	Corning	048ZUC-T4F22D20	On Order
04/03/21		20,000	48	Cable, 48-FIBER ALTOS® LITE GEL-FREE CABLE SINGLE JACKET, SINGLE ARMOR WITH FASTACCESS® TECHNOLOGY, BEND INSENSITIVE SMF-28® ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM G652.D/G657.A1 12F/TUBE PRINT IN FT	Corning	048ZUC-T4F22D20	On Order
04/03/21		20,000	48	Cable, 48-FIBER ALTOS® LITE GEL-FREE CABLE SINGLE JACKET, SINGLE ARMOR WITH FASTACCESS® TECHNOLOGY, BEND INSENSITIVE SMF-28® ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM G652.D/G657.A1 12F/TUBE PRINT IN FT	Corning	048ZUC-T4F22D20	On Order
04/03/21		20,000	48	Cable, 48-FIBER ALTOS® LITE GEL-FREE CABLE SINGLE JACKET, SINGLE ARMOR WITH FASTACCESS® TECHNOLOGY, BEND INSENSITIVE SMF-28® ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM G652.D/G657.A1 12F/TUBE PRINT IN FT	Corning	048ZUC-T4F22D20	On Order
04/03/21		20,000	48	Cable, 48-FIBER ALTOS® LITE GEL-FREE CABLE SINGLE JACKET, SINGLE ARMOR WITH FASTACCESS® TECHNOLOGY, BEND INSENSITIVE SMF-28® ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM G652.D/G657.A1 12F/TUBE PRINT IN FT	Corning	048ZUC-T4F22D20	On Order
04/03/21		20,000	48	Cable, 48-FIBER ALTOS® LITE GEL-FREE CABLE SINGLE JACKET, SINGLE ARMOR WITH FASTACCESS® TECHNOLOGY, BEND INSENSITIVE SMF-28® ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM G652.D/G657.A1 12F/TUBE PRINT IN FT	Corning	048ZUC-T4F22D20	On Order
04/10/21		20,000	48	Cable, 48-FIBER ALTOS® LITE GEL-FREE CABLE SINGLE JACKET, SINGLE ARMOR WITH FASTACCESS® TECHNOLOGY, BEND INSENSITIVE SMF-28® ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM G652.D/G657.A1 12F/TUBE PRINT IN FT	Corning	048ZUC-T4F22D20	On Order
04/10/21		20,000	48	Cable, 48-FIBER ALTOS® LITE GEL-FREE CABLE SINGLE JACKET, SINGLE ARMOR WITH FASTACCESS® TECHNOLOGY, BEND INSENSITIVE SMF-28® ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM G652.D/G657.A1 12F/TUBE PRINT IN FT	Corning	048ZUC-T4F22D20	On Order

ETA	NovaLight Reel #	Footage	Fiber Count	Description	Manufacturer	Part Number	Stock Status
04/10/21		20,000	48	Cable, 48-FIBER ALTOS® LITE GEL-FREE CABLE SINGLE JACKET, SINGLE ARMOR WITH FASTACCESS® TECHNOLOGY, BEND INSENSITIVE SMF-28® ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM G652.D/G657.A1 12F/TUBE PRINT IN FT	Corning	048ZUC-T4F22D20	On Order
04/10/21		20,000	48	Cable, 48-FIBER ALTOS® LITE GEL-FREE CABLE SINGLE JACKET, SINGLE ARMOR WITH FASTACCESS® TECHNOLOGY, BEND INSENSITIVE SMF-28® ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM G652.D/G657.A1 12F/TUBE PRINT IN FT	Corning	048ZUC-T4F22D20	On Order
04/10/21		20,000	48	Cable, 48-FIBER ALTOS® LITE GEL-FREE CABLE SINGLE JACKET, SINGLE ARMOR WITH FASTACCESS® TECHNOLOGY, BEND INSENSITIVE SMF-28® ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM G652.D/G657.A1 12F/TUBE PRINT IN FT	Corning	048ZUC-T4F22D20	On Order
04/10/21		20,000	48	Cable, 48-FIBER ALTOS® LITE GEL-FREE CABLE SINGLE JACKET, SINGLE ARMOR WITH FASTACCESS® TECHNOLOGY, BEND INSENSITIVE SMF-28® ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM G652.D/G657.A1 12F/TUBE PRINT IN FT	Corning	048ZUC-T4F22D20	On Order
04/17/21		20,000	48	Cable, 48-FIBER ALTOS® LITE GEL-FREE CABLE SINGLE JACKET, SINGLE ARMOR WITH FASTACCESS® TECHNOLOGY, BEND INSENSITIVE SMF-28® ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM G652.D/G657.A1 12F/TUBE PRINT IN FT	Corning	048ZUC-T4F22D20	On Order
04/17/21		20,000	48	Cable, 48-FIBER ALTOS® LITE GEL-FREE CABLE SINGLE JACKET, SINGLE ARMOR WITH FASTACCESS® TECHNOLOGY, BEND INSENSITIVE SMF-28® ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM G652.D/G657.A1 12F/TUBE PRINT IN FT	Corning	048ZUC-T4F22D20	On Order
05/16/21		20,000	48	Cable, 48-FIBER ALTOS® LITE GEL-FREE CABLE SINGLE JACKET, SINGLE ARMOR WITH FASTACCESS® TECHNOLOGY, BEND INSENSITIVE SMF-28® ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM G652.D/G657.A1 12F/TUBE PRINT IN FT	Corning	048ZUC-T4F22D20	On Order
05/16/21		20,000	48	Cable, 48-FIBER ALTOS® LITE GEL-FREE CABLE SINGLE JACKET, SINGLE ARMOR WITH FASTACCESS® TECHNOLOGY, BEND INSENSITIVE SMF-28® ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM G652.D/G657.A1 12F/TUBE PRINT IN FT	Corning	048ZUC-T4F22D20	On Order
05/16/21		20,000	48	Cable, 48-FIBER ALTOS® LITE GEL-FREE CABLE SINGLE JACKET, SINGLE ARMOR WITH FASTACCESS® TECHNOLOGY, BEND INSENSITIVE SMF-28® ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM G652.D/G657.A1 12F/TUBE PRINT IN FT	Corning	048ZUC-T4F22D20	On Order
05/16/21		20,000	48	Cable, 48-FIBER ALTOS® LITE GEL-FREE CABLE SINGLE JACKET, SINGLE ARMOR WITH FASTACCESS® TECHNOLOGY, BEND INSENSITIVE SMF-28® ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM G652.D/G657.A1 12F/TUBE PRINT IN FT	Corning	048ZUC-T4F22D20	On Order
05/16/21		20,000	48	Cable, 48-FIBER ALTOS® LITE GEL-FREE CABLE SINGLE JACKET, SINGLE ARMOR WITH FASTACCESS® TECHNOLOGY, BEND INSENSITIVE SMF-28® ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM G652.D/G657.A1 12F/TUBE PRINT IN FT	Corning	048ZUC-T4F22D20	On Order

ETA	NovaLight Reel #	Footage	Fiber Count	Description	Manufacturer	Part Number	Stock Status
05/16/21		20,000	48	Cable, 48-FIBER ALTOS® LITE GEL-FREE CABLE SINGLE JACKET, SINGLE ARMOR WITH FASTACCESS® TECHNOLOGY, BEND INSENSITIVE SMF-28® ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM G652.D/G657.A1 12F/TUBE PRINT IN FT	Corning	048ZUC-T4F22D20	On Order
05/16/21		20,000	48	Cable, 48-FIBER ALTOS® LITE GEL-FREE CABLE SINGLE JACKET, SINGLE ARMOR WITH FASTACCESS® TECHNOLOGY, BEND INSENSITIVE SMF-28® ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM G652.D/G657.A1 12F/TUBE PRINT IN FT	Corning	048ZUC-T4F22D20	On Order
05/16/21		20,000	48	Cable, 48-FIBER ALTOS® LITE GEL-FREE CABLE SINGLE JACKET, SINGLE ARMOR WITH FASTACCESS® TECHNOLOGY, BEND INSENSITIVE SMF-28® ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM G652.D/G657.A1 12F/TUBE PRINT IN FT	Corning	048ZUC-T4F22D20	On Order
05/16/21		20,000	48	Cable, 48-FIBER ALTOS® LITE GEL-FREE CABLE SINGLE JACKET, SINGLE ARMOR WITH FASTACCESS® TECHNOLOGY, BEND INSENSITIVE SMF-28® ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM G652.D/G657.A1 12F/TUBE PRINT IN FT	Corning	048ZUC-T4F22D20	On Order
05/16/21		20,000	48	Cable, 48-FIBER ALTOS® LITE GEL-FREE CABLE SINGLE JACKET, SINGLE ARMOR WITH FASTACCESS® TECHNOLOGY, BEND INSENSITIVE SMF-28® ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM G652.D/G657.A1 12F/TUBE PRINT IN FT	Corning	048ZUC-T4F22D20	On Order
05/23/21		20,000	48	Cable, 48-FIBER ALTOS® LITE GEL-FREE CABLE SINGLE JACKET, SINGLE ARMOR WITH FASTACCESS® TECHNOLOGY, BEND INSENSITIVE SMF-28® ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM G652.D/G657.A1 12F/TUBE PRINT IN FT	Corning	048ZUC-T4F22D20	On Order
05/23/21		20,000	48	Cable, 48-FIBER ALTOS® LITE GEL-FREE CABLE SINGLE JACKET, SINGLE ARMOR WITH FASTACCESS® TECHNOLOGY, BEND INSENSITIVE SMF-28® ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM G652.D/G657.A1 12F/TUBE PRINT IN FT	Corning	048ZUC-T4F22D20	On Order
05/23/21		20,000	48	Cable, 48-FIBER ALTOS® LITE GEL-FREE CABLE SINGLE JACKET, SINGLE ARMOR WITH FASTACCESS® TECHNOLOGY, BEND INSENSITIVE SMF-28® ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM G652.D/G657.A1 12F/TUBE PRINT IN FT	Corning	048ZUC-T4F22D20	On Order
05/23/21		20,000	48	Cable, 48-FIBER ALTOS® LITE GEL-FREE CABLE SINGLE JACKET, SINGLE ARMOR WITH FASTACCESS® TECHNOLOGY, BEND INSENSITIVE SMF-28® ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM G652.D/G657.A1 12F/TUBE PRINT IN FT	Corning	048ZUC-T4F22D20	On Order
05/23/21		20,000	48	Cable, 48-FIBER ALTOS® LITE GEL-FREE CABLE SINGLE JACKET, SINGLE ARMOR WITH FASTACCESS® TECHNOLOGY, BEND INSENSITIVE SMF-28® ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM G652.D/G657.A1 12F/TUBE PRINT IN FT	Corning	048ZUC-T4F22D20	On Order
05/23/21		20,000	48	Cable, 48-FIBER ALTOS® LITE GEL-FREE CABLE SINGLE JACKET, SINGLE ARMOR WITH FASTACCESS® TECHNOLOGY, BEND INSENSITIVE SMF-28® ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM G652.D/G657.A1 12F/TUBE PRINT IN FT	Corning	048ZUC-T4F22D20	On Order

ETA	NovaLight Reel #	Footage	Fiber Count	Description	Manufacturer	Part Number	Stock Status
05/23/21		20,000	48	Cable, 48-FIBER ALTOS® LITE GEL-FREE CABLE SINGLE JACKET, SINGLE ARMOR WITH FASTACCESS® TECHNOLOGY, BEND INSENSITIVE SMF-28® ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM G652.D/G657.A1 12F/TUBE PRINT IN FT	Corning	048ZUC-T4F22D20	On Order
05/23/21		20,000	48	Cable, 48-FIBER ALTOS® LITE GEL-FREE CABLE SINGLE JACKET, SINGLE ARMOR WITH FASTACCESS® TECHNOLOGY, BEND INSENSITIVE SMF-28® ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM G652.D/G657.A1 12F/TUBE PRINT IN FT	Corning	048ZUC-T4F22D20	On Order
05/23/21		20,000	48	Cable, 48-FIBER ALTOS® LITE GEL-FREE CABLE SINGLE JACKET, SINGLE ARMOR WITH FASTACCESS® TECHNOLOGY, BEND INSENSITIVE SMF-28® ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM G652.D/G657.A1 12F/TUBE PRINT IN FT	Corning	048ZUC-T4F22D20	On Order
05/23/21		20,000	48	Cable, 48-FIBER ALTOS® LITE GEL-FREE CABLE SINGLE JACKET, SINGLE ARMOR WITH FASTACCESS® TECHNOLOGY, BEND INSENSITIVE SMF-28® ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM G652.D/G657.A1 12F/TUBE PRINT IN FT	Corning	048ZUC-T4F22D20	On Order
06/13/21		20,000	48	Cable, 48-FIBER ALTOS® LITE GEL-FREE CABLE SINGLE JACKET, SINGLE ARMOR WITH FASTACCESS® TECHNOLOGY, BEND INSENSITIVE SMF-28® ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM G652.D/G657.A1 12F/TUBE PRINT IN FT	Corning	048ZUC-T4F22D20	On Order
06/13/21		20,000	48	Cable, 48-FIBER ALTOS® LITE GEL-FREE CABLE SINGLE JACKET, SINGLE ARMOR WITH FASTACCESS® TECHNOLOGY, BEND INSENSITIVE SMF-28® ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM G652.D/G657.A1 12F/TUBE PRINT IN FT	Corning	048ZUC-T4F22D20	On Order
06/13/21		20,000	48	Cable, 48-FIBER ALTOS® LITE GEL-FREE CABLE SINGLE JACKET, SINGLE ARMOR WITH FASTACCESS® TECHNOLOGY, BEND INSENSITIVE SMF-28® ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM G652.D/G657.A1 12F/TUBE PRINT IN FT	Corning	048ZUC-T4F22D20	On Order
06/13/21		20,000	48	Cable, 48-FIBER ALTOS® LITE GEL-FREE CABLE SINGLE JACKET, SINGLE ARMOR WITH FASTACCESS® TECHNOLOGY, BEND INSENSITIVE SMF-28® ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM G652.D/G657.A1 12F/TUBE PRINT IN FT	Corning	048ZUC-T4F22D20	On Order
06/13/21		20,000	48	Cable, 48-FIBER ALTOS® LITE GEL-FREE CABLE SINGLE JACKET, SINGLE ARMOR WITH FASTACCESS® TECHNOLOGY, BEND INSENSITIVE SMF-28® ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM G652.D/G657.A1 12F/TUBE PRINT IN FT	Corning	048ZUC-T4F22D20	On Order
06/13/21		20,000	48	Cable, 48-FIBER ALTOS® LITE GEL-FREE CABLE SINGLE JACKET, SINGLE ARMOR WITH FASTACCESS® TECHNOLOGY, BEND INSENSITIVE SMF-28® ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM G652.D/G657.A1 12F/TUBE PRINT IN FT	Corning	048ZUC-T4F22D20	On Order
06/13/21		20,000	48	Cable, 48-FIBER ALTOS® LITE GEL-FREE CABLE SINGLE JACKET, SINGLE ARMOR WITH FASTACCESS® TECHNOLOGY, BEND INSENSITIVE SMF-28® ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM G652.D/G657.A1 12F/TUBE PRINT IN FT	Corning	048ZUC-T4F22D20	On Order
06/13/21		20,000	48	Cable, 48-FIBER ALTOS® LITE GEL-FREE CABLE SINGLE JACKET, SINGLE ARMOR WITH FASTACCESS® TECHNOLOGY, BEND INSENSITIVE SMF-28® ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM G652.D/G657.A1 12F/TUBE PRINT IN FT	Corning	048ZUC-T4F22D20	On Order

ETA	NovaLight Reel #	Footage	Fiber Count	Description	Manufacturer	Part Number	Stock Status
06/13/21		20,000	48	Cable, 48-FIBER ALTOS® LITE GEL-FREE CABLE SINGLE JACKET, SINGLE ARMOR WITH FASTACCESS® TECHNOLOGY, BEND INSENSITIVE SMF-28® ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM G652.D/G657.A1 12F/TUBE PRINT IN FT	Corning	048ZUC-T4F22D20	On Order
06/13/21		20,000	48	Cable, 48-FIBER ALTOS® LITE GEL-FREE CABLE SINGLE JACKET, SINGLE ARMOR WITH FASTACCESS® TECHNOLOGY, BEND INSENSITIVE SMF-28® ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM G652.D/G657.A1 12F/TUBE PRINT IN FT	Corning	048ZUC-T4F22D20	On Order
06/13/21		20,000	48	Cable, 48-FIBER ALTOS® LITE GEL-FREE CABLE SINGLE JACKET, SINGLE ARMOR WITH FASTACCESS® TECHNOLOGY, BEND INSENSITIVE SMF-28® ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM G652.D/G657.A1 12F/TUBE PRINT IN FT	Corning	048ZUC-T4F22D20	On Order
06/21/21		20,000	48	Cable, 48-FIBER ALTOS® LITE GEL-FREE CABLE SINGLE JACKET, SINGLE ARMOR WITH FASTACCESS® TECHNOLOGY, BEND INSENSITIVE SMF-28® ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM G652.D/G657.A1 12F/TUBE PRINT IN FT	Corning	048ZUC-T4F22D20	On Order
06/21/21		20,000	48	Cable, 48-FIBER ALTOS® LITE GEL-FREE CABLE SINGLE JACKET, SINGLE ARMOR WITH FASTACCESS® TECHNOLOGY, BEND INSENSITIVE SMF-28® ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM G652.D/G657.A1 12F/TUBE PRINT IN FT	Corning	048ZUC-T4F22D20	On Order
06/21/21		20,000	48	Cable, 48-FIBER ALTOS® LITE GEL-FREE CABLE SINGLE JACKET, SINGLE ARMOR WITH FASTACCESS® TECHNOLOGY, BEND INSENSITIVE SMF-28® ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM G652.D/G657.A1 12F/TUBE PRINT IN FT	Corning	048ZUC-T4F22D20	On Order
06/21/21		20,000	48	Cable, 48-FIBER ALTOS® LITE GEL-FREE CABLE SINGLE JACKET, SINGLE ARMOR WITH FASTACCESS® TECHNOLOGY, BEND INSENSITIVE SMF-28® ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM G652.D/G657.A1 12F/TUBE PRINT IN FT	Corning	048ZUC-T4F22D20	On Order
06/21/21		20,000	48	Cable, 48-FIBER ALTOS® LITE GEL-FREE CABLE SINGLE JACKET, SINGLE ARMOR WITH FASTACCESS® TECHNOLOGY, BEND INSENSITIVE SMF-28® ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM G652.D/G657.A1 12F/TUBE PRINT IN FT	Corning	048ZUC-T4F22D20	On Order
06/21/21		20,000	48	Cable, 48-FIBER ALTOS® LITE GEL-FREE CABLE SINGLE JACKET, SINGLE ARMOR WITH FASTACCESS® TECHNOLOGY, BEND INSENSITIVE SMF-28® ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM G652.D/G657.A1 12F/TUBE PRINT IN FT	Corning	048ZUC-T4F22D20	On Order
06/21/21		20,000	48	Cable, 48-FIBER ALTOS® LITE GEL-FREE CABLE SINGLE JACKET, SINGLE ARMOR WITH FASTACCESS® TECHNOLOGY, BEND INSENSITIVE SMF-28® ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM G652.D/G657.A1 12F/TUBE PRINT IN FT	Corning	048ZUC-T4F22D20	On Order
06/21/21		20,000	48	Cable, 48-FIBER ALTOS® LITE GEL-FREE CABLE SINGLE JACKET, SINGLE ARMOR WITH FASTACCESS® TECHNOLOGY, BEND INSENSITIVE SMF-28® ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM G652.D/G657.A1 12F/TUBE PRINT IN FT	Corning	048ZUC-T4F22D20	On Order
06/21/21		20,000	48	Cable, 48-FIBER ALTOS® LITE GEL-FREE CABLE SINGLE JACKET, SINGLE ARMOR WITH FASTACCESS® TECHNOLOGY, BEND INSENSITIVE SMF-28® ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM G652.D/G657.A1 12F/TUBE PRINT IN FT	Corning	048ZUC-T4F22D20	On Order

ETA	NovaLight Reel #	Footage	Fiber Count	Description	Manufacturer	Part Number	Stock Status
06/21/21		20,000	48	Cable, 48-FIBER ALTOS® LITE GEL-FREE CABLE SINGLE JACKET, SINGLE ARMOR WITH FASTACCESS® TECHNOLOGY, BEND INSENSITIVE SMF-28® ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM G652.D/G657.A1 12F/TUBE PRINT IN FT	Corning	048ZUC-T4F22D20	On Order
06/21/21		20,000	48	Cable, 48-FIBER ALTOS® LITE GEL-FREE CABLE SINGLE JACKET, SINGLE ARMOR WITH FASTACCESS® TECHNOLOGY, BEND INSENSITIVE SMF-28® ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM G652.D/G657.A1 12F/TUBE PRINT IN FT	Corning	048ZUC-T4F22D20	On Order
				72 Fiber Non-Armored OSP:			
12/27/20		20,000	72	Cable, 72F ALTOS® Loose Tube, Gel-Free, All-Dielectric, Non-Armored Cables with Binderless* FastAccess® Technology, 72 F, SMF-28® Ultra fiber, Single-mode (OS2)	Corning	072ZU4-T4F22D20	On Order
12/27/20		20,000	72	Cable, 72F ALTOS® Loose Tube, Gel-Free, All-Dielectric, Non-Armored Cables with Binderless* FastAccess® Technology, 72 F, SMF-28® Ultra fiber, Single-mode (OS2)	Corning	072ZU4-T4F22D20	On Order
				72 Fiber Armored OSP:			
	11443-A	16,540	72	Cable 72F_ FORTEX DT-100% DRY LIGHT ARMOR SINGLE PE JKT, SINGLE ARMOR, DIELECTRIC CENTRAL MEMBER ALLWAVE + - SM_35/31/25 DB/KM @1310/1385/1550NM	OFS	AT-3CEH2YT-072	Sale Pending
	11245	8,764	72	Cable, Fiber Optic.: 72-FIBER ALTOS® LITE# GEL-FREE CABLE SINGLE JACKET, SINGLE ARMOR WITH FASTACCESS® TECHNOLOGY SMF-28® ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM G652.D/G657.A1 12F/TUBE PRINT IN FT	Corning	072ZUC-T4F22D20	Sale Pending
	11345	16,000	72	Cable, Fiber Optic.: 72-FIBER ALTOS® LITE# GEL-FREE CABLE SINGLE JACKET, SINGLE ARMOR WITH FASTACCESS® TECHNOLOGY SMF-28® ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM G652.D/G657.A1 12F/TUBE PRINT IN FT	Corning	072ZUC-T4F22D20	Sale Pending
02/05/21		20,000	72	Cable, Fiber Optic.: 72-FIBER ALTOS® LITE# GEL-FREE CABLE SINGLE JACKET, SINGLE ARMOR WITH FASTACCESS® TECHNOLOGY SMF-28® ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM G652.D/G657.A1 12F/TUBE PRINT IN FT	Corning	072ZUC-T4F22D20	On Order
02/05/21		20,000	72	Cable, Fiber Optic.: 72-FIBER ALTOS® LITE# GEL-FREE CABLE SINGLE JACKET, SINGLE ARMOR WITH FASTACCESS® TECHNOLOGY SMF-28® ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM G652.D/G657.A1 12F/TUBE PRINT IN FT	Corning	072ZUC-T4F22D20	On Order
02/22/21		20,000	72	Cable, Fiber Optic.: 72-FIBER ALTOS® LITE# GEL-FREE CABLE SINGLE JACKET, SINGLE ARMOR WITH FASTACCESS® TECHNOLOGY SMF-28® ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM G652.D/G657.A1 12F/TUBE PRINT IN FT	Corning	072ZUC-T4F22D20	On Order

ETA	NovaLight Reel #	Footage	Fiber Count	Description	Manufacturer	Part Number	Stock Status
02/22/21		20,000	72	Cable, Fiber Optic. : 72-FIBER ALTOS® LITE# GEL-FREE CABLE SINGLE JACKET, SINGLE ARMOR WITH FASTACCESS® TECHNOLOGY SMF-28® ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM G652.D/G657.A1 12F/TUBE PRINT IN FT	Corning	072ZUC-T4F22D20	On Order
03/12/21		20,000	72	Cable, Fiber Optic. : 72-FIBER ALTOS® LITE# GEL-FREE CABLE SINGLE JACKET, SINGLE ARMOR WITH FASTACCESS® TECHNOLOGY SMF-28® ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM G652.D/G657.A1 12F/TUBE PRINT IN FT	Corning	072ZUC-T4F22D20	On Order
03/12/21		20,000	72	Cable, Fiber Optic. : 72-FIBER ALTOS® LITE# GEL-FREE CABLE SINGLE JACKET, SINGLE ARMOR WITH FASTACCESS® TECHNOLOGY SMF-28® ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM G652.D/G657.A1 12F/TUBE PRINT IN FT	Corning	072ZUC-T4F22D20	On Order
04/25/21		20,000	72	Cable, Fiber Optic. : 72-FIBER ALTOS® LITE# GEL-FREE CABLE SINGLE JACKET, SINGLE ARMOR WITH FASTACCESS® TECHNOLOGY SMF-28® ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM G652.D/G657.A1 12F/TUBE PRINT IN FT	Corning	072ZUC-T4F22D20	On Order
04/25/21		20,000	72	Cable, Fiber Optic. : 72-FIBER ALTOS® LITE# GEL-FREE CABLE SINGLE JACKET, SINGLE ARMOR WITH FASTACCESS® TECHNOLOGY SMF-28® ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM G652.D/G657.A1 12F/TUBE PRINT IN FT	Corning	072ZUC-T4F22D20	On Order
04/25/21		20,000	72	Cable, Fiber Optic. : 72-FIBER ALTOS® LITE# GEL-FREE CABLE SINGLE JACKET, SINGLE ARMOR WITH FASTACCESS® TECHNOLOGY SMF-28® ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM G652.D/G657.A1 12F/TUBE PRINT IN FT	Corning	072ZUC-T4F22D20	On Order
04/25/21		20,000	72	Cable, Fiber Optic. : 72-FIBER ALTOS® LITE# GEL-FREE CABLE SINGLE JACKET, SINGLE ARMOR WITH FASTACCESS® TECHNOLOGY SMF-28® ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM G652.D/G657.A1 12F/TUBE PRINT IN FT	Corning	072ZUC-T4F22D20	On Order
04/25/21		20,000	72	Cable, Fiber Optic. : 72-FIBER ALTOS® LITE# GEL-FREE CABLE SINGLE JACKET, SINGLE ARMOR WITH FASTACCESS® TECHNOLOGY SMF-28® ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM G652.D/G657.A1 12F/TUBE PRINT IN FT	Corning	072ZUC-T4F22D20	On Order
05/23/21		20,000	72	Cable, Fiber Optic. : 72-FIBER ALTOS® LITE# GEL-FREE CABLE SINGLE JACKET, SINGLE ARMOR WITH FASTACCESS® TECHNOLOGY SMF-28® ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM G652.D/G657.A1 12F/TUBE PRINT IN FT	Corning	072ZUC-T4F22D20	On Order
05/23/21		20,000	72	Cable, Fiber Optic. : 72-FIBER ALTOS® LITE# GEL-FREE CABLE SINGLE JACKET, SINGLE ARMOR WITH FASTACCESS® TECHNOLOGY SMF-28® ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM G652.D/G657.A1 12F/TUBE PRINT IN FT	Corning	072ZUC-T4F22D20	On Order
05/23/21		20,000	72	Cable, Fiber Optic. : 72-FIBER ALTOS® LITE# GEL-FREE CABLE SINGLE JACKET, SINGLE ARMOR WITH FASTACCESS® TECHNOLOGY SMF-28® ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM G652.D/G657.A1 12F/TUBE PRINT IN FT	Corning	072ZUC-T4F22D20	On Order
05/23/21		20,000	72	Cable, Fiber Optic. : 72-FIBER ALTOS® LITE# GEL-FREE CABLE SINGLE JACKET, SINGLE ARMOR WITH FASTACCESS® TECHNOLOGY SMF-28® ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM G652.D/G657.A1 12F/TUBE PRINT IN FT	Corning	072ZUC-T4F22D20	On Order

ETA	NovaLight Reel #	Footage	Fiber Count	Description	Manufacturer	Part Number	Stock Status
06/21/21		20,000	72	Cable, Fiber Optic.: 72-FIBER ALTOS® LITE# GEL-FREE CABLE SINGLE JACKET, SINGLE ARMOR WITH FASTACCESS® TECHNOLOGY SMF-28® ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM G652.D/G657.A1 12F/TUBE PRINT IN FT	Corning	072ZUC-T4F22D20	On Order
06/21/21		20,000	72	Cable, Fiber Optic.: 72-FIBER ALTOS® LITE# GEL-FREE CABLE SINGLE JACKET, SINGLE ARMOR WITH FASTACCESS® TECHNOLOGY SMF-28® ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM G652.D/G657.A1 12F/TUBE PRINT IN FT	Corning	072ZUC-T4F22D20	On Order
06/21/21		20,000	72	Cable, Fiber Optic.: 72-FIBER ALTOS® LITE# GEL-FREE CABLE SINGLE JACKET, SINGLE ARMOR WITH FASTACCESS® TECHNOLOGY SMF-28® ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM G652.D/G657.A1 12F/TUBE PRINT IN FT	Corning	072ZUC-T4F22D20	On Order
06/21/21		20,000	72	Cable, Fiber Optic.: 72-FIBER ALTOS® LITE# GEL-FREE CABLE SINGLE JACKET, SINGLE ARMOR WITH FASTACCESS® TECHNOLOGY SMF-28® ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM G652.D/G657.A1 12F/TUBE PRINT IN FT	Corning	072ZUC-T4F22D20	On Order
				96 Fiber Non-Armored OSP:			
12/27/20		20,000	96	Cable, 96F, Fiber Optic, ALTOS® GEL-FREE CABLE ALL DIELECTRIC SINGLE JACKET SMF-28® ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM - Corning	Corning	096ZU4-T4122D20	Sale Pending
01/20/21		20,000	96	Cable, Fiber Optic, FORTEX DT-100% DRY SINGLE JKT SINGLE PE JKT, DIELECTRIC CENTRAL MEMBER ALL WAVE + .35/.31/.25 db/km@1310/1385/1550 G.657.A1	OFS	AT-3CE12YT-096	On Order
01/25/21		20,000	96	Cable, 96F, Fiber Optic, ALTOS® GEL-FREE CABLE ALL DIELECTRIC SINGLE JACKET SMF-28® ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM - Corning	Corning	096ZU4-T4122D20	Sale Pending
02/18/21		20,000	96	Cable, Fiber Optic, FORTEX DT-100% DRY SINGLE JKT SINGLE PE JKT, DIELECTRIC CENTRAL MEMBER ALL WAVE + .35/.31/.25 db/km@1310/1385/1550 G.657.A1	OFS	AT-3CE12YT-096	On Order
02/22/20		20,000	96	Cable, 96F, Fiber Optic, ALTOS® GEL-FREE CABLE ALL DIELECTRIC SINGLE JACKET SMF-28® ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM - Corning	Corning	096ZU4-T4122D20	On Order
03/12/21		20,000	96	Cable, 96F, Fiber Optic, ALTOS® GEL-FREE CABLE ALL DIELECTRIC SINGLE JACKET SMF-28® ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM - Corning	Corning	096ZU4-T4122D20	On Order
03/18/21		20,000	96	Cable, Fiber Optic, FORTEX DT-100% DRY SINGLE JKT SINGLE PE JKT, DIELECTRIC CENTRAL MEMBER ALL WAVE + .35/.31/.25 db/km@1310/1385/1550 G.657.A1	OFS	AT-3CE12YT-096	On Order

ETA	NovaLight Reel #	Footage	Fiber Count	Description	Manufacturer	Part Number	Stock Status
04/18/21		20,000	96	Cable, 96F, Fiber Optic, ALTOS® GEL-FREE CABLE ALL DIELECTRIC SINGLE JACKET SMF-28® ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM - Corning	Corning	096ZU4-T4122D20	On Order
05/17/21		20,000	96	Cable, 96F, Fiber Optic, ALTOS® GEL-FREE CABLE ALL DIELECTRIC SINGLE JACKET SMF-28® ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM - Corning	Corning	096ZU4-T4122D20	On Order
06/22/21		20,000	96	Cable, 96F, Fiber Optic, ALTOS® GEL-FREE CABLE ALL DIELECTRIC SINGLE JACKET SMF-28® ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM - Corning	Corning	096ZU4-T4122D20	On Order
				96 Fiber Micro Cable:			
	10448	20,270	96	Cable, Fiber Optic, Micro Fiber, 96, Loose Tube Single Mode Corning SMF-28e glass, All Dielectric, 12 fibers per tube, HDPE jacket, 6.2 mm OD	Teldor	F9096080HB	In Stock
	10449	20,152	96	Cable, Fiber Optic, Micro Fiber, 96, Loose Tube Single Mode Corning SMF-28e glass, All Dielectric, 12 fibers per tube, HDPE jacket, 6.2 mm OD	Teldor	F9096080HB	In Stock
	10452	20,178	96	Cable, Fiber Optic, Micro Fiber, 96, Loose Tube Single Mode Corning SMF-28e glass, All Dielectric, 12 fibers per tube, HDPE jacket, 6.2 mm OD	Teldor	F9096080HB	In Stock
	11467	17,188	96	Cable, Fiber Optic. 96 fiber, SMF-28 ULTRA fibers, MiniXtend loose tube micro cable, gel free	Corning	096ZM4-T4F22A20	In Stock
	11423	12,154	96	Cable, Fiber Optic. 96 fiber, SMF-28 ULTRA fibers, MiniXtend loose tube micro cable, gel free	Corning	096ZM4-T4F22A20	In Stock
				96 Fiber Armored OSP:			
	11019	20,418	96	Cable, DRY/DRY 96 Fiber, SM, Loose Tube, Single Armor/Single Jacket, Dry-Dry, Water-Swellable Matl, Dielectric CSM, 12 Fibers per Tube, HDPE Jacket, 600 lb Tensile DRC-9-08X12-D-ZRP-D BK	teldor	F909608E7B	Sale Pending
	11021	20,414	96	Cable, DRY/DRY 96 Fiber, SM, Loose Tube, Single Armor/Single Jacket, Dry-Dry, Water-Swellable Matl, Dielectric CSM, 12 Fibers per Tube, HDPE Jacket, 600 lb Tensile DRC-9-08X12-D-ZRP-D BK	teldor	F909608E7B	Sale Pending
	11310	20,014	96	Cable, DRY/DRY 96 Fiber, SM, Loose Tube, Single Armor/Single Jacket, Dry-Dry, Water-Swellable Matl, Dielectric CSM, 12 Fibers per Tube, HDPE Jacket, 600 lb Tensile DRC-9-08X12-D-ZRP-D BK	teldor	F909608E7B	In Stock
	11311	20,408	96	Cable, DRY/DRY 96 Fiber, SM, Loose Tube, Single Armor/Single Jacket, Dry-Dry, Water-Swellable Matl, Dielectric CSM, 12 Fibers per Tube, HDPE Jacket, 600 lb Tensile DRC-9-08X12-D-ZRP-D BK	teldor	F909608E7B	In Stock

ETA	NovaLight Reel #	Footage	Fiber Count	Description	Manufacturer	Part Number	Stock Status
	11312	20,188	96	Cable, DRY/DRY 96 Fiber, SM, Loose Tube, Single Armor/Single Jacket, Dry-Dry, Water-Swellable Matl, Dielectric CSM, 12 Fibers per Tube, HDPE Jacket, 600 lb Tensile DRC-9-08X12-D-ZRP-D BK	teldor	F909608E7B	In Stock
	11355	18,528	96	Cable, DRY/DRY 96 Fiber, SM, Loose Tube, Single Armor/Single Jacket, Dry-Dry, Water-Swellable Matl, Dielectric CSM, 12 Fibers per Tube, HDPE Jacket, 600 lb Tensile DRC-9-08X12-D-ZRP-D BK	teldor	F909608E7B	In Stock
	11356	20,454	96	Cable, DRY/DRY 96 Fiber, SM, Loose Tube, Single Armor/Single Jacket, Dry-Dry, Water-Swellable Matl, Dielectric CSM, 12 Fibers per Tube, HDPE Jacket, 600 lb Tensile DRC-9-08X12-D-ZRP-D BK	teldor	F909608E7B	In Stock
1/2/20		15,343	96	Cable, Fiber Optic. 96 fiber, Single Jacket/ Single Armor, Dry, loose Tube SMF-28e ESM glass	Corning	096EUC-T4100D53	On Order
01/08/21		20,000	96	"Cable, Fiber Optic. 96-Fiber ALTOS® Gel-Free Cable 2.5 mm Buffer Armor Lite# Single-Jacket/Single-Armor SMFe 0.33/0.33/0.19 dB/km G.652.D12f/tube Print in ft"	Corning	096ZUC-T4122D20	On Order
01/08/21		20,000	96	"Cable, Fiber Optic. 96-Fiber ALTOS® Gel-Free Cable 2.5 mm Buffer Armor Lite# Single-Jacket/Single-Armor SMFe 0.33/0.33/0.19 dB/km G.652.D12f/tube Print in ft"	Corning	096ZUC-T4122D20	On Order
01/08/21		20,000	96	"Cable, Fiber Optic. 96-Fiber ALTOS® Gel-Free Cable 2.5 mm Buffer Armor Lite# Single-Jacket/Single-Armor SMFe 0.33/0.33/0.19 dB/km G.652.D12f/tube Print in ft"	Corning	096ZUC-T4122D20	On Order
01/08/21		20,000	96	"Cable, Fiber Optic. 96-Fiber ALTOS® Gel-Free Cable 2.5 mm Buffer Armor Lite# Single-Jacket/Single-Armor SMFe 0.33/0.33/0.19 dB/km G.652.D12f/tube Print in ft"	Corning	096ZUC-T4122D20	On Order
01/08/21		20,000	96	"Cable, Fiber Optic. 96-Fiber ALTOS® Gel-Free Cable 2.5 mm Buffer Armor Lite# Single-Jacket/Single-Armor SMFe 0.33/0.33/0.19 dB/km G.652.D12f/tube Print in ft"	Corning	096ZUC-T4122D20	On Order
01/08/21		20,000	96	"Cable, Fiber Optic. 96-Fiber ALTOS® Gel-Free Cable 2.5 mm Buffer Armor Lite# Single-Jacket/Single-Armor SMFe 0.33/0.33/0.19 dB/km G.652.D12f/tube Print in ft"	Corning	096ZUC-T4122D20	On Order
01/08/21		20,000	96	"Cable, Fiber Optic. 96-Fiber ALTOS® Gel-Free Cable 2.5 mm Buffer Armor Lite# Single-Jacket/Single-Armor SMFe 0.33/0.33/0.19 dB/km G.652.D12f/tube Print in ft"	Corning	096ZUC-T4122D20	On Order
01/08/21		20,000	96	"Cable, Fiber Optic. 96-Fiber ALTOS® Gel-Free Cable 2.5 mm Buffer Armor Lite# Single-Jacket/Single-Armor SMFe 0.33/0.33/0.19 dB/km G.652.D12f/tube Print in ft"	Corning	096ZUC-T4122D20	On Order
01/08/21		20,000	96	"Cable, Fiber Optic. 96-Fiber ALTOS® Gel-Free Cable 2.5 mm Buffer Armor Lite# Single-Jacket/Single-Armor SMFe 0.33/0.33/0.19 dB/km G.652.D12f/tube Print in ft"	Corning	096ZUC-T4122D20	On Order
01/08/21		20,000	96	"Cable, Fiber Optic. 96-Fiber ALTOS® Gel-Free Cable 2.5 mm Buffer Armor Lite# Single-Jacket/Single-Armor SMFe 0.33/0.33/0.19 dB/km G.652.D12f/tube Print in ft"	Corning	096ZUC-T4122D20	On Order
01/20/20		20,000	96	Cable 96F_ Fortex DT-100% Dry Light Armor Single PE Jkt, Single Armor, Dielectric Central Member ALLWAVE + SM-.35/31/25 db/km@1310/1385/1550	OFS	AT-3CEH2YT-096	On Order

ETA	NovaLight Reel #	Footage	Fiber Count	Description	Manufacturer	Part Number	Stock Status
01/20/20		20,000	96	Cable 96F_ Fortex DT-100% Dry Light Armor Single PE Jkt, Single Armor, Dielectric Central Member ALLWAVE + SM-.35/31/25 db/km@1310/1385/1550	OFS	AT-3CEH2YT-096	On Order
01/20/20		20,000	96	Cable 96F_ Fortex DT-100% Dry Light Armor Single PE Jkt, Single Armor, Dielectric Central Member ALLWAVE + SM-.35/31/25 db/km@1310/1385/1550	OFS	AT-3CEH2YT-096	On Order
02/08/21		20,000	96	"Cable, Fiber Optic. 96-Fiber ALTOS® Gel-Free Cable 2.5 mm Buffer Armor Lite# Single-Jacket/Single-Armor SMFe 0.33/0.33/0.19 dB/km G.652.D12f/tube Print in ft"	Corning	096ZUC-T4122D20	On Order
02/08/21		20,000	96	"Cable, Fiber Optic. 96-Fiber ALTOS® Gel-Free Cable 2.5 mm Buffer Armor Lite# Single-Jacket/Single-Armor SMFe 0.33/0.33/0.19 dB/km G.652.D12f/tube Print in ft"	Corning	096ZUC-T4122D20	On Order
02/08/21		20,000	96	"Cable, Fiber Optic. 96-Fiber ALTOS® Gel-Free Cable 2.5 mm Buffer Armor Lite# Single-Jacket/Single-Armor SMFe 0.33/0.33/0.19 dB/km G.652.D12f/tube Print in ft"	Corning	096ZUC-T4122D20	On Order
02/08/21		20,000	96	"Cable, Fiber Optic. 96-Fiber ALTOS® Gel-Free Cable 2.5 mm Buffer Armor Lite# Single-Jacket/Single-Armor SMFe 0.33/0.33/0.19 dB/km G.652.D12f/tube Print in ft"	Corning	096ZUC-T4122D20	On Order
02/08/21		20,000	96	"Cable, Fiber Optic. 96-Fiber ALTOS® Gel-Free Cable 2.5 mm Buffer Armor Lite# Single-Jacket/Single-Armor SMFe 0.33/0.33/0.19 dB/km G.652.D12f/tube Print in ft"	Corning	096ZUC-T4122D20	On Order
02/08/21		20,000	96	"Cable, Fiber Optic. 96-Fiber ALTOS® Gel-Free Cable 2.5 mm Buffer Armor Lite# Single-Jacket/Single-Armor SMFe 0.33/0.33/0.19 dB/km G.652.D12f/tube Print in ft"	Corning	096ZUC-T4122D20	On Order
02/08/21		20,000	96	"Cable, Fiber Optic. 96-Fiber ALTOS® Gel-Free Cable 2.5 mm Buffer Armor Lite# Single-Jacket/Single-Armor SMFe 0.33/0.33/0.19 dB/km G.652.D12f/tube Print in ft"	Corning	096ZUC-T4122D20	On Order
02/08/21		20,000	96	"Cable, Fiber Optic. 96-Fiber ALTOS® Gel-Free Cable 2.5 mm Buffer Armor Lite# Single-Jacket/Single-Armor SMFe 0.33/0.33/0.19 dB/km G.652.D12f/tube Print in ft"	Corning	096ZUC-T4122D20	On Order
02/08/21		20,000	96	"Cable, Fiber Optic. 96-Fiber ALTOS® Gel-Free Cable 2.5 mm Buffer Armor Lite# Single-Jacket/Single-Armor SMFe 0.33/0.33/0.19 dB/km G.652.D12f/tube Print in ft"	Corning	096ZUC-T4122D20	On Order
02/08/21		20,000	96	"Cable, Fiber Optic. 96-Fiber ALTOS® Gel-Free Cable 2.5 mm Buffer Armor Lite# Single-Jacket/Single-Armor SMFe 0.33/0.33/0.19 dB/km G.652.D12f/tube Print in ft"	Corning	096ZUC-T4122D20	On Order
02/08/21		20,000	96	"Cable, Fiber Optic. 96-Fiber ALTOS® Gel-Free Cable 2.5 mm Buffer Armor Lite# Single-Jacket/Single-Armor SMFe 0.33/0.33/0.19 dB/km G.652.D12f/tube Print in ft"	Corning	096ZUC-T4122D20	On Order
02/18/21		20,000	96	Cable 96F_ Fortex DT-100% Dry Light Armor Single PE Jkt, Single Armor, Dielectric Central Member ALLWAVE + SM-.35/31/25 db/km@1310/1385/1550	OFS	AT-3CEH2YT-096	On Order
02/18/21		20,000	96	Cable 96F_ Fortex DT-100% Dry Light Armor Single PE Jkt, Single Armor, Dielectric Central Member ALLWAVE + SM-.35/31/25 db/km@1310/1385/1550	OFS	AT-3CEH2YT-096	On Order

ETA	NovaLight Reel #	Footage	Fiber Count	Description	Manufacturer	Part Number	Stock Status
02/18/21		20,000	96	Cable 96F_ Fortex DT-100% Dry Light Armor Single PE Jkt, Single Armor, Dielectric Central Member ALLWAVE + SM-.35/31/25 db/km@1310/1385/1550	OFS	AT-3CEH2YT-096	On Order
03/12/21		20,000	96	"Cable, Fiber Optic. 96-Fiber ALTOS® Gel-Free Cable 2.5 mm Buffer Armor Lite# Single-Jacket/Single-Armor SMFe 0.33/0.33/0.19 dB/km G.652.D12f/tube Print in ft"	Corning	096ZUC-T4122D20	On Order
03/12/21		20,000	96	"Cable, Fiber Optic. 96-Fiber ALTOS® Gel-Free Cable 2.5 mm Buffer Armor Lite# Single-Jacket/Single-Armor SMFe 0.33/0.33/0.19 dB/km G.652.D12f/tube Print in ft"	Corning	096ZUC-T4122D20	On Order
03/12/21		20,000	96	"Cable, Fiber Optic. 96-Fiber ALTOS® Gel-Free Cable 2.5 mm Buffer Armor Lite# Single-Jacket/Single-Armor SMFe 0.33/0.33/0.19 dB/km G.652.D12f/tube Print in ft"	Corning	096ZUC-T4122D20	On Order
03/12/21		20,000	96	"Cable, Fiber Optic. 96-Fiber ALTOS® Gel-Free Cable 2.5 mm Buffer Armor Lite# Single-Jacket/Single-Armor SMFe 0.33/0.33/0.19 dB/km G.652.D12f/tube Print in ft"	Corning	096ZUC-T4122D20	On Order
03/12/21		20,000	96	"Cable, Fiber Optic. 96-Fiber ALTOS® Gel-Free Cable 2.5 mm Buffer Armor Lite# Single-Jacket/Single-Armor SMFe 0.33/0.33/0.19 dB/km G.652.D12f/tube Print in ft"	Corning	096ZUC-T4122D20	On Order
03/12/21		20,000	96	"Cable, Fiber Optic. 96-Fiber ALTOS® Gel-Free Cable 2.5 mm Buffer Armor Lite# Single-Jacket/Single-Armor SMFe 0.33/0.33/0.19 dB/km G.652.D12f/tube Print in ft"	Corning	096ZUC-T4122D20	On Order
03/12/21		20,000	96	"Cable, Fiber Optic. 96-Fiber ALTOS® Gel-Free Cable 2.5 mm Buffer Armor Lite# Single-Jacket/Single-Armor SMFe 0.33/0.33/0.19 dB/km G.652.D12f/tube Print in ft"	Corning	096ZUC-T4122D20	On Order
03/12/21		20,000	96	"Cable, Fiber Optic. 96-Fiber ALTOS® Gel-Free Cable 2.5 mm Buffer Armor Lite# Single-Jacket/Single-Armor SMFe 0.33/0.33/0.19 dB/km G.652.D12f/tube Print in ft"	Corning	096ZUC-T4122D20	On Order
03/12/21		20,000	96	"Cable, Fiber Optic. 96-Fiber ALTOS® Gel-Free Cable 2.5 mm Buffer Armor Lite# Single-Jacket/Single-Armor SMFe 0.33/0.33/0.19 dB/km G.652.D12f/tube Print in ft"	Corning	096ZUC-T4122D20	On Order
03/12/21		20,000	96	"Cable, Fiber Optic. 96-Fiber ALTOS® Gel-Free Cable 2.5 mm Buffer Armor Lite# Single-Jacket/Single-Armor SMFe 0.33/0.33/0.19 dB/km G.652.D12f/tube Print in ft"	Corning	096ZUC-T4122D20	On Order
03/12/21		20,000	96	"Cable, Fiber Optic. 96-Fiber ALTOS® Gel-Free Cable 2.5 mm Buffer Armor Lite# Single-Jacket/Single-Armor SMFe 0.33/0.33/0.19 dB/km G.652.D12f/tube Print in ft"	Corning	096ZUC-T4122D20	On Order
03/18/21		20,000	96	Cable 96F_ Fortex DT-100% Dry Light Armor Single PE Jkt, Single Armor, Dielectric Central Member ALLWAVE + SM-.35/31/25 db/km@1310/1385/1550	OFS	AT-3CEH2YT-096	On Order
03/18/21		20,000	96	Cable 96F_ Fortex DT-100% Dry Light Armor Single PE Jkt, Single Armor, Dielectric Central Member ALLWAVE + SM-.35/31/25 db/km@1310/1385/1550	OFS	AT-3CEH2YT-096	On Order
03/18/21		20,000	96	Cable 96F_ Fortex DT-100% Dry Light Armor Single PE Jkt, Single Armor, Dielectric Central Member ALLWAVE + SM-.35/31/25 db/km@1310/1385/1550	OFS	AT-3CEH2YT-096	On Order

ETA	NovaLight Reel #	Footage	Fiber Count	Description	Manufacturer	Part Number	Stock Status
04/18/21		20,000	96	"Cable, Fiber Optic. 96-Fiber ALTOS® Gel-Free Cable 2.5 mm Buffer Armor Lite# Single-Jacket/Single-Armor SMFe 0.33/0.33/0.19 dB/km G.652.D12f/tube Print in ft"	Corning	096ZUC-T4122D20	On Order
04/18/21		20,000	96	"Cable, Fiber Optic. 96-Fiber ALTOS® Gel-Free Cable 2.5 mm Buffer Armor Lite# Single-Jacket/Single-Armor SMFe 0.33/0.33/0.19 dB/km G.652.D12f/tube Print in ft"	Corning	096ZUC-T4122D20	On Order
04/18/21		20,000	96	"Cable, Fiber Optic. 96-Fiber ALTOS® Gel-Free Cable 2.5 mm Buffer Armor Lite# Single-Jacket/Single-Armor SMFe 0.33/0.33/0.19 dB/km G.652.D12f/tube Print in ft"	Corning	096ZUC-T4122D20	On Order
04/18/21		20,000	96	"Cable, Fiber Optic. 96-Fiber ALTOS® Gel-Free Cable 2.5 mm Buffer Armor Lite# Single-Jacket/Single-Armor SMFe 0.33/0.33/0.19 dB/km G.652.D12f/tube Print in ft"	Corning	096ZUC-T4122D20	On Order
04/18/21		20,000	96	"Cable, Fiber Optic. 96-Fiber ALTOS® Gel-Free Cable 2.5 mm Buffer Armor Lite# Single-Jacket/Single-Armor SMFe 0.33/0.33/0.19 dB/km G.652.D12f/tube Print in ft"	Corning	096ZUC-T4122D20	On Order
04/18/21		20,000	96	"Cable, Fiber Optic. 96-Fiber ALTOS® Gel-Free Cable 2.5 mm Buffer Armor Lite# Single-Jacket/Single-Armor SMFe 0.33/0.33/0.19 dB/km G.652.D12f/tube Print in ft"	Corning	096ZUC-T4122D20	On Order
04/18/21		20,000	96	"Cable, Fiber Optic. 96-Fiber ALTOS® Gel-Free Cable 2.5 mm Buffer Armor Lite# Single-Jacket/Single-Armor SMFe 0.33/0.33/0.19 dB/km G.652.D12f/tube Print in ft"	Corning	096ZUC-T4122D20	On Order
04/18/21		20,000	96	"Cable, Fiber Optic. 96-Fiber ALTOS® Gel-Free Cable 2.5 mm Buffer Armor Lite# Single-Jacket/Single-Armor SMFe 0.33/0.33/0.19 dB/km G.652.D12f/tube Print in ft"	Corning	096ZUC-T4122D20	On Order
04/18/21		20,000	96	"Cable, Fiber Optic. 96-Fiber ALTOS® Gel-Free Cable 2.5 mm Buffer Armor Lite# Single-Jacket/Single-Armor SMFe 0.33/0.33/0.19 dB/km G.652.D12f/tube Print in ft"	Corning	096ZUC-T4122D20	On Order
04/18/21		20,000	96	"Cable, Fiber Optic. 96-Fiber ALTOS® Gel-Free Cable 2.5 mm Buffer Armor Lite# Single-Jacket/Single-Armor SMFe 0.33/0.33/0.19 dB/km G.652.D12f/tube Print in ft"	Corning	096ZUC-T4122D20	On Order
04/18/21		20,000	96	"Cable, Fiber Optic. 96-Fiber ALTOS® Gel-Free Cable 2.5 mm Buffer Armor Lite# Single-Jacket/Single-Armor SMFe 0.33/0.33/0.19 dB/km G.652.D12f/tube Print in ft"	Corning	096ZUC-T4122D20	On Order
04/25/21		20,000	96	"Cable, Fiber Optic. 96-Fiber ALTOS® Gel-Free Cable 2.5 mm Buffer Armor Lite# Single-Jacket/Single-Armor SMFe 0.33/0.33/0.19 dB/km G.652.D12f/tube Print in ft"	Corning	096ZUC-T4122D20	On Order
04/25/21		20,000	96	"Cable, Fiber Optic. 96-Fiber ALTOS® Gel-Free Cable 2.5 mm Buffer Armor Lite# Single-Jacket/Single-Armor SMFe 0.33/0.33/0.19 dB/km G.652.D12f/tube Print in ft"	Corning	096ZUC-T4122D20	On Order
04/25/21		20,000	96	"Cable, Fiber Optic. 96-Fiber ALTOS® Gel-Free Cable 2.5 mm Buffer Armor Lite# Single-Jacket/Single-Armor SMFe 0.33/0.33/0.19 dB/km G.652.D12f/tube Print in ft"	Corning	096ZUC-T4122D20	On Order
04/25/21		20,000	96	"Cable, Fiber Optic. 96-Fiber ALTOS® Gel-Free Cable 2.5 mm Buffer Armor Lite# Single-Jacket/Single-Armor SMFe 0.33/0.33/0.19 dB/km G.652.D12f/tube Print in ft"	Corning	096ZUC-T4122D20	On Order

ETA	NovaLight Reel #	Footage	Fiber Count	Description	Manufacturer	Part Number	Stock Status
04/25/21		20,000	96	"Cable, Fiber Optic. 96-Fiber ALTOS® Gel-Free Cable 2.5 mm Buffer Armor Lite# Single-Jacket/Single-Armor SMFe 0.33/0.33/0.19 dB/km G.652.D12f/tube Print in ft"	Corning	096ZUC-T4122D20	On Order
04/25/21		20,000	96	"Cable, Fiber Optic. 96-Fiber ALTOS® Gel-Free Cable 2.5 mm Buffer Armor Lite# Single-Jacket/Single-Armor SMFe 0.33/0.33/0.19 dB/km G.652.D12f/tube Print in ft"	Corning	096ZUC-T4122D20	On Order
04/25/21		20,000	96	"Cable, Fiber Optic. 96-Fiber ALTOS® Gel-Free Cable 2.5 mm Buffer Armor Lite# Single-Jacket/Single-Armor SMFe 0.33/0.33/0.19 dB/km G.652.D12f/tube Print in ft"	Corning	096ZUC-T4122D20	On Order
04/25/21		20,000	96	"Cable, Fiber Optic. 96-Fiber ALTOS® Gel-Free Cable 2.5 mm Buffer Armor Lite# Single-Jacket/Single-Armor SMFe 0.33/0.33/0.19 dB/km G.652.D12f/tube Print in ft"	Corning	096ZUC-T4122D20	On Order
04/25/21		20,000	96	"Cable, Fiber Optic. 96-Fiber ALTOS® Gel-Free Cable 2.5 mm Buffer Armor Lite# Single-Jacket/Single-Armor SMFe 0.33/0.33/0.19 dB/km G.652.D12f/tube Print in ft"	Corning	096ZUC-T4122D20	On Order
04/25/21		20,000	96	"Cable, Fiber Optic. 96-Fiber ALTOS® Gel-Free Cable 2.5 mm Buffer Armor Lite# Single-Jacket/Single-Armor SMFe 0.33/0.33/0.19 dB/km G.652.D12f/tube Print in ft"	Corning	096ZUC-T4122D20	On Order
05/23/21		20,000	96	"Cable, Fiber Optic. 96-Fiber ALTOS® Gel-Free Cable 2.5 mm Buffer Armor Lite# Single-Jacket/Single-Armor SMFe 0.33/0.33/0.19 dB/km G.652.D12f/tube Print in ft"	Corning	096ZUC-T4122D20	On Order
05/23/21		20,000	96	"Cable, Fiber Optic. 96-Fiber ALTOS® Gel-Free Cable 2.5 mm Buffer Armor Lite# Single-Jacket/Single-Armor SMFe 0.33/0.33/0.19 dB/km G.652.D12f/tube Print in ft"	Corning	096ZUC-T4122D20	On Order
05/23/21		20,000	96	"Cable, Fiber Optic. 96-Fiber ALTOS® Gel-Free Cable 2.5 mm Buffer Armor Lite# Single-Jacket/Single-Armor SMFe 0.33/0.33/0.19 dB/km G.652.D12f/tube Print in ft"	Corning	096ZUC-T4122D20	On Order
05/23/21		20,000	96	"Cable, Fiber Optic. 96-Fiber ALTOS® Gel-Free Cable 2.5 mm Buffer Armor Lite# Single-Jacket/Single-Armor SMFe 0.33/0.33/0.19 dB/km G.652.D12f/tube Print in ft"	Corning	096ZUC-T4122D20	On Order
05/23/21		20,000	96	"Cable, Fiber Optic. 96-Fiber ALTOS® Gel-Free Cable 2.5 mm Buffer Armor Lite# Single-Jacket/Single-Armor SMFe 0.33/0.33/0.19 dB/km G.652.D12f/tube Print in ft"	Corning	096ZUC-T4122D20	On Order
05/23/21		20,000	96	"Cable, Fiber Optic. 96-Fiber ALTOS® Gel-Free Cable 2.5 mm Buffer Armor Lite# Single-Jacket/Single-Armor SMFe 0.33/0.33/0.19 dB/km G.652.D12f/tube Print in ft"	Corning	096ZUC-T4122D20	On Order
05/23/21		20,000	96	"Cable, Fiber Optic. 96-Fiber ALTOS® Gel-Free Cable 2.5 mm Buffer Armor Lite# Single-Jacket/Single-Armor SMFe 0.33/0.33/0.19 dB/km G.652.D12f/tube Print in ft"	Corning	096ZUC-T4122D20	On Order
05/23/21		20,000	96	"Cable, Fiber Optic. 96-Fiber ALTOS® Gel-Free Cable 2.5 mm Buffer Armor Lite# Single-Jacket/Single-Armor SMFe 0.33/0.33/0.19 dB/km G.652.D12f/tube Print in ft"	Corning	096ZUC-T4122D20	On Order

ETA	NovaLight Reel #	Footage	Fiber Count	Description	Manufacturer	Part Number	Stock Status
05/23/21		20,000	96	"Cable, Fiber Optic. 96-Fiber ALTOS® Gel-Free Cable 2.5 mm Buffer Armor Lite# Single-Jacket/Single-Armor SMFe 0.33/0.33/0.19 dB/km G.652.D12f/tube Print in ft"	Corning	096ZUC-T4122D20	On Order
05/23/21		20,000	96	"Cable, Fiber Optic. 96-Fiber ALTOS® Gel-Free Cable 2.5 mm Buffer Armor Lite# Single-Jacket/Single-Armor SMFe 0.33/0.33/0.19 dB/km G.652.D12f/tube Print in ft"	Corning	096ZUC-T4122D20	On Order
05/31/21		20,000	96	"Cable, Fiber Optic. 96-Fiber ALTOS® Gel-Free Cable 2.5 mm Buffer Armor Lite# Single-Jacket/Single-Armor SMFe 0.33/0.33/0.19 dB/km G.652.D12f/tube Print in ft"	Corning	096ZUC-T4122D20	On Order
05/31/21		20,000	96	"Cable, Fiber Optic. 96-Fiber ALTOS® Gel-Free Cable 2.5 mm Buffer Armor Lite# Single-Jacket/Single-Armor SMFe 0.33/0.33/0.19 dB/km G.652.D12f/tube Print in ft"	Corning	096ZUC-T4122D20	On Order
05/31/21		20,000	96	"Cable, Fiber Optic. 96-Fiber ALTOS® Gel-Free Cable 2.5 mm Buffer Armor Lite# Single-Jacket/Single-Armor SMFe 0.33/0.33/0.19 dB/km G.652.D12f/tube Print in ft"	Corning	096ZUC-T4122D20	On Order
05/31/21		20,000	96	"Cable, Fiber Optic. 96-Fiber ALTOS® Gel-Free Cable 2.5 mm Buffer Armor Lite# Single-Jacket/Single-Armor SMFe 0.33/0.33/0.19 dB/km G.652.D12f/tube Print in ft"	Corning	096ZUC-T4122D20	On Order
05/31/21		20,000	96	"Cable, Fiber Optic. 96-Fiber ALTOS® Gel-Free Cable 2.5 mm Buffer Armor Lite# Single-Jacket/Single-Armor SMFe 0.33/0.33/0.19 dB/km G.652.D12f/tube Print in ft"	Corning	096ZUC-T4122D20	On Order
05/31/21		20,000	96	"Cable, Fiber Optic. 96-Fiber ALTOS® Gel-Free Cable 2.5 mm Buffer Armor Lite# Single-Jacket/Single-Armor SMFe 0.33/0.33/0.19 dB/km G.652.D12f/tube Print in ft"	Corning	096ZUC-T4122D20	On Order
05/31/21		20,000	96	"Cable, Fiber Optic. 96-Fiber ALTOS® Gel-Free Cable 2.5 mm Buffer Armor Lite# Single-Jacket/Single-Armor SMFe 0.33/0.33/0.19 dB/km G.652.D12f/tube Print in ft"	Corning	096ZUC-T4122D20	On Order
05/31/21		20,000	96	"Cable, Fiber Optic. 96-Fiber ALTOS® Gel-Free Cable 2.5 mm Buffer Armor Lite# Single-Jacket/Single-Armor SMFe 0.33/0.33/0.19 dB/km G.652.D12f/tube Print in ft"	Corning	096ZUC-T4122D20	On Order
05/31/21		20,000	96	"Cable, Fiber Optic. 96-Fiber ALTOS® Gel-Free Cable 2.5 mm Buffer Armor Lite# Single-Jacket/Single-Armor SMFe 0.33/0.33/0.19 dB/km G.652.D12f/tube Print in ft"	Corning	096ZUC-T4122D20	On Order
05/31/21		20,000	96	"Cable, Fiber Optic. 96-Fiber ALTOS® Gel-Free Cable 2.5 mm Buffer Armor Lite# Single-Jacket/Single-Armor SMFe 0.33/0.33/0.19 dB/km G.652.D12f/tube Print in ft"	Corning	096ZUC-T4122D20	On Order
05/31/21		20,000	96	"Cable, Fiber Optic. 96-Fiber ALTOS® Gel-Free Cable 2.5 mm Buffer Armor Lite# Single-Jacket/Single-Armor SMFe 0.33/0.33/0.19 dB/km G.652.D12f/tube Print in ft"	Corning	096ZUC-T4122D20	On Order
05/31/21		20,000	96	"Cable, Fiber Optic. 96-Fiber ALTOS® Gel-Free Cable 2.5 mm Buffer Armor Lite# Single-Jacket/Single-Armor SMFe 0.33/0.33/0.19 dB/km G.652.D12f/tube Print in ft"	Corning	096ZUC-T4122D20	On Order
06/27/21		20,000	96	"Cable, Fiber Optic. 96-Fiber ALTOS® Gel-Free Cable 2.5 mm Buffer Armor Lite# Single-Jacket/Single-Armor SMFe 0.33/0.33/0.19 dB/km G.652.D12f/tube Print in ft"	Corning	096ZUC-T4122D20	On Order
06/27/21		20,000	96	"Cable, Fiber Optic. 96-Fiber ALTOS® Gel-Free Cable 2.5 mm Buffer Armor Lite# Single-Jacket/Single-Armor SMFe 0.33/0.33/0.19 dB/km G.652.D12f/tube Print in ft"	Corning	096ZUC-T4122D20	On Order

ETA	NovaLight Reel #	Footage	Fiber Count	Description	Manufacturer	Part Number	Stock Status
06/27/21		20,000	96	"Cable, Fiber Optic. 96-Fiber ALTOS® Gel-Free Cable 2.5 mm Buffer Armor Lite# Single-Jacket/Single-Armor SMFe 0.33/0.33/0.19 dB/km G.652.D12f/tube Print in ft"	Corning	096ZUC-T4122D20	On Order
06/27/21		20,000	96	"Cable, Fiber Optic. 96-Fiber ALTOS® Gel-Free Cable 2.5 mm Buffer Armor Lite# Single-Jacket/Single-Armor SMFe 0.33/0.33/0.19 dB/km G.652.D12f/tube Print in ft"	Corning	096ZUC-T4122D20	On Order
06/27/21		20,000	96	"Cable, Fiber Optic. 96-Fiber ALTOS® Gel-Free Cable 2.5 mm Buffer Armor Lite# Single-Jacket/Single-Armor SMFe 0.33/0.33/0.19 dB/km G.652.D12f/tube Print in ft"	Corning	096ZUC-T4122D20	On Order
06/27/21		20,000	96	"Cable, Fiber Optic. 96-Fiber ALTOS® Gel-Free Cable 2.5 mm Buffer Armor Lite# Single-Jacket/Single-Armor SMFe 0.33/0.33/0.19 dB/km G.652.D12f/tube Print in ft"	Corning	096ZUC-T4122D20	On Order
06/27/21		20,000	96	"Cable, Fiber Optic. 96-Fiber ALTOS® Gel-Free Cable 2.5 mm Buffer Armor Lite# Single-Jacket/Single-Armor SMFe 0.33/0.33/0.19 dB/km G.652.D12f/tube Print in ft"	Corning	096ZUC-T4122D20	On Order
06/27/21		20,000	96	"Cable, Fiber Optic. 96-Fiber ALTOS® Gel-Free Cable 2.5 mm Buffer Armor Lite# Single-Jacket/Single-Armor SMFe 0.33/0.33/0.19 dB/km G.652.D12f/tube Print in ft"	Corning	096ZUC-T4122D20	On Order
06/27/21		20,000	96	"Cable, Fiber Optic. 96-Fiber ALTOS® Gel-Free Cable 2.5 mm Buffer Armor Lite# Single-Jacket/Single-Armor SMFe 0.33/0.33/0.19 dB/km G.652.D12f/tube Print in ft"	Corning	096ZUC-T4122D20	On Order
06/27/21		20,000	96	"Cable, Fiber Optic. 96-Fiber ALTOS® Gel-Free Cable 2.5 mm Buffer Armor Lite# Single-Jacket/Single-Armor SMFe 0.33/0.33/0.19 dB/km G.652.D12f/tube Print in ft"	Corning	096ZUC-T4122D20	On Order
06/27/21		20,000	96	"Cable, Fiber Optic. 96-Fiber ALTOS® Gel-Free Cable 2.5 mm Buffer Armor Lite# Single-Jacket/Single-Armor SMFe 0.33/0.33/0.19 dB/km G.652.D12f/tube Print in ft"	Corning	096ZUC-T4122D20	On Order
06/27/21		20,000	96	"Cable, Fiber Optic. 96-Fiber ALTOS® Gel-Free Cable 2.5 mm Buffer Armor Lite# Single-Jacket/Single-Armor SMFe 0.33/0.33/0.19 dB/km G.652.D12f/tube Print in ft"	Corning	096ZUC-T4122D20	On Order
06/27/21		20,000	96	"Cable, Fiber Optic. 96-Fiber ALTOS® Gel-Free Cable 2.5 mm Buffer Armor Lite# Single-Jacket/Single-Armor SMFe 0.33/0.33/0.19 dB/km G.652.D12f/tube Print in ft"	Corning	096ZUC-T4122D20	On Order
06/27/21		20,000	96	"Cable, Fiber Optic. 96-Fiber ALTOS® Gel-Free Cable 2.5 mm Buffer Armor Lite# Single-Jacket/Single-Armor SMFe 0.33/0.33/0.19 dB/km G.652.D12f/tube Print in ft"	Corning	096ZUC-T4122D20	On Order
06/27/21		20,000	96	"Cable, Fiber Optic. 96-Fiber ALTOS® Gel-Free Cable 2.5 mm Buffer Armor Lite# Single-Jacket/Single-Armor SMFe 0.33/0.33/0.19 dB/km G.652.D12f/tube Print in ft"	Corning	096ZUC-T4122D20	On Order
06/27/21		20,000	96	"Cable, Fiber Optic. 96-Fiber ALTOS® Gel-Free Cable 2.5 mm Buffer Armor Lite# Single-Jacket/Single-Armor SMFe 0.33/0.33/0.19 dB/km G.652.D12f/tube Print in ft"	Corning	096ZUC-T4122D20	On Order
06/27/21		20,000	96	"Cable, Fiber Optic. 96-Fiber ALTOS® Gel-Free Cable 2.5 mm Buffer Armor Lite# Single-Jacket/Single-Armor SMFe 0.33/0.33/0.19 dB/km G.652.D12f/tube Print in ft"	Corning	096ZUC-T4122D20	On Order
06/27/21		20,000	96	"Cable, Fiber Optic. 96-Fiber ALTOS® Gel-Free Cable 2.5 mm Buffer Armor Lite# Single-Jacket/Single-Armor SMFe 0.33/0.33/0.19 dB/km G.652.D12f/tube Print in ft"	Corning	096ZUC-T4122D20	On Order

ETA	NovaLight Reel #	Footage	Fiber Count	Description	Manufacturer	Part Number	Stock Status
06/27/21		20,000	96	"Cable, Fiber Optic. 96-Fiber ALTOS® Gel-Free Cable 2.5 mm Buffer Armor Lite# Single-Jacket/Single-Armor SMFe 0.33/0.33/0.19 dB/km G.652.D12f/tube Print in ft"	Corning	096ZUC-T4122D20	On Order
06/27/21		20,000	96	"Cable, Fiber Optic. 96-Fiber ALTOS® Gel-Free Cable 2.5 mm Buffer Armor Lite# Single-Jacket/Single-Armor SMFe 0.33/0.33/0.19 dB/km G.652.D12f/tube Print in ft"	Corning	096ZUC-T4122D20	On Order
06/27/21		20,000	96	"Cable, Fiber Optic. 96-Fiber ALTOS® Gel-Free Cable 2.5 mm Buffer Armor Lite# Single-Jacket/Single-Armor SMFe 0.33/0.33/0.19 dB/km G.652.D12f/tube Print in ft"	Corning	096ZUC-T4122D20	On Order
06/27/21		20,000	96	"Cable, Fiber Optic. 96-Fiber ALTOS® Gel-Free Cable 2.5 mm Buffer Armor Lite# Single-Jacket/Single-Armor SMFe 0.33/0.33/0.19 dB/km G.652.D12f/tube Print in ft"	Corning	096ZUC-T4122D20	On Order
				144 Fiber Non-Armored OSP:			
	10905-C	4,000	144	Cable, 144-FIBER ALTOS® GEL-FREE CABLE ALL DIELECTRIC SINGLE JACKET SINGLE- MODE G.652.D 0.35/0.35/0.25 12F/TUBE PRINT IN FT	Corning	144ZU4-T4122D20	In Stock
	10905-B	4,000	144	Cable, 144-FIBER ALTOS® GEL-FREE CABLE ALL DIELECTRIC SINGLE JACKET SINGLE- MODE G.652.D 0.35/0.35/0.25 12F/TUBE PRINT IN FT	Corning	144ZU4-T4122D20	In Stock
	11043-A	15,138	144	Cable, Fiber optic. 144 fiber All Wave +, Dry-Dry, All dielectric	OFS	AT-3CE12YT-144	In Stock
	11476	6,320	144	Cable, 144-FIBER ALTOS® GEL-FREE CABLE ALL DIELECTRIC SINGLE JACKET SINGLE- MODE G.652.D 0.35/0.35/0.25 12F/TUBE PRINT IN FT	Corning	144EU4-T4100D20	Sale Pending
	11472	4,566	144	Cable, 144-FIBER ALTOS® GEL-FREE CABLE ALL DIELECTRIC SINGLE JACKET SINGLE- MODE G.652.D 0.35/0.35/0.25 12F/TUBE PRINT IN FT	Corning	144ZU4-T4122D20	In Stock
01/25/21		20,000	144	Cable, 144-FIBER ALTOS® GEL-FREE CABLE ALL DIELECTRIC SINGLE JACKET SINGLE- MODE G.652.D 0.35/0.35/0.25 12F/TUBE PRINT IN FT	Corning	144ZU4-T4122D20	On Order
02/22/21		20,000	144	Cable, 144-FIBER ALTOS® GEL-FREE CABLE ALL DIELECTRIC SINGLE JACKET SINGLE- MODE G.652.D 0.35/0.35/0.25 12F/TUBE PRINT IN FT	Corning	144ZU4-T4122D20	On Order
03/12/21		20,000	144	Cable, 144-FIBER ALTOS® GEL-FREE CABLE ALL DIELECTRIC SINGLE JACKET SINGLE- MODE G.652.D 0.35/0.35/0.25 12F/TUBE PRINT IN FT	Corning	144ZU4-T4122D20	On Order
04/18/21		20,000	144	Cable, 144-FIBER ALTOS® GEL-FREE CABLE ALL DIELECTRIC SINGLE JACKET SINGLE- MODE G.652.D 0.35/0.35/0.25 12F/TUBE PRINT IN FT	Corning	144ZU4-T4122D20	On Order
05/23/21		20,000	144	Cable, 144-FIBER ALTOS® GEL-FREE CABLE ALL DIELECTRIC SINGLE JACKET SINGLE- MODE G.652.D 0.35/0.35/0.25 12F/TUBE PRINT IN FT	Corning	144ZU4-T4122D20	On Order

ETA	NovaLight Reel #	Footage	Fiber Count	Description	Manufacturer	Part Number	Stock Status
06/22/21		20,000	144	Cable, 144-FIBER ALTOS® GEL-FREE CABLE ALL DIELECTRIC SINGLE JACKET SINGLE- MODE G.652.D 0.35/0.35/0.25 12F/TUBE PRINT IN FT	Corning	144ZU4-T4122D20	On Order
				144 Fiber Micro Cable:			
	11203	20,352	144	Cable, Fiber Optic, Micro Fiber, 144, Loose Tube Single Mode Corning SMF-28e glass, All Dielectric, 12 fibers per tube, HDPE jacket, 7.8 mm OD	teldor	F914412Y9B	In Stock
	11206	20,204	144	Cable, Fiber Optic, Micro Fiber, 144, Loose Tube Single Mode Corning SMF-28e glass, All Dielectric, 12 fibers per tube, HDPE jacket, 7.8 mm OD	teldor	F914412Y9B	In Stock
	11521	19,705	144	Cable (144) SMF-28 ULTRA single mode fibers, MiniXtend micro loose tube cable design, gel-free, (12) fibers/tube, Cable to go in a 13mm ID microduct or larger - Corning	Corning	144ZM4-T4F22A20	In Stock
	11471	8,921	144	Cable (144) SMF-28 ULTRA single mode fibers, MiniXtend micro loose tube cable design, gel-free, (12) fibers/tube, Cable to go in a 13mm ID microduct or larger - Corning	Corning	144ZM4-T4F22A20	In Stock
	11474	7,365	144	Cable (144) SMF-28 ULTRA single mode fibers, MiniXtend micro loose tube cable design, gel-free, (12) fibers/tube, Cable to go in a 13mm ID microduct or larger - Corning	Corning	144ZM4-T4F22A20	In Stock
				144 Fiber Armored OSP:			
	11363	20,250	144	Cable, 144 Fiber DRY/DRY Armored Cable (Single Armor/Single Jacket) Loose Single Mode Fiber in Stranded Tubes Water Swellable Material, Dielectric CSM, 12Fibers/Tube HDPE Jacket, 600 lb Tensile Cable for Aerial, Duct, and Direct-Buried Applications DRC-9-12X12-D-ZRP-D BK	Teldor	F914412A4B	Sale Pending
01/20/21		20,000	144	Cable, 144F FORTEX DT-100% DRY LIGHT ARMOR SINGLE PE JKT, SINGLE ARMOR, DIELECTRIC CENTRAL MEMBER ALLWAVE + SM- .35/.31/.25 DB/KM @1310/1385/1550NM	OFS	AT-3CEH2YT-144	On Order
01/20/21		20,000	144	Cable, 144F FORTEX DT-100% DRY LIGHT ARMOR SINGLE PE JKT, SINGLE ARMOR, DIELECTRIC CENTRAL MEMBER ALLWAVE + SM- .35/.31/.25 DB/KM @1310/1385/1550NM	OFS	AT-3CEH2YT-144	On Order
01/20/21		20,000	144	Cable, 144F FORTEX DT-100% DRY LIGHT ARMOR SINGLE PE JKT, SINGLE ARMOR, DIELECTRIC CENTRAL MEMBER ALLWAVE + SM- .35/.31/.25 DB/KM @1310/1385/1550NM	OFS	AT-3CEH2YT-144	On Order
01/22/21		20,000	144	Cable, 144-FIBER ALTOS® LITE GEL-FREE CABLE SINGLE JACKET, SINGLE ARMOR WITH FASTACCESS® TECHNOLOGY, BEND INSENSITIVE SMF-28® ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM G652.D/G657.A1 12F/TUBE PRINT IN FT	Corning	144ZUC-T4122D20	Sale Pending

ETA	NovaLight Reel #	Footage	Fiber Count	Description	Manufacturer	Part Number	Stock Status
01/22/21		20,000	144	Cable, 144-FIBER ALTOS® LITE GEL-FREE CABLE SINGLE JACKET, SINGLE ARMOR WITH FASTACCESS® TECHNOLOGY, BEND INSENSITIVE SMF-28® ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM G652.D/G657.A1 12F/TUBE PRINT IN FT	Corning	144ZUC-T4122D20	Sale Pending
01/22/21		20,000	144	Cable, 144-FIBER ALTOS® LITE GEL-FREE CABLE SINGLE JACKET, SINGLE ARMOR WITH FASTACCESS® TECHNOLOGY, BEND INSENSITIVE SMF-28® ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM G652.D/G657.A1 12F/TUBE PRINT IN FT	Corning	144ZUC-T4122D20	Sale Pending
01/22/21		20,000	144	Cable, 144-FIBER ALTOS® LITE GEL-FREE CABLE SINGLE JACKET, SINGLE ARMOR WITH FASTACCESS® TECHNOLOGY, BEND INSENSITIVE SMF-28® ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM G652.D/G657.A1 12F/TUBE PRINT IN FT	Corning	144ZUC-T4122D20	Sale Pending
01/22/21		20,000	144	Cable, 144-FIBER ALTOS® LITE GEL-FREE CABLE SINGLE JACKET, SINGLE ARMOR WITH FASTACCESS® TECHNOLOGY, BEND INSENSITIVE SMF-28® ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM G652.D/G657.A1 12F/TUBE PRINT IN FT	Corning	144ZUC-T4122D20	Sale Pending
01/22/21		20,000	144	Cable, 144-FIBER ALTOS® LITE GEL-FREE CABLE SINGLE JACKET, SINGLE ARMOR WITH FASTACCESS® TECHNOLOGY, BEND INSENSITIVE SMF-28® ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM G652.D/G657.A1 12F/TUBE PRINT IN FT	Corning	144ZUC-T4122D20	Sale Pending
01/22/21		20,000	144	Cable, 144-FIBER ALTOS® LITE GEL-FREE CABLE SINGLE JACKET, SINGLE ARMOR WITH FASTACCESS® TECHNOLOGY, BEND INSENSITIVE SMF-28® ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM G652.D/G657.A1 12F/TUBE PRINT IN FT	Corning	144ZUC-T4122D20	On Order
02/18/21		20,000	144	Cable, 144F FORTEX DT-100% DRY LIGHT ARMOR SINGLE PE JKT, SINGLE ARMOR, DIELECTRIC CENTRAL MEMBER ALLWAVE + SM-_.35/.31/.25 DB/KM @1310/1385/1550NM	OFS	AT-3CEH2YT-144	On Order
02/18/21		20,000	144	Cable, 144F FORTEX DT-100% DRY LIGHT ARMOR SINGLE PE JKT, SINGLE ARMOR, DIELECTRIC CENTRAL MEMBER ALLWAVE + SM-_.35/.31/.25 DB/KM @1310/1385/1550NM	OFS	AT-3CEH2YT-144	On Order
02/18/21		20,000	144	Cable, 144F FORTEX DT-100% DRY LIGHT ARMOR SINGLE PE JKT, SINGLE ARMOR, DIELECTRIC CENTRAL MEMBER ALLWAVE + SM-_.35/.31/.25 DB/KM @1310/1385/1550NM	OFS	AT-3CEH2YT-144	On Order
02/22/21		20,000	144	Cable, 144-FIBER ALTOS® LITE GEL-FREE CABLE SINGLE JACKET, SINGLE ARMOR WITH FASTACCESS® TECHNOLOGY, BEND INSENSITIVE SMF-28® ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM G652.D/G657.A1 12F/TUBE PRINT IN FT	Corning	144ZUC-T4122D20	On Order
02/22/21		20,000	144	Cable, 144-FIBER ALTOS® LITE GEL-FREE CABLE SINGLE JACKET, SINGLE ARMOR WITH FASTACCESS® TECHNOLOGY, BEND INSENSITIVE SMF-28® ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM G652.D/G657.A1 12F/TUBE PRINT IN FT	Corning	144ZUC-T4122D20	On Order

ETA	NovaLight Reel #	Footage	Fiber Count	Description	Manufacturer	Part Number	Stock Status
02/22/21		20,000	144	Cable, 144-FIBER ALTOS® LITE GEL-FREE CABLE SINGLE JACKET, SINGLE ARMOR WITH FASTACCESS® TECHNOLOGY, BEND INSENSITIVE SMF-28® ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM G652.D/G657.A1 12F/TUBE PRINT IN FT	Corning	144ZUC-T4122D20	On Order
02/22/21		20,000	144	Cable, 144-FIBER ALTOS® LITE GEL-FREE CABLE SINGLE JACKET, SINGLE ARMOR WITH FASTACCESS® TECHNOLOGY, BEND INSENSITIVE SMF-28® ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM G652.D/G657.A1 12F/TUBE PRINT IN FT	Corning	144ZUC-T4122D20	On Order
02/22/21		20,000	144	Cable, 144-FIBER ALTOS® LITE GEL-FREE CABLE SINGLE JACKET, SINGLE ARMOR WITH FASTACCESS® TECHNOLOGY, BEND INSENSITIVE SMF-28® ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM G652.D/G657.A1 12F/TUBE PRINT IN FT	Corning	144ZUC-T4122D20	On Order
02/22/21		20,000	144	Cable, 144-FIBER ALTOS® LITE GEL-FREE CABLE SINGLE JACKET, SINGLE ARMOR WITH FASTACCESS® TECHNOLOGY, BEND INSENSITIVE SMF-28® ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM G652.D/G657.A1 12F/TUBE PRINT IN FT	Corning	144ZUC-T4122D20	On Order
02/22/21		20,000	144	Cable, 144-FIBER ALTOS® LITE GEL-FREE CABLE SINGLE JACKET, SINGLE ARMOR WITH FASTACCESS® TECHNOLOGY, BEND INSENSITIVE SMF-28® ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM G652.D/G657.A1 12F/TUBE PRINT IN FT	Corning	144ZUC-T4122D20	On Order
03/12/21		20,000	144	Cable, 144-FIBER ALTOS® LITE GEL-FREE CABLE SINGLE JACKET, SINGLE ARMOR WITH FASTACCESS® TECHNOLOGY, BEND INSENSITIVE SMF-28® ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM G652.D/G657.A1 12F/TUBE PRINT IN FT	Corning	144ZUC-T4122D20	On Order
03/12/21		20,000	144	Cable, 144-FIBER ALTOS® LITE GEL-FREE CABLE SINGLE JACKET, SINGLE ARMOR WITH FASTACCESS® TECHNOLOGY, BEND INSENSITIVE SMF-28® ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM G652.D/G657.A1 12F/TUBE PRINT IN FT	Corning	144ZUC-T4122D20	On Order
03/12/21		20,000	144	Cable, 144-FIBER ALTOS® LITE GEL-FREE CABLE SINGLE JACKET, SINGLE ARMOR WITH FASTACCESS® TECHNOLOGY, BEND INSENSITIVE SMF-28® ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM G652.D/G657.A1 12F/TUBE PRINT IN FT	Corning	144ZUC-T4122D20	On Order
03/12/21		20,000	144	Cable, 144-FIBER ALTOS® LITE GEL-FREE CABLE SINGLE JACKET, SINGLE ARMOR WITH FASTACCESS® TECHNOLOGY, BEND INSENSITIVE SMF-28® ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM G652.D/G657.A1 12F/TUBE PRINT IN FT	Corning	144ZUC-T4122D20	On Order
03/12/21		20,000	144	Cable, 144-FIBER ALTOS® LITE GEL-FREE CABLE SINGLE JACKET, SINGLE ARMOR WITH FASTACCESS® TECHNOLOGY, BEND INSENSITIVE SMF-28® ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM G652.D/G657.A1 12F/TUBE PRINT IN FT	Corning	144ZUC-T4122D20	On Order
03/12/21		20,000	144	Cable, 144-FIBER ALTOS® LITE GEL-FREE CABLE SINGLE JACKET, SINGLE ARMOR WITH FASTACCESS® TECHNOLOGY, BEND INSENSITIVE SMF-28® ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM G652.D/G657.A1 12F/TUBE PRINT IN FT	Corning	144ZUC-T4122D20	On Order

ETA	NovaLight Reel #	Footage	Fiber Count	Description	Manufacturer	Part Number	Stock Status
03/12/21		20,000	144	Cable, 144-FIBER ALTOS® LITE GEL-FREE CABLE SINGLE JACKET, SINGLE ARMOR WITH FASTACCESS® TECHNOLOGY, BEND INSENSITIVE SMF-28® ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM G652.D/G657.A1 12F/TUBE PRINT IN FT	Corning	144ZUC-T4122D20	On Order
03/18/21		20,000	144	Cable, 144F FORTEX DT-100% DRY LIGHT ARMOR SINGLE PE JKT, SINGLE ARMOR, DIELECTRIC CENTRAL MEMBER ALLWAVE + SM-_.35/.31/.25 DB/KM @1310/1385/1550NM	OFS	AT-3CEH2YT-144	On Order
03/18/21		20,000	144	Cable, 144F FORTEX DT-100% DRY LIGHT ARMOR SINGLE PE JKT, SINGLE ARMOR, DIELECTRIC CENTRAL MEMBER ALLWAVE + SM-_.35/.31/.25 DB/KM @1310/1385/1550NM	OFS	AT-3CEH2YT-144	On Order
03/18/21		20,000	144	Cable, 144F FORTEX DT-100% DRY LIGHT ARMOR SINGLE PE JKT, SINGLE ARMOR, DIELECTRIC CENTRAL MEMBER ALLWAVE + SM-_.35/.31/.25 DB/KM @1310/1385/1550NM	OFS	AT-3CEH2YT-144	On Order
04/12/21		20,000	144	Cable, 144-FIBER ALTOS® LITE GEL-FREE CABLE SINGLE JACKET, SINGLE ARMOR WITH FASTACCESS® TECHNOLOGY, BEND INSENSITIVE SMF-28® ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM G652.D/G657.A1 12F/TUBE PRINT IN FT	Corning	144ZUC-T4122D20	On Order
04/12/21		20,000	144	Cable, 144-FIBER ALTOS® LITE GEL-FREE CABLE SINGLE JACKET, SINGLE ARMOR WITH FASTACCESS® TECHNOLOGY, BEND INSENSITIVE SMF-28® ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM G652.D/G657.A1 12F/TUBE PRINT IN FT	Corning	144ZUC-T4122D20	On Order
04/12/21		20,000	144	Cable, 144-FIBER ALTOS® LITE GEL-FREE CABLE SINGLE JACKET, SINGLE ARMOR WITH FASTACCESS® TECHNOLOGY, BEND INSENSITIVE SMF-28® ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM G652.D/G657.A1 12F/TUBE PRINT IN FT	Corning	144ZUC-T4122D20	On Order
04/12/21		20,000	144	Cable, 144-FIBER ALTOS® LITE GEL-FREE CABLE SINGLE JACKET, SINGLE ARMOR WITH FASTACCESS® TECHNOLOGY, BEND INSENSITIVE SMF-28® ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM G652.D/G657.A1 12F/TUBE PRINT IN FT	Corning	144ZUC-T4122D20	On Order
04/12/21		20,000	144	Cable, 144-FIBER ALTOS® LITE GEL-FREE CABLE SINGLE JACKET, SINGLE ARMOR WITH FASTACCESS® TECHNOLOGY, BEND INSENSITIVE SMF-28® ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM G652.D/G657.A1 12F/TUBE PRINT IN FT	Corning	144ZUC-T4122D20	On Order
04/12/21		20,000	144	Cable, 144-FIBER ALTOS® LITE GEL-FREE CABLE SINGLE JACKET, SINGLE ARMOR WITH FASTACCESS® TECHNOLOGY, BEND INSENSITIVE SMF-28® ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM G652.D/G657.A1 12F/TUBE PRINT IN FT	Corning	144ZUC-T4122D20	On Order
04/12/21		20,000	144	Cable, 144-FIBER ALTOS® LITE GEL-FREE CABLE SINGLE JACKET, SINGLE ARMOR WITH FASTACCESS® TECHNOLOGY, BEND INSENSITIVE SMF-28® ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM G652.D/G657.A1 12F/TUBE PRINT IN FT	Corning	144ZUC-T4122D20	On Order

ETA	NovaLight Reel #	Footage	Fiber Count	Description	Manufacturer	Part Number	Stock Status
05/17/21		20,000	144	Cable, 144-FIBER ALTOS® LITE GEL-FREE CABLE SINGLE JACKET, SINGLE ARMOR WITH FASTACCESS® TECHNOLOGY, BEND INSENSITIVE SMF-28® ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM G652.D/G657.A1 12F/TUBE PRINT IN FT	Corning	144ZUC-T4122D20	On Order
05/17/21		20,000	144	Cable, 144-FIBER ALTOS® LITE GEL-FREE CABLE SINGLE JACKET, SINGLE ARMOR WITH FASTACCESS® TECHNOLOGY, BEND INSENSITIVE SMF-28® ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM G652.D/G657.A1 12F/TUBE PRINT IN FT	Corning	144ZUC-T4122D20	On Order
05/17/21		20,000	144	Cable, 144-FIBER ALTOS® LITE GEL-FREE CABLE SINGLE JACKET, SINGLE ARMOR WITH FASTACCESS® TECHNOLOGY, BEND INSENSITIVE SMF-28® ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM G652.D/G657.A1 12F/TUBE PRINT IN FT	Corning	144ZUC-T4122D20	On Order
05/17/21		20,000	144	Cable, 144-FIBER ALTOS® LITE GEL-FREE CABLE SINGLE JACKET, SINGLE ARMOR WITH FASTACCESS® TECHNOLOGY, BEND INSENSITIVE SMF-28® ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM G652.D/G657.A1 12F/TUBE PRINT IN FT	Corning	144ZUC-T4122D20	On Order
05/17/21		20,000	144	Cable, 144-FIBER ALTOS® LITE GEL-FREE CABLE SINGLE JACKET, SINGLE ARMOR WITH FASTACCESS® TECHNOLOGY, BEND INSENSITIVE SMF-28® ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM G652.D/G657.A1 12F/TUBE PRINT IN FT	Corning	144ZUC-T4122D20	On Order
05/17/21		20,000	144	Cable, 144-FIBER ALTOS® LITE GEL-FREE CABLE SINGLE JACKET, SINGLE ARMOR WITH FASTACCESS® TECHNOLOGY, BEND INSENSITIVE SMF-28® ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM G652.D/G657.A1 12F/TUBE PRINT IN FT	Corning	144ZUC-T4122D20	On Order
05/17/21		20,000	144	Cable, 144-FIBER ALTOS® LITE GEL-FREE CABLE SINGLE JACKET, SINGLE ARMOR WITH FASTACCESS® TECHNOLOGY, BEND INSENSITIVE SMF-28® ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM G652.D/G657.A1 12F/TUBE PRINT IN FT	Corning	144ZUC-T4122D20	On Order
05/17/21		20,000	144	Cable, 144-FIBER ALTOS® LITE GEL-FREE CABLE SINGLE JACKET, SINGLE ARMOR WITH FASTACCESS® TECHNOLOGY, BEND INSENSITIVE SMF-28® ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM G652.D/G657.A1 12F/TUBE PRINT IN FT	Corning	144ZUC-T4122D20	On Order
06/21/21		20,000	144	Cable, 144-FIBER ALTOS® LITE GEL-FREE CABLE SINGLE JACKET, SINGLE ARMOR WITH FASTACCESS® TECHNOLOGY, BEND INSENSITIVE SMF-28® ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM G652.D/G657.A1 12F/TUBE PRINT IN FT	Corning	144ZUC-T4122D20	On Order
06/21/21		20,000	144	Cable, 144-FIBER ALTOS® LITE GEL-FREE CABLE SINGLE JACKET, SINGLE ARMOR WITH FASTACCESS® TECHNOLOGY, BEND INSENSITIVE SMF-28® ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM G652.D/G657.A1 12F/TUBE PRINT IN FT	Corning	144ZUC-T4122D20	On Order
06/21/21		20,000	144	Cable, 144-FIBER ALTOS® LITE GEL-FREE CABLE SINGLE JACKET, SINGLE ARMOR WITH FASTACCESS® TECHNOLOGY, BEND INSENSITIVE SMF-28® ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM G652.D/G657.A1 12F/TUBE PRINT IN FT	Corning	144ZUC-T4122D20	On Order
06/21/21		20,000	144	Cable, 144-FIBER ALTOS® LITE GEL-FREE CABLE SINGLE JACKET, SINGLE ARMOR WITH FASTACCESS® TECHNOLOGY, BEND INSENSITIVE SMF-28® ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM G652.D/G657.A1 12F/TUBE PRINT IN FT	Corning	144ZUC-T4122D20	On Order

ETA	NovaLight Reel #	Footage	Fiber Count	Description	Manufacturer	Part Number	Stock Status
06/21/21		20,000	144	Cable, 144-FIBER ALTOS® LITE GEL-FREE CABLE SINGLE JACKET, SINGLE ARMOR WITH FASTACCESS® TECHNOLOGY, BEND INSENSITIVE SMF-28® ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM G652.D/G657.A1 12F/TUBE PRINT IN FT	Corning	144ZUC-T4122D20	On Order
06/21/21		20,000	144	Cable, 144-FIBER ALTOS® LITE GEL-FREE CABLE SINGLE JACKET, SINGLE ARMOR WITH FASTACCESS® TECHNOLOGY, BEND INSENSITIVE SMF-28® ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM G652.D/G657.A1 12F/TUBE PRINT IN FT	Corning	144ZUC-T4122D20	On Order
06/21/21		20,000	144	Cable, 144-FIBER ALTOS® LITE GEL-FREE CABLE SINGLE JACKET, SINGLE ARMOR WITH FASTACCESS® TECHNOLOGY, BEND INSENSITIVE SMF-28® ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM G652.D/G657.A1 12F/TUBE PRINT IN FT	Corning	144ZUC-T4122D20	On Order
				216 Fiber NON-Armored OSP:			
	8574-A	2,772	216	Cable, Fiber Optic. 216 Count. Non-armored. FORTEX DT-100% DRY SINGLE JKT SINGLE PE JKT, DIELECTRIC CENTRAL MEMBER ALL WAVE-SM .35/.31/.25 DB/KM@1310/1385/1550	OFS	AT-3BE12YT-216	In Stock
	9230-A	7,000	216	Cable, Fiber Optic. (216) SMF-28e+ fibers, Loose Tube, Gel Filled, All-Dielectric, 12f/Tube, Marked in feet, Standard Sheath print + SOCC code	Corning	216EW4-T4100A53	In Stock
				216 Fiber Armored OSP:			
				288 Ribbon Fiber Non-Armored OSP:			
	10305	7,490	288	Cable, Fiber, 288 Ribbon, 24 fibers per ribbon, Dry, Non-armored, single PE jacket, Central core design.	OFS	AT-3BE843X-288	In Stock
				288 Fiber Non-Armored OSP:			
European Color Code	9947	20,002	288	Cable 288F Singlemode dielectric, 12 fibers per Loose Tube, gel-free cable single MDPE Jacket, for aerial and duct G.652D fiber complies with or exceeds the ITU-T Recommendation	Sumec Wasin	swGYFY-288B1	In Stock
European Color Code	9948	20,068	288	Cable 288F Singlemode dielectric, 12 fibers per Loose Tube, gel-free cable single MDPE Jacket, for aerial and duct G.652D fiber complies with or exceeds the ITU-T Recommendation	Sumec Wasin	swGYFY-288B1	In Stock
European Color Code	9949	20,314	288	Cable 288F Singlemode dielectric, 12 fibers per Loose Tube, gel-free cable single MDPE Jacket, for aerial and duct G.652D fiber complies with or exceeds the ITU-T Recommendation	Sumec Wasin	swGYFY-288B1	In Stock
European Color Code	9950	20,266	288	Cable 288F Singlemode dielectric, 12 fibers per Loose Tube, gel-free cable single MDPE Jacket, for aerial and duct G.652D fiber complies with or exceeds the ITU-T Recommendation	Sumec Wasin	swGYFY-288B1	In Stock

ETA	NovaLight Reel #	Footage	Fiber Count	Description	Manufacturer	Part Number	Stock Status
European Color Code	9951	20,224	288	Cable 288F Singlemode dielectric, 12 fibers per Loose Tube, gel-free cable single MDPE Jacket, for aerial and duct G.652D fiber complies with or exceeds the ITU-T Recommendation	Sumec Wasin	swGYFY-288B1	In Stock
	10848	20,000	288	Cable, Fiber, 288-Fiber ALTOS® Cable 2.5 mm Buffer Gel-Free All-Dielectric NonArmored SMFe 0.35/0.35/0.25 dB/km 12f/tube Print in feet	Corning	288EU4-T4100D20	In Stock
	10698-A	17,000	288	Cable, Fiber, 288-Fiber ALTOS® Cable 2.5 mm Buffer Gel-Free All-Dielectric NonArmored SMFe 0.35/0.35/0.25 dB/km 12f/tube Print in feet	Corning	288EU4-T4100D20	In Stock
	11290	20,000	288	Cable, Fiber, 288-Fiber ALTOS® Cable 2.5 mm Buffer Gel-Free All-Dielectric NonArmored SMFe 0.35/0.35/0.25 dB/km 12f/tube Print in feet	Corning	288EU4-T4100D20	In Stock
	11370	20,000	288	Cable, 288F FORTEX DT-100% DRY SINGLE JKT SINGLE PE JKT, DIELECTRIC CENTRAL MEMBER ALL WAVE + -.35/31/25 DB/KM@1310/1385/1550	OFS	AT-3CE12YT-288	In Stock
	11371	20,000	288	Cable, 288F FORTEX DT-100% DRY SINGLE JKT SINGLE PE JKT, DIELECTRIC CENTRAL MEMBER ALL WAVE + -.35/31/25 DB/KM@1310/1385/1550	OFS	AT-3CE12YT-288	In Stock
01/08/21		20,000	288	Cable, Fiber optics. 288-FIBER ALTOS® GEL-FREE CABLE ALL DIELECTRIC SINGLE JACKET SMF-28® UL TRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM G652.D/G657.A1	Corning	288ZU4-T4122D20	On Order
02/22/21		20,000	288	Cable, Fiber optics. 288-FIBER ALTOS® GEL-FREE CABLE ALL DIELECTRIC SINGLE JACKET SMF-28® UL TRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM G652.D/G657.A1	Corning	288ZU4-T4122D20	On Order
03/12/21		20,000	288	Cable, Fiber optics. 288-FIBER ALTOS® GEL-FREE CABLE ALL DIELECTRIC SINGLE JACKET SMF-28® UL TRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM G652.D/G657.A1	Corning	288ZU4-T4122D20	On Order
04/11/21		20,000	288	Cable, Fiber optics. 288-FIBER ALTOS® GEL-FREE CABLE ALL DIELECTRIC SINGLE JACKET SMF-28® UL TRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM G652.D/G657.A1	Corning	288ZU4-T4122D20	On Order
05/16/21		20,000	288	Cable, Fiber optics. 288-FIBER ALTOS® GEL-FREE CABLE ALL DIELECTRIC SINGLE JACKET SMF-28® UL TRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM G652.D/G657.A1	Corning	288ZU4-T4122D20	On Order
06/22/21		20,000	288	Cable, Fiber optics. 288-FIBER ALTOS® GEL-FREE CABLE ALL DIELECTRIC SINGLE JACKET SMF-28® UL TRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM G652.D/G657.A1	Corning	288ZU4-T4122D20	On Order
				288 Fiber Micro Cable:			
	11185	10,066	288	Cable, Fiber Optic. 288 micro Cable. Loose Single Mode Fiber in Stranded gel filled tubes Water-Swellable Material, Dielectric CSM, 12 Fibers/Tube, 9.5 mm OD HDPE Jacket,	teldor	F928824D0B	In Stock
				288 Fiber Armored OSP:			

ETA	NovaLight Reel #	Footage	Fiber Count	Description	Manufacturer	Part Number	Stock Status
	11093	20,000	288	Cable, Fiber optic. 288-Fiber ALTOS® Gel-Free Cable Armored SMF-28 Ultra® fibers, Max: 0.34/0.34/0.22, Typical: 0.32/0.32/0.18 dB/km G.652.D/G.657.A 12ft/tube Print in ft	Corning	288ZUC-T4122D20	Sale Pending
	11147-A	15,996	288	Cable, Fiber optic. 288-Fiber ALTOS® Gel-Free Cable Armored SMF-28 Ultra® fibers, Max: 0.34/0.34/0.22, Typical: 0.32/0.32/0.18 dB/km G.652.D/G.657.A 12ft/tube Print in ft	Corning	288ZUC-T4122D20	Sale Pending
	11372-A	12,960	288	Cable 288F_ FORTEX DT-100% DRY LIGHT ARMOR SINGLE PE JKT, SINGLE ARMOR, DIELECTRIC CENTRAL MEMBER ALLWAVE + SM-.35/.31/.25 db/km@1310/1385/1550	OFS	AT-3CEH2YT-288	Sale Pending
	11373-A	12,646	288	Cable 288F_ FORTEX DT-100% DRY LIGHT ARMOR SINGLE PE JKT, SINGLE ARMOR, DIELECTRIC CENTRAL MEMBER ALLWAVE + SM-.35/.31/.25 db/km@1310/1385/1550	OFS	AT-3CEH2YT-288	Sale Pending
11/16/20		20,000	288	Cable, Fiber optic. 288-Fiber ALTOS® Gel-Free Cable Armored SMF-28 Ultra® fibers, Max: 0.34/0.34/0.22, Typical: 0.32/0.32/0.18 dB/km G.652.D/G.657.A 12ft/tube Print in ft	Corning	288ZUC-T4122D20	Sale Pending
11/16/20		20,000	288	Cable, Fiber optic. 288-Fiber ALTOS® Gel-Free Cable Armored SMF-28 Ultra® fibers, Max: 0.34/0.34/0.22, Typical: 0.32/0.32/0.18 dB/km G.652.D/G.657.A 12ft/tube Print in ft	Corning	288ZUC-T4122D20	Sale Pending
12/13/20		20,000	288	Cable, Fiber optic. 288-Fiber ALTOS® Gel-Free Cable Armored SMF-28 Ultra® fibers, Max: 0.34/0.34/0.22, Typical: 0.32/0.32/0.18 dB/km G.652.D/G.657.A 12ft/tube Print in ft	Corning	288ZUC-T4122D20	Sale Pending
12/13/20		20,000	288	Cable, Fiber optic. 288-Fiber ALTOS® Gel-Free Cable Armored SMF-28 Ultra® fibers, Max: 0.34/0.34/0.22, Typical: 0.32/0.32/0.18 dB/km G.652.D/G.657.A 12ft/tube Print in ft	Corning	288ZUC-T4122D20	Sale Pending
12/13/20		20,000	288	Cable, Fiber optic. 288-Fiber ALTOS® Gel-Free Cable Armored SMF-28 Ultra® fibers, Max: 0.34/0.34/0.22, Typical: 0.32/0.32/0.18 dB/km G.652.D/G.657.A 12ft/tube Print in ft	Corning	288ZUC-T4122D20	On Order
12/13/20		20,000	288	Cable, Fiber optic. 288-Fiber ALTOS® Gel-Free Cable Armored SMF-28 Ultra® fibers, Max: 0.34/0.34/0.22, Typical: 0.32/0.32/0.18 dB/km G.652.D/G.657.A 12ft/tube Print in ft	Corning	288ZUC-T4122D20	On Order
12/13/20		20,000	288	Cable, Fiber optic. 288-Fiber ALTOS® Gel-Free Cable Armored SMF-28 Ultra® fibers, Max: 0.34/0.34/0.22, Typical: 0.32/0.32/0.18 dB/km G.652.D/G.657.A 12ft/tube Print in ft	Corning	288ZUC-T4122D20	On Order
01/18/21		20,000	288	Cable, Fiber optic. 288-Fiber ALTOS® Gel-Free Cable Armored SMF-28 Ultra® fibers, Max: 0.34/0.34/0.22, Typical: 0.32/0.32/0.18 dB/km G.652.D/G.657.A 12ft/tube Print in ft	Corning	288ZUC-T4122D20	On Order
01/18/21		20,000	288	Cable, Fiber optic. 288-Fiber ALTOS® Gel-Free Cable Armored SMF-28 Ultra® fibers, Max: 0.34/0.34/0.22, Typical: 0.32/0.32/0.18 dB/km G.652.D/G.657.A 12ft/tube Print in ft	Corning	288ZUC-T4122D20	On Order
01/18/21		20,000	288	Cable, Fiber optic. 288-Fiber ALTOS® Gel-Free Cable Armored SMF-28 Ultra® fibers, Max: 0.34/0.34/0.22, Typical: 0.32/0.32/0.18 dB/km G.652.D/G.657.A 12ft/tube Print in ft	Corning	288ZUC-T4122D20	On Order

ETA	NovaLight Reel #	Footage	Fiber Count	Description	Manufacturer	Part Number	Stock Status
01/18/21		20,000	288	Cable, Fiber optic. 288-Fiber ALTOS® Gel-Free Cable Armored SMF-28 Ultra® fibers, Max: 0.34/0.34/0.22, Typical: 0.32/0.32/0.18 dB/km G.652.D/G.657.A 12ft/tube Print in ft	Corning	288ZUC-T4122D20	On Order
01/18/21		20,000	288	Cable, Fiber optic. 288-Fiber ALTOS® Gel-Free Cable Armored SMF-28 Ultra® fibers, Max: 0.34/0.34/0.22, Typical: 0.32/0.32/0.18 dB/km G.652.D/G.657.A 12ft/tube Print in ft	Corning	288ZUC-T4122D20	On Order
02/15/21		20,000	288	Cable, Fiber optic. 288-Fiber ALTOS® Gel-Free Cable Armored SMF-28 Ultra® fibers, Max: 0.34/0.34/0.22, Typical: 0.32/0.32/0.18 dB/km G.652.D/G.657.A 12ft/tube Print in ft	Corning	288ZUC-T4122D20	On Order
02/15/21		20,000	288	Cable, Fiber optic. 288-Fiber ALTOS® Gel-Free Cable Armored SMF-28 Ultra® fibers, Max: 0.34/0.34/0.22, Typical: 0.32/0.32/0.18 dB/km G.652.D/G.657.A 12ft/tube Print in ft	Corning	288ZUC-T4122D20	On Order
02/15/21		20,000	288	Cable, Fiber optic. 288-Fiber ALTOS® Gel-Free Cable Armored SMF-28 Ultra® fibers, Max: 0.34/0.34/0.22, Typical: 0.32/0.32/0.18 dB/km G.652.D/G.657.A 12ft/tube Print in ft	Corning	288ZUC-T4122D20	On Order
02/15/21		20,000	288	Cable, Fiber optic. 288-Fiber ALTOS® Gel-Free Cable Armored SMF-28 Ultra® fibers, Max: 0.34/0.34/0.22, Typical: 0.32/0.32/0.18 dB/km G.652.D/G.657.A 12ft/tube Print in ft	Corning	288ZUC-T4122D20	On Order
02/15/21		20,000	288	Cable, Fiber optic. 288-Fiber ALTOS® Gel-Free Cable Armored SMF-28 Ultra® fibers, Max: 0.34/0.34/0.22, Typical: 0.32/0.32/0.18 dB/km G.652.D/G.657.A 12ft/tube Print in ft	Corning	288ZUC-T4122D20	On Order
02/15/21		20,000	288	Cable, Fiber optic. 288-Fiber ALTOS® Gel-Free Cable Armored SMF-28 Ultra® fibers, Max: 0.34/0.34/0.22, Typical: 0.32/0.32/0.18 dB/km G.652.D/G.657.A 12ft/tube Print in ft	Corning	288ZUC-T4122D20	On Order
03/05/21		20,000	288	Cable, Fiber optic. 288-Fiber ALTOS® Gel-Free Cable Armored SMF-28 Ultra® fibers, Max: 0.34/0.34/0.22, Typical: 0.32/0.32/0.18 dB/km G.652.D/G.657.A 12ft/tube Print in ft	Corning	288ZUC-T4122D20	On Order
03/05/21		20,000	288	Cable, Fiber optic. 288-Fiber ALTOS® Gel-Free Cable Armored SMF-28 Ultra® fibers, Max: 0.34/0.34/0.22, Typical: 0.32/0.32/0.18 dB/km G.652.D/G.657.A 12ft/tube Print in ft	Corning	288ZUC-T4122D20	On Order
03/05/21		20,000	288	Cable, Fiber optic. 288-Fiber ALTOS® Gel-Free Cable Armored SMF-28 Ultra® fibers, Max: 0.34/0.34/0.22, Typical: 0.32/0.32/0.18 dB/km G.652.D/G.657.A 12ft/tube Print in ft	Corning	288ZUC-T4122D20	On Order
03/05/21		20,000	288	Cable, Fiber optic. 288-Fiber ALTOS® Gel-Free Cable Armored SMF-28 Ultra® fibers, Max: 0.34/0.34/0.22, Typical: 0.32/0.32/0.18 dB/km G.652.D/G.657.A 12ft/tube Print in ft	Corning	288ZUC-T4122D20	On Order
03/05/21		20,000	288	Cable, Fiber optic. 288-Fiber ALTOS® Gel-Free Cable Armored SMF-28 Ultra® fibers, Max: 0.34/0.34/0.22, Typical: 0.32/0.32/0.18 dB/km G.652.D/G.657.A 12ft/tube Print in ft	Corning	288ZUC-T4122D20	On Order
03/18/21		20,000	288	Cable 288F_ FORTEX DT-100% DRY LIGHT ARMOR SINGLE PE JKT, SINGLE ARMOR, DIELECTRIC CENTRAL MEMBER ALLWAVE + SM-.35/.31/.25 db/km@1310/1385/1550	OFS	AT-3CEH2YT-288	On Order
03/18/21		20,000	288	Cable 288F_ FORTEX DT-100% DRY LIGHT ARMOR SINGLE PE JKT, SINGLE ARMOR, DIELECTRIC CENTRAL MEMBER ALLWAVE + SM-.35/.31/.25 db/km@1310/1385/1550	OFS	AT-3CEH2YT-288	On Order

ETA	NovaLight Reel #	Footage	Fiber Count	Description	Manufacturer	Part Number	Stock Status
03/18/21		20,000	288	Cable 288F_ FORTEX DT-100% DRY LIGHT ARMOR SINGLE PE JKT, SINGLE ARMOR, DIELECTRIC CENTRAL MEMBER ALLWAVE + SM-.35/.31/.25 db/km@1310/1385/1550	OFS	AT-3CEH2YT-288	On Order
03/18/21		20,000	288	Cable 288F_ FORTEX DT-100% DRY LIGHT ARMOR SINGLE PE JKT, SINGLE ARMOR, DIELECTRIC CENTRAL MEMBER ALLWAVE + SM-.35/.31/.25 db/km@1310/1385/1550	OFS	AT-3CEH2YT-288	On Order
03/18/21		20,000	288	Cable 288F_ FORTEX DT-100% DRY LIGHT ARMOR SINGLE PE JKT, SINGLE ARMOR, DIELECTRIC CENTRAL MEMBER ALLWAVE + SM-.35/.31/.25 db/km@1310/1385/1550	OFS	AT-3CEH2YT-288	On Order
03/18/21		20,000	288	Cable 288F_ FORTEX DT-100% DRY LIGHT ARMOR SINGLE PE JKT, SINGLE ARMOR, DIELECTRIC CENTRAL MEMBER ALLWAVE + SM-.35/.31/.25 db/km@1310/1385/1550	OFS	AT-3CEH2YT-288	On Order
03/18/21		20,000	288	Cable 288F_ FORTEX DT-100% DRY LIGHT ARMOR SINGLE PE JKT, SINGLE ARMOR, DIELECTRIC CENTRAL MEMBER ALLWAVE + SM-.35/.31/.25 db/km@1310/1385/1550	OFS	AT-3CEH2YT-288	On Order
04/05/21		20,000	288	Cable, Fiber optic. 288-Fiber ALTOS® Gel-Free Cable Armored SMF-28 Ultra® fibers, Max: 0.34/0.34/0.22, Typical: 0.32/0.32/0.18 dB/km G.652.D/G.657.A 12ft/tube Print in ft	Corning	288ZUC-T4122D20	On Order
04/05/21		20,000	288	Cable, Fiber optic. 288-Fiber ALTOS® Gel-Free Cable Armored SMF-28 Ultra® fibers, Max: 0.34/0.34/0.22, Typical: 0.32/0.32/0.18 dB/km G.652.D/G.657.A 12ft/tube Print in ft	Corning	288ZUC-T4122D20	On Order
04/05/21		20,000	288	Cable, Fiber optic. 288-Fiber ALTOS® Gel-Free Cable Armored SMF-28 Ultra® fibers, Max: 0.34/0.34/0.22, Typical: 0.32/0.32/0.18 dB/km G.652.D/G.657.A 12ft/tube Print in ft	Corning	288ZUC-T4122D20	On Order
04/05/21		20,000	288	Cable, Fiber optic. 288-Fiber ALTOS® Gel-Free Cable Armored SMF-28 Ultra® fibers, Max: 0.34/0.34/0.22, Typical: 0.32/0.32/0.18 dB/km G.652.D/G.657.A 12ft/tube Print in ft	Corning	288ZUC-T4122D20	On Order
04/05/21		20,000	288	Cable, Fiber optic. 288-Fiber ALTOS® Gel-Free Cable Armored SMF-28 Ultra® fibers, Max: 0.34/0.34/0.22, Typical: 0.32/0.32/0.18 dB/km G.652.D/G.657.A 12ft/tube Print in ft	Corning	288ZUC-T4122D20	On Order
04/18/21		20,000	288	Cable 288F_ FORTEX DT-100% DRY LIGHT ARMOR SINGLE PE JKT, SINGLE ARMOR, DIELECTRIC CENTRAL MEMBER ALLWAVE + SM-.35/.31/.25 db/km@1310/1385/1550	OFS	AT-3CEH2YT-288	On Order
04/18/21		20,000	288	Cable 288F_ FORTEX DT-100% DRY LIGHT ARMOR SINGLE PE JKT, SINGLE ARMOR, DIELECTRIC CENTRAL MEMBER ALLWAVE + SM-.35/.31/.25 db/km@1310/1385/1550	OFS	AT-3CEH2YT-288	On Order
04/18/21		20,000	288	Cable 288F_ FORTEX DT-100% DRY LIGHT ARMOR SINGLE PE JKT, SINGLE ARMOR, DIELECTRIC CENTRAL MEMBER ALLWAVE + SM-.35/.31/.25 db/km@1310/1385/1550	OFS	AT-3CEH2YT-288	On Order
04/18/21		20,000	288	Cable 288F_ FORTEX DT-100% DRY LIGHT ARMOR SINGLE PE JKT, SINGLE ARMOR, DIELECTRIC CENTRAL MEMBER ALLWAVE + SM-.35/.31/.25 db/km@1310/1385/1550	OFS	AT-3CEH2YT-288	On Order

ETA	NovaLight Reel #	Footage	Fiber Count	Description	Manufacturer	Part Number	Stock Status
04/18/21		20,000	288	Cable 288F_ FORTEX DT-100% DRY LIGHT ARMOR SINGLE PE JKT, SINGLE ARMOR, DIELECTRIC CENTRAL MEMBER ALLWAVE + SM-.35/.31/.25 db/km@1310/1385/1550	OFS	AT-3CEH2YT-288	On Order
04/18/21		20,000	288	Cable 288F_ FORTEX DT-100% DRY LIGHT ARMOR SINGLE PE JKT, SINGLE ARMOR, DIELECTRIC CENTRAL MEMBER ALLWAVE + SM-.35/.31/.25 db/km@1310/1385/1550	OFS	AT-3CEH2YT-288	On Order
04/18/21		20,000	288	Cable 288F_ FORTEX DT-100% DRY LIGHT ARMOR SINGLE PE JKT, SINGLE ARMOR, DIELECTRIC CENTRAL MEMBER ALLWAVE + SM-.35/.31/.25 db/km@1310/1385/1550	OFS	AT-3CEH2YT-288	On Order
05/10/21		20,000	288	Cable, Fiber optic. 288-Fiber ALTOS® Gel-Free Cable Armored SMF-28 Ultra® fibers, Max: 0.34/0.34/0.22, Typical: 0.32/0.32/0.18 dB/km G.652.D/G.657.A 12ft/tube Print in ft	Corning	288ZUC-T4122D20	On Order
05/10/21		20,000	288	Cable, Fiber optic. 288-Fiber ALTOS® Gel-Free Cable Armored SMF-28 Ultra® fibers, Max: 0.34/0.34/0.22, Typical: 0.32/0.32/0.18 dB/km G.652.D/G.657.A 12ft/tube Print in ft	Corning	288ZUC-T4122D20	On Order
05/10/21		20,000	288	Cable, Fiber optic. 288-Fiber ALTOS® Gel-Free Cable Armored SMF-28 Ultra® fibers, Max: 0.34/0.34/0.22, Typical: 0.32/0.32/0.18 dB/km G.652.D/G.657.A 12ft/tube Print in ft	Corning	288ZUC-T4122D20	On Order
05/10/21		20,000	288	Cable, Fiber optic. 288-Fiber ALTOS® Gel-Free Cable Armored SMF-28 Ultra® fibers, Max: 0.34/0.34/0.22, Typical: 0.32/0.32/0.18 dB/km G.652.D/G.657.A 12ft/tube Print in ft	Corning	288ZUC-T4122D20	On Order
05/10/21		20,000	288	Cable, Fiber optic. 288-Fiber ALTOS® Gel-Free Cable Armored SMF-28 Ultra® fibers, Max: 0.34/0.34/0.22, Typical: 0.32/0.32/0.18 dB/km G.652.D/G.657.A 12ft/tube Print in ft	Corning	288ZUC-T4122D20	On Order
05/16/21		20,000	288	Cable 288F_ FORTEX DT-100% DRY LIGHT ARMOR SINGLE PE JKT, SINGLE ARMOR, DIELECTRIC CENTRAL MEMBER ALLWAVE + SM-.35/.31/.25 db/km@1310/1385/1550	OFS	AT-3CEH2YT-288	On Order
05/16/21		20,000	288	Cable 288F_ FORTEX DT-100% DRY LIGHT ARMOR SINGLE PE JKT, SINGLE ARMOR, DIELECTRIC CENTRAL MEMBER ALLWAVE + SM-.35/.31/.25 db/km@1310/1385/1550	OFS	AT-3CEH2YT-288	On Order
05/16/21		20,000	288	Cable 288F_ FORTEX DT-100% DRY LIGHT ARMOR SINGLE PE JKT, SINGLE ARMOR, DIELECTRIC CENTRAL MEMBER ALLWAVE + SM-.35/.31/.25 db/km@1310/1385/1550	OFS	AT-3CEH2YT-288	On Order
05/16/21		20,000	288	Cable 288F_ FORTEX DT-100% DRY LIGHT ARMOR SINGLE PE JKT, SINGLE ARMOR, DIELECTRIC CENTRAL MEMBER ALLWAVE + SM-.35/.31/.25 db/km@1310/1385/1550	OFS	AT-3CEH2YT-288	On Order
05/16/21		20,000	288	Cable 288F_ FORTEX DT-100% DRY LIGHT ARMOR SINGLE PE JKT, SINGLE ARMOR, DIELECTRIC CENTRAL MEMBER ALLWAVE + SM-.35/.31/.25 db/km@1310/1385/1550	OFS	AT-3CEH2YT-288	On Order
05/16/21		20,000	288	Cable 288F_ FORTEX DT-100% DRY LIGHT ARMOR SINGLE PE JKT, SINGLE ARMOR, DIELECTRIC CENTRAL MEMBER ALLWAVE + SM-.35/.31/.25 db/km@1310/1385/1550	OFS	AT-3CEH2YT-288	On Order

ETA	NovaLight Reel #	Footage	Fiber Count	Description	Manufacturer	Part Number	Stock Status
05/16/21		20,000	288	Cable 288F_ FORTEX DT-100% DRY LIGHT ARMOR SINGLE PE JKT, SINGLE ARMOR, DIELECTRIC CENTRAL MEMBER ALLWAVE + SM-.35/.31/.25 db/km@1310/1385/1550	OFS	AT-3CEH2YT-288	On Order
05/16/21		20,000	288	Cable, Fiber optic. 288-Fiber ALTOS® Gel-Free Cable Armored SMF-28 Ultra® fibers, Max: 0.34/0.34/0.22, Typical: 0.32/0.32/0.18 dB/km G.652.D/G.657.A 12ft/tube Print in ft	Corning	288ZUC-T4122D20	On Order
05/16/21		20,000	288	Cable, Fiber optic. 288-Fiber ALTOS® Gel-Free Cable Armored SMF-28 Ultra® fibers, Max: 0.34/0.34/0.22, Typical: 0.32/0.32/0.18 dB/km G.652.D/G.657.A 12ft/tube Print in ft	Corning	288ZUC-T4122D20	On Order
06/10/21		20,000	288	Cable, Fiber optic. 288-Fiber ALTOS® Gel-Free Cable Armored SMF-28 Ultra® fibers, Max: 0.34/0.34/0.22, Typical: 0.32/0.32/0.18 dB/km G.652.D/G.657.A 12ft/tube Print in ft	Corning	288ZUC-T4122D20	On Order
06/10/21		20,000	288	Cable, Fiber optic. 288-Fiber ALTOS® Gel-Free Cable Armored SMF-28 Ultra® fibers, Max: 0.34/0.34/0.22, Typical: 0.32/0.32/0.18 dB/km G.652.D/G.657.A 12ft/tube Print in ft	Corning	288ZUC-T4122D20	On Order
06/10/21		20,000	288	Cable, Fiber optic. 288-Fiber ALTOS® Gel-Free Cable Armored SMF-28 Ultra® fibers, Max: 0.34/0.34/0.22, Typical: 0.32/0.32/0.18 dB/km G.652.D/G.657.A 12ft/tube Print in ft	Corning	288ZUC-T4122D20	On Order
06/10/21		20,000	288	Cable, Fiber optic. 288-Fiber ALTOS® Gel-Free Cable Armored SMF-28 Ultra® fibers, Max: 0.34/0.34/0.22, Typical: 0.32/0.32/0.18 dB/km G.652.D/G.657.A 12ft/tube Print in ft	Corning	288ZUC-T4122D20	On Order
06/10/21		20,000	288	Cable, Fiber optic. 288-Fiber ALTOS® Gel-Free Cable Armored SMF-28 Ultra® fibers, Max: 0.34/0.34/0.22, Typical: 0.32/0.32/0.18 dB/km G.652.D/G.657.A 12ft/tube Print in ft	Corning	288ZUC-T4122D20	On Order
06/10/21		20,000	288	Cable, Fiber optic. 288-Fiber ALTOS® Gel-Free Cable Armored SMF-28 Ultra® fibers, Max: 0.34/0.34/0.22, Typical: 0.32/0.32/0.18 dB/km G.652.D/G.657.A 12ft/tube Print in ft	Corning	288ZUC-T4122D20	On Order
06/18/21		20,000	288	Cable 288F_ FORTEX DT-100% DRY LIGHT ARMOR SINGLE PE JKT, SINGLE ARMOR, DIELECTRIC CENTRAL MEMBER ALLWAVE + SM-.35/.31/.25 db/km@1310/1385/1550	OFS	AT-3CEH2YT-288	On Order
06/18/21		20,000	288	Cable 288F_ FORTEX DT-100% DRY LIGHT ARMOR SINGLE PE JKT, SINGLE ARMOR, DIELECTRIC CENTRAL MEMBER ALLWAVE + SM-.35/.31/.25 db/km@1310/1385/1550	OFS	AT-3CEH2YT-288	On Order
06/18/21		20,000	288	Cable 288F_ FORTEX DT-100% DRY LIGHT ARMOR SINGLE PE JKT, SINGLE ARMOR, DIELECTRIC CENTRAL MEMBER ALLWAVE + SM-.35/.31/.25 db/km@1310/1385/1550	OFS	AT-3CEH2YT-288	On Order
06/18/21		20,000	288	Cable 288F_ FORTEX DT-100% DRY LIGHT ARMOR SINGLE PE JKT, SINGLE ARMOR, DIELECTRIC CENTRAL MEMBER ALLWAVE + SM-.35/.31/.25 db/km@1310/1385/1550	OFS	AT-3CEH2YT-288	On Order
06/18/21		20,000	288	Cable 288F_ FORTEX DT-100% DRY LIGHT ARMOR SINGLE PE JKT, SINGLE ARMOR, DIELECTRIC CENTRAL MEMBER ALLWAVE + SM-.35/.31/.25 db/km@1310/1385/1550	OFS	AT-3CEH2YT-288	On Order
06/18/21		20,000	288	Cable 288F_ FORTEX DT-100% DRY LIGHT ARMOR SINGLE PE JKT, SINGLE ARMOR, DIELECTRIC CENTRAL MEMBER ALLWAVE + SM-.35/.31/.25 db/km@1310/1385/1550	OFS	AT-3CEH2YT-288	On Order

ETA	NovaLight Reel #	Footage	Fiber Count	Description	Manufacturer	Part Number	Stock Status
06/18/21		20,000	288	Cable 288F_ FORTEX DT-100% DRY LIGHT ARMOR SINGLE PE JKT, SINGLE ARMOR, DIELECTRIC CENTRAL MEMBER ALLWAVE + SM-.35/.31/.25 db/km@1310/1385/1550	OFS	AT-3CEH2YT-288	On Order
07/10/21		20,000	288	Cable, Fiber optic. 288-Fiber ALTOS® Gel-Free Cable Armored SMF-28 Ultra® fibers, Max: 0.34/0.34/0.22, Typical: 0.32/0.32/0.18 dB/km G.652.D/G.657.A 12ft/tube Print in ft	Corning	288ZUC-T4122D20	On Order
07/10/21		20,000	288	Cable, Fiber optic. 288-Fiber ALTOS® Gel-Free Cable Armored SMF-28 Ultra® fibers, Max: 0.34/0.34/0.22, Typical: 0.32/0.32/0.18 dB/km G.652.D/G.657.A 12ft/tube Print in ft	Corning	288ZUC-T4122D20	On Order
07/10/21		20,000	288	Cable, Fiber optic. 288-Fiber ALTOS® Gel-Free Cable Armored SMF-28 Ultra® fibers, Max: 0.34/0.34/0.22, Typical: 0.32/0.32/0.18 dB/km G.652.D/G.657.A 12ft/tube Print in ft	Corning	288ZUC-T4122D20	On Order
07/10/21		20,000	288	Cable, Fiber optic. 288-Fiber ALTOS® Gel-Free Cable Armored SMF-28 Ultra® fibers, Max: 0.34/0.34/0.22, Typical: 0.32/0.32/0.18 dB/km G.652.D/G.657.A 12ft/tube Print in ft	Corning	288ZUC-T4122D20	On Order
07/10/21		20,000	288	Cable, Fiber optic. 288-Fiber ALTOS® Gel-Free Cable Armored SMF-28 Ultra® fibers, Max: 0.34/0.34/0.22, Typical: 0.32/0.32/0.18 dB/km G.652.D/G.657.A 12ft/tube Print in ft	Corning	288ZUC-T4122D20	On Order
07/10/21		20,000	288	Cable, Fiber optic. 288-Fiber ALTOS® Gel-Free Cable Armored SMF-28 Ultra® fibers, Max: 0.34/0.34/0.22, Typical: 0.32/0.32/0.18 dB/km G.652.D/G.657.A 12ft/tube Print in ft	Corning	288ZUC-T4122D20	On Order
08/10/21		20,000	288	Cable, Fiber optic. 288-Fiber ALTOS® Gel-Free Cable Armored SMF-28 Ultra® fibers, Max: 0.34/0.34/0.22, Typical: 0.32/0.32/0.18 dB/km G.652.D/G.657.A 12ft/tube Print in ft	Corning	288ZUC-T4122D20	On Order
08/10/21		20,000	288	Cable, Fiber optic. 288-Fiber ALTOS® Gel-Free Cable Armored SMF-28 Ultra® fibers, Max: 0.34/0.34/0.22, Typical: 0.32/0.32/0.18 dB/km G.652.D/G.657.A 12ft/tube Print in ft	Corning	288ZUC-T4122D20	On Order
08/10/21		20,000	288	Cable, Fiber optic. 288-Fiber ALTOS® Gel-Free Cable Armored SMF-28 Ultra® fibers, Max: 0.34/0.34/0.22, Typical: 0.32/0.32/0.18 dB/km G.652.D/G.657.A 12ft/tube Print in ft	Corning	288ZUC-T4122D20	On Order
08/10/21		20,000	288	Cable, Fiber optic. 288-Fiber ALTOS® Gel-Free Cable Armored SMF-28 Ultra® fibers, Max: 0.34/0.34/0.22, Typical: 0.32/0.32/0.18 dB/km G.652.D/G.657.A 12ft/tube Print in ft	Corning	288ZUC-T4122D20	On Order
08/10/21		20,000	288	Cable, Fiber optic. 288-Fiber ALTOS® Gel-Free Cable Armored SMF-28 Ultra® fibers, Max: 0.34/0.34/0.22, Typical: 0.32/0.32/0.18 dB/km G.652.D/G.657.A 12ft/tube Print in ft	Corning	288ZUC-T4122D20	On Order
08/10/21		20,000	288	Cable, Fiber optic. 288-Fiber ALTOS® Gel-Free Cable Armored SMF-28 Ultra® fibers, Max: 0.34/0.34/0.22, Typical: 0.32/0.32/0.18 dB/km G.652.D/G.657.A 12ft/tube Print in ft	Corning	288ZUC-T4122D20	On Order
09/10/21		20,000	288	Cable, Fiber optic. 288-Fiber ALTOS® Gel-Free Cable Armored SMF-28 Ultra® fibers, Max: 0.34/0.34/0.22, Typical: 0.32/0.32/0.18 dB/km G.652.D/G.657.A 12ft/tube Print in ft	Corning	288ZUC-T4122D20	On Order
09/10/21		20,000	288	Cable, Fiber optic. 288-Fiber ALTOS® Gel-Free Cable Armored SMF-28 Ultra® fibers, Max: 0.34/0.34/0.22, Typical: 0.32/0.32/0.18 dB/km G.652.D/G.657.A 12ft/tube Print in ft	Corning	288ZUC-T4122D20	On Order
09/10/21		20,000	288	Cable, Fiber optic. 288-Fiber ALTOS® Gel-Free Cable Armored SMF-28 Ultra® fibers, Max: 0.34/0.34/0.22, Typical: 0.32/0.32/0.18 dB/km G.652.D/G.657.A 12ft/tube Print in ft	Corning	288ZUC-T4122D20	On Order

ETA	NovaLight Reel #	Footage	Fiber Count	Description	Manufacturer	Part Number	Stock Status
09/10/21		20,000	288	Cable, Fiber optic. 288-Fiber ALTOS® Gel-Free Cable Armored SMF-28 Ultra® fibers, Max: 0.34/0.34/0.22, Typical: 0.32/0.32/0.18 dB/km G.652.D/G.657.A 12f/tube Print in ft	Corning	288ZUC-T4122D20	On Order
09/10/21		20,000	288	Cable, Fiber optic. 288-Fiber ALTOS® Gel-Free Cable Armored SMF-28 Ultra® fibers, Max: 0.34/0.34/0.22, Typical: 0.32/0.32/0.18 dB/km G.652.D/G.657.A 12f/tube Print in ft	Corning	288ZUC-T4122D20	On Order
				432 NON-Armored Loose tube:			
European Color Code	9927	10,174	432	Cable 432F Singlemode dielectric, 12 fibers per Loose Tube, gel-free cable single MDPE Jacket, for aerial and duct G.652D fiber complies with of exceeds the ITU-T Recommendation	Sumec Wasin	swGYFY-432B1	In Stock
European Color Code	9928	10,088	432	Cable 432F Singlemode dielectric, 12 fibers per Loose Tube, gel-free cable single MDPE Jacket, for aerial and duct G.652D fiber complies with of exceeds the ITU-T Recommendation	Sumec Wasin	swGYFY-432B1	In Stock
				432 Armored Loose Tube:			
European Color Code	9871	10,010	432	Cable 432F Singlemode gel-free, single-jacket MDPE, single-armored cable	Sumec Wasin	swGYFS-432B1	In Stock
European Color Code	9872	10,034	432	Cable 432F Singlemode gel-free, single-jacket MDPE, single-armored cable	Sumec Wasin	swGYFS-432B1	In Stock
European Color Code	9873	10,002	432	Cable 432F Singlemode gel-free, single-jacket MDPE, single-armored cable	Sumec Wasin	swGYFS-432B1	In Stock
European Color Code	9914	2,326	432	Cable 432F Singlemode gel-free, single-jacket MDPE, single-armored cable	Sumec Wasin	swGYFS-432B1	In Stock
European Color Code	9915	4,034	432	Cable 432F Singlemode gel-free, single-jacket MDPE, single-armored cable	Sumec Wasin	swGYFS-432B1	Sale Pending
European Color Code	9916	10,124	432	Cable 432F Singlemode gel-free, single-jacket MDPE, single-armored cable	Sumec Wasin	swGYFS-432B1	In Stock
European Color Code	9917	10,160	432	Cable 432F Singlemode gel-free, single-jacket MDPE, single-armored cable	Sumec Wasin	swGYFS-432B1	In Stock
European Color Code	9929	10,104	432	Cable 432F Singlemode gel-free, single-jacket MDPE, single-armored cable	Sumec Wasin	swGYFS-432B1	In Stock
European Color Code	9930	10,032	432	Cable 432F Singlemode gel-free, single-jacket MDPE, single-armored cable	Sumec Wasin	swGYFS-432B1	In Stock
	11487	10,000	432	Prysmian Cable, 432F Fiber Optic, F-EDH1A1J-12-HB-432-E3 Dry ExpressLT(TM) Cable, SA/SJ 12F/Tube, Gel-Free Tube(s) 432 Fiber Single Mode (ITU G.652.D) 0.35/0.35/0.25 dB/km at 1310/1383/1550 nm (1383 nm uncabled) GR-20; RUS CFR-1755-900; ANSI/ICEA S-87-640	Prysmian	F-EDH1A1J-12-HB-432-E3	Sale Pending

ETA	NovaLight Reel #	Footage	Fiber Count	Description	Manufacturer	Part Number	Stock Status
	11488	10,000	432	Prysmian Cable, 432F Fiber Optic, F-EDH1A1J-12-HB-432-E3 Dry ExpressLT(TM) Cable, SA/SJ 12F/Tube, Gel-Free Tube(s) 432 Fiber Single Mode (ITU G.652.D) 0.35/0.35/0.25 dB/km at 1310/1383/1550 nm (1383 nm uncabled) GR-20; RUS CFR-1755-900; ANSI/CEA S-87-640	Prysmian	F-EDH1A1J-12-HB-432-E3	Sale Pending
	11504	10,000	432	Cable 432-Fiber ALTOS® Gel-Free Cable Armored SMF-28 Ultra® fiber, Max: 0.34/0.34/0.22, Typical: 0.32/0.32/0.18 dB/km G.652.D/G.657.A 12ft/tube Print in ft	Corning	432ZUC-T4122D20	Sale Pending
	11481	10,000	432	Cable 432-Fiber ALTOS® Gel-Free Cable Armored SMF-28 Ultra® fiber, Max: 0.34/0.34/0.22, Typical: 0.32/0.32/0.18 dB/km G.652.D/G.657.A 12ft/tube Print in ft	Corning	432ZUC-T4122D20	Sale Pending
	11482	10,000	432	Cable 432-Fiber ALTOS® Gel-Free Cable Armored SMF-28 Ultra® fiber, Max: 0.34/0.34/0.22, Typical: 0.32/0.32/0.18 dB/km G.652.D/G.657.A 12ft/tube Print in ft	Corning	432ZUC-T4122D20	Sale Pending
				432 NON-Armored Ribbon:			
	10723	5,378	432	Cable, 432-FIBER SST-ULTRARIBBON GEL-FREE NON-ARMORED w/Tinted ribbons SMF-28E+® MAX: 0.35/0.35/0.25, TYPICAL: 0.33/0.33/0.19 DB/KM G.652.D PRINT IN FT	Corning	432ZV4-14C00D53	Sale Pending
	10725	6,508	432	Cable, 432-FIBER SST-ULTRARIBBON GEL-FREE NON-ARMORED w/Tinted ribbons SMF-28E+® MAX: 0.35/0.35/0.25, TYPICAL: 0.33/0.33/0.19 DB/KM G.652.D PRINT IN FT	Corning	432ZV4-14C00D53	In Stock
	11401	14,272	432	Cable, 432-FIBER SST-ULTRARIBBON GEL-FREE NON-ARMORED w/Tinted ribbons SMF-28E+® MAX: 0.35/0.35/0.25, TYPICAL: 0.33/0.33/0.19 DB/KM G.652.D PRINT IN FT	Corning	432ZV4-14C00D53	In Stock
	11399	10,260	432	Cable, 432-Fiber SST-UltraRibbon™ Cable w/Tinted ribbons, Gel-Free All-Dielectric Non-Armored SMF-28e+® Max: 0.35/0.35/0.25,dB/km G.652.D Print in ft with SOCC	Corning	432EV4-14C00D53	In Stock
	11400	10,992	432	Cable, 432-Fiber SST-UltraRibbon™ Cable w/Tinted ribbons, Gel-Free All-Dielectric Non-Armored SMF-28e+® Max: 0.35/0.35/0.25,dB/km G.652.D Print in ft with SOCC	Corning	432EV4-14C00D53	In Stock
				432 Armored Ribbon:			
				864 NON-Armored Ribbon:			
	10432	6,308	864	Cable, 864-FIBER SST-ULTRARIBBON# GEL-FREE CABLE NON- ARMORED SMF-28E+® MAX: 0.4/0.4/0.3 DB/KM G.652.D PRINT IN FT SPECIAL PRINT: SOC CODE, Cable OD @ 0.90"	Corning	864EV4-14101D53	In Stock

ETA	NovaLight Reel #	Footage	Fiber Count	Description	Manufacturer	Part Number	Stock Status
	10714	6,290	864	Cable, Fiebr Optic. 864-Fiber SST-UltraRibbon Cable Tinted Gel-Free All-Dielectric Heavy Duty Non-Armored SMF-28@ Ultra Max: 0.35/0.35/0.25 dB/km G.652. D/G.657.A1 Print in ft with SOCC	Corning	864ZV4-14R00D53	In Stock
	10713	6,390	864	Cable, Fiebr Optic. 864-Fiber SST-UltraRibbon Cable Tinted Gel-Free All-Dielectric Heavy Duty Non-Armored SMF-28@ Ultra Max: 0.35/0.35/0.25 dB/km G.652. D/G.657.A1 Print in ft with SOCC	Corning	864ZV4-14R00D53	In Stock
	10709	6,372	864	Cable, Fiber optic. 864-Fiber SST-UltraRibbon Cable Tinted Gel-Free All-Dielectric Heavy Duty Non-Armored SMF-28e+@ Max: 0.35/0.35/0.25,dB/km G.652.D Print in ft with SOCC	Corning	864EV4-14R00D53	In Stock
	11405	8,370	864	Cable, Fiber optic. 864-Fiber SST-UltraRibbon Cable Tinted Gel-Free All-Dielectric Heavy Duty Non-Armored SMF-28e+@ Max: 0.35/0.35/0.25,dB/km G.652.D Print in ft with SOCC	Corning	864EV4-14R00D53	Sale Pending
	11406	6,596	864	Cable, Fiber optic. 864-Fiber SST-UltraRibbon Cable Tinted Gel-Free All-Dielectric Heavy Duty Non-Armored SMF-28e+@ Max: 0.35/0.35/0.25,dB/km G.652.D Print in ft with SOCC	Corning	864EV4-14R00D53	In Stock

ETA	NovaLight Reel #	Footage	Fiber Count	Description	Manufacturer	Part Number	Stock Status
	11408	8,856	864	Cable, Fiber optic. 864-Fiber SST-UltraRibbon Cable Tinted Gel-Free All-Dielectric Heavy Duty Non-Armored SMF-28e+® Max: 0.35/0.35/0.25,dB/km G.652.D Print in ft with SOCC	Corning	864EV4-14R00D53	In Stock
	11409	7,476	864	Cable, Fiber optic. 864-Fiber SST-UltraRibbon Cable Tinted Gel-Free All-Dielectric Heavy Duty Non-Armored SMF-28e+® Max: 0.35/0.35/0.25,dB/km G.652.D Print in ft with SOCC	Corning	864EV4-14R00D53	In Stock
	11410	6,960	864	Cable, Fiber optic. 864-Fiber SST-UltraRibbon Cable Tinted Gel-Free All-Dielectric Heavy Duty Non-Armored SMF-28e+® Max: 0.35/0.35/0.25,dB/km G.652.D Print in ft with SOCC	Corning	864EV4-14R00D53	In Stock
	11411	8,040	864	Cable, Fiber optic. 864-Fiber SST-UltraRibbon Cable Tinted Gel-Free All-Dielectric Heavy Duty Non-Armored SMF-28e+® Max: 0.35/0.35/0.25,dB/km G.652.D Print in ft with SOCC	Corning	864EV4-14R00D53	In Stock
	11398	8,352	864	Cable, Fiber optic. 864-Fiber SST-UltraRibbon Cable Tinted Gel-Free All-Dielectric Heavy Duty Non-Armored SMF-28e+® Max: 0.35/0.35/0.25,dB/km G.652.D Print in ft with SOCC	Corning	864EV4-14R00D53	In Stock

ETA	NovaLight Reel #	Footage	Fiber Count	Description	Manufacturer	Part Number	Stock Status
	11402	6,534	864	Cable, Fiber optic. 864-Fiber SST-UltraRibbon Cable Tinted Gel-Free All-Dielectric Heavy Duty Non-Armored SMF-28e+@ Max: 0.35/0.35/0.25,dB/km G.652.D Print in ft with SOCC	Corning	864EV4-14R00D53	In Stock
	11403	6,574	864	Cable, Fiber optic. 864-Fiber SST-UltraRibbon Cable Tinted Gel-Free All-Dielectric Heavy Duty Non-Armored SMF-28e+@ Max: 0.35/0.35/0.25,dB/km G.652.D Print in ft with SOCC	Corning	864EV4-14R00D53	In Stock
	11404	6,444	864	Cable, Fiber optic. 864-Fiber SST-UltraRibbon Cable Tinted Gel-Free All-Dielectric Heavy Duty Non-Armored SMF-28e+@ Max: 0.35/0.35/0.25,dB/km G.652.D Print in ft with SOCC	Corning	864EV4-14R00D53	In Stock
				864 Armored Ribbon:			
	10817-A	4,876	864	Cable, 864 Fiber, Ribbon, SM, Armored, Gel-Free, SST-ULTRARIBBON, SMF-28@ ULTRA MAX 0.35/0.35/0.25 db/km, Print in Feet, SPECIAL PRINT: SOC CODE - Corning Cable	Corning	864ZV5-14100D53	Sale Pending
	10816	9,000	864	Cable, 864 Fiber, Ribbon, SM, Armored, Gel-Free, SST-ULTRARIBBON, SMF-28@ ULTRA MAX 0.35/0.35/0.25 db/km, Print in Feet, SPECIAL PRINT: SOC CODE - Corning Cable	Corning	864ZV5-14100D53	In Stock
	10818	10,000	864	Cable, 864 Fiber, Ribbon, SM, Armored, Gel-Free, SST-ULTRARIBBON, SMF-28@ ULTRA MAX 0.35/0.35/0.25 db/km, Print in Feet, SPECIAL PRINT: SOC CODE - Corning Cable	Corning	864ZV5-14100D53	In Stock
				Flat Drop Cable, Toneable			
				2 fiber toneable 5K' reels:			
01/07/21		5,000	2	Cable, Fiber, 2-FIBER SST-DROP CABLE TONEABLE SMF-28 Ultra@ fibers, MAX: 0.35/0.35/0.22 DB/KM G.652.D & G.657.A1 PRINT IN F	Corning	002ZB1-14122A20	On Order
01/07/21		5,000	2	Cable, Fiber, 2-FIBER SST-DROP CABLE TONEABLE SMF-28 Ultra@ fibers, MAX: 0.35/0.35/0.22 DB/KM G.652.D & G.657.A1 PRINT IN F	Corning	002ZB1-14122A20	On Order

ETA	NovaLight Reel #	Footage	Fiber Count	Description	Manufacturer	Part Number	Stock Status
01/07/21		5,000	2	Cable, Fiber, 2-FIBER SST-DROP CABLE TONEABLE SMF-28 Ultra@ fibers, MAX: 0.35/0.35/0.22 DB/KM G.652.D & G.657.A1 PRINT IN F	Corning	002ZB1-14122A20	On Order
01/07/21		5,000	2	Cable, Fiber, 2-FIBER SST-DROP CABLE TONEABLE SMF-28 Ultra@ fibers, MAX: 0.35/0.35/0.22 DB/KM G.652.D & G.657.A1 PRINT IN F	Corning	002ZB1-14122A20	On Order
01/07/21		5,000	2	Cable, Fiber, 2-FIBER SST-DROP CABLE TONEABLE SMF-28 Ultra@ fibers, MAX: 0.35/0.35/0.22 DB/KM G.652.D & G.657.A1 PRINT IN F	Corning	002ZB1-14122A20	On Order
01/07/21		5,000	2	Cable, Fiber, 2-FIBER SST-DROP CABLE TONEABLE SMF-28 Ultra@ fibers, MAX: 0.35/0.35/0.22 DB/KM G.652.D & G.657.A1 PRINT IN F	Corning	002ZB1-14122A20	On Order
01/07/21		5,000	2	Cable, Fiber, 2-FIBER SST-DROP CABLE TONEABLE SMF-28 Ultra@ fibers, MAX: 0.35/0.35/0.22 DB/KM G.652.D & G.657.A1 PRINT IN F	Corning	002ZB1-14122A20	On Order
01/07/21		5,000	2	Cable, Fiber, 2-FIBER SST-DROP CABLE TONEABLE SMF-28 Ultra@ fibers, MAX: 0.35/0.35/0.22 DB/KM G.652.D & G.657.A1 PRINT IN F	Corning	002ZB1-14122A20	On Order
01/07/21		5,000	2	Cable, Fiber, 2-FIBER SST-DROP CABLE TONEABLE SMF-28 Ultra@ fibers, MAX: 0.35/0.35/0.22 DB/KM G.652.D & G.657.A1 PRINT IN F	Corning	002ZB1-14122A20	On Order
01/07/21		5,000	2	Cable, Fiber, 2-FIBER SST-DROP CABLE TONEABLE SMF-28 Ultra@ fibers, MAX: 0.35/0.35/0.22 DB/KM G.652.D & G.657.A1 PRINT IN F	Corning	002ZB1-14122A20	On Order
01/07/21		5,000	2	Cable, Fiber, 2-FIBER SST-DROP CABLE TONEABLE SMF-28 Ultra@ fibers, MAX: 0.35/0.35/0.22 DB/KM G.652.D & G.657.A1 PRINT IN F	Corning	002ZB1-14122A20	On Order
01/07/21		5,000	2	Cable, Fiber, 2-FIBER SST-DROP CABLE TONEABLE SMF-28 Ultra@ fibers, MAX: 0.35/0.35/0.22 DB/KM G.652.D & G.657.A1 PRINT IN F	Corning	002ZB1-14122A20	On Order
01/07/21		5,000	2	Cable, Fiber, 2-FIBER SST-DROP CABLE TONEABLE SMF-28 Ultra@ fibers, MAX: 0.35/0.35/0.22 DB/KM G.652.D & G.657.A1 PRINT IN F	Corning	002ZB1-14122A20	On Order
01/07/21		5,000	2	Cable, Fiber, 2-FIBER SST-DROP CABLE TONEABLE SMF-28 Ultra@ fibers, MAX: 0.35/0.35/0.22 DB/KM G.652.D & G.657.A1 PRINT IN F	Corning	002ZB1-14122A20	On Order
01/07/21		5,000	2	Cable, Fiber, 2-FIBER SST-DROP CABLE TONEABLE SMF-28 Ultra@ fibers, MAX: 0.35/0.35/0.22 DB/KM G.652.D & G.657.A1 PRINT IN F	Corning	002ZB1-14122A20	On Order
01/07/21		5,000	2	Cable, Fiber, 2-FIBER SST-DROP CABLE TONEABLE SMF-28 Ultra@ fibers, MAX: 0.35/0.35/0.22 DB/KM G.652.D & G.657.A1 PRINT IN F	Corning	002ZB1-14122A20	On Order
01/07/21		5,000	2	Cable, Fiber, 2-FIBER SST-DROP CABLE TONEABLE SMF-28 Ultra@ fibers, MAX: 0.35/0.35/0.22 DB/KM G.652.D & G.657.A1 PRINT IN F	Corning	002ZB1-14122A20	On Order
01/07/21		5,000	2	Cable, Fiber, 2-FIBER SST-DROP CABLE TONEABLE SMF-28 Ultra@ fibers, MAX: 0.35/0.35/0.22 DB/KM G.652.D & G.657.A1 PRINT IN F	Corning	002ZB1-14122A20	On Order
01/07/21		5,000	2	Cable, Fiber, 2-FIBER SST-DROP CABLE TONEABLE SMF-28 Ultra@ fibers, MAX: 0.35/0.35/0.22 DB/KM G.652.D & G.657.A1 PRINT IN F	Corning	002ZB1-14122A20	On Order
01/07/21		5,000	2	Cable, Fiber, 2-FIBER SST-DROP CABLE TONEABLE SMF-28 Ultra@ fibers, MAX: 0.35/0.35/0.22 DB/KM G.652.D & G.657.A1 PRINT IN F	Corning	002ZB1-14122A20	On Order
01/12/21		5,000	2	Cable, Fiber, 2-FIBER SST-DROP CABLE TONEABLE SMF-28 Ultra@ fibers, MAX: 0.35/0.35/0.22 DB/KM G.652.D & G.657.A1 PRINT IN F	Corning	002ZB1-14122A20	On Order
01/12/21		5,000	2	Cable, Fiber, 2-FIBER SST-DROP CABLE TONEABLE SMF-28 Ultra@ fibers, MAX: 0.35/0.35/0.22 DB/KM G.652.D & G.657.A1 PRINT IN F	Corning	002ZB1-14122A20	On Order
01/12/21		5,000	2	Cable, Fiber, 2-FIBER SST-DROP CABLE TONEABLE SMF-28 Ultra@ fibers, MAX: 0.35/0.35/0.22 DB/KM G.652.D & G.657.A1 PRINT IN F	Corning	002ZB1-14122A20	On Order
01/12/21		5,000	2	Cable, Fiber, 2-FIBER SST-DROP CABLE TONEABLE SMF-28 Ultra@ fibers, MAX: 0.35/0.35/0.22 DB/KM G.652.D & G.657.A1 PRINT IN F	Corning	002ZB1-14122A20	On Order
01/12/21		5,000	2	Cable, Fiber, 2-FIBER SST-DROP CABLE TONEABLE SMF-28 Ultra@ fibers, MAX: 0.35/0.35/0.22 DB/KM G.652.D & G.657.A1 PRINT IN F	Corning	002ZB1-14122A20	On Order

ETA	NovaLight Reel #	Footage	Fiber Count	Description	Manufacturer	Part Number	Stock Status
01/12/21		5,000	2	Cable, Fiber, 2-FIBER SST-DROP CABLE TONEABLE SMF-28 Ultra@ fibers, MAX: 0.35/0.35/0.22 DB/KM G.652.D & G.657.A1 PRINT IN F	Corning	002ZB1-14122A20	On Order
01/12/21		5,000	2	Cable, Fiber, 2-FIBER SST-DROP CABLE TONEABLE SMF-28 Ultra@ fibers, MAX: 0.35/0.35/0.22 DB/KM G.652.D & G.657.A1 PRINT IN F	Corning	002ZB1-14122A20	On Order
01/12/21		5,000	2	Cable, Fiber, 2-FIBER SST-DROP CABLE TONEABLE SMF-28 Ultra@ fibers, MAX: 0.35/0.35/0.22 DB/KM G.652.D & G.657.A1 PRINT IN F	Corning	002ZB1-14122A20	On Order
01/12/21		5,000	2	Cable, Fiber, 2-FIBER SST-DROP CABLE TONEABLE SMF-28 Ultra@ fibers, MAX: 0.35/0.35/0.22 DB/KM G.652.D & G.657.A1 PRINT IN F	Corning	002ZB1-14122A20	On Order
01/12/21		5,000	2	Cable, Fiber, 2-FIBER SST-DROP CABLE TONEABLE SMF-28 Ultra@ fibers, MAX: 0.35/0.35/0.22 DB/KM G.652.D & G.657.A1 PRINT IN F	Corning	002ZB1-14122A20	On Order
01/12/21		5,000	2	Cable, Fiber, 2-FIBER SST-DROP CABLE TONEABLE SMF-28 Ultra@ fibers, MAX: 0.35/0.35/0.22 DB/KM G.652.D & G.657.A1 PRINT IN F	Corning	002ZB1-14122A20	On Order
01/12/21		5,000	2	Cable, Fiber, 2-FIBER SST-DROP CABLE TONEABLE SMF-28 Ultra@ fibers, MAX: 0.35/0.35/0.22 DB/KM G.652.D & G.657.A1 PRINT IN F	Corning	002ZB1-14122A20	On Order
01/12/21		5,000	2	Cable, Fiber, 2-FIBER SST-DROP CABLE TONEABLE SMF-28 Ultra@ fibers, MAX: 0.35/0.35/0.22 DB/KM G.652.D & G.657.A1 PRINT IN F	Corning	002ZB1-14122A20	On Order
01/12/21		5,000	2	Cable, Fiber, 2-FIBER SST-DROP CABLE TONEABLE SMF-28 Ultra@ fibers, MAX: 0.35/0.35/0.22 DB/KM G.652.D & G.657.A1 PRINT IN F	Corning	002ZB1-14122A20	On Order
01/12/21		5,000	2	Cable, Fiber, 2-FIBER SST-DROP CABLE TONEABLE SMF-28 Ultra@ fibers, MAX: 0.35/0.35/0.22 DB/KM G.652.D & G.657.A1 PRINT IN F	Corning	002ZB1-14122A20	On Order
01/12/21		5,000	2	Cable, Fiber, 2-FIBER SST-DROP CABLE TONEABLE SMF-28 Ultra@ fibers, MAX: 0.35/0.35/0.22 DB/KM G.652.D & G.657.A1 PRINT IN F	Corning	002ZB1-14122A20	On Order
01/12/21		5,000	2	Cable, Fiber, 2-FIBER SST-DROP CABLE TONEABLE SMF-28 Ultra@ fibers, MAX: 0.35/0.35/0.22 DB/KM G.652.D & G.657.A1 PRINT IN F	Corning	002ZB1-14122A20	On Order
01/12/21		5,000	2	Cable, Fiber, 2-FIBER SST-DROP CABLE TONEABLE SMF-28 Ultra@ fibers, MAX: 0.35/0.35/0.22 DB/KM G.652.D & G.657.A1 PRINT IN F	Corning	002ZB1-14122A20	On Order
01/12/21		5,000	2	Cable, Fiber, 2-FIBER SST-DROP CABLE TONEABLE SMF-28 Ultra@ fibers, MAX: 0.35/0.35/0.22 DB/KM G.652.D & G.657.A1 PRINT IN F	Corning	002ZB1-14122A20	On Order
01/12/21		5,000	2	Cable, Fiber, 2-FIBER SST-DROP CABLE TONEABLE SMF-28 Ultra@ fibers, MAX: 0.35/0.35/0.22 DB/KM G.652.D & G.657.A1 PRINT IN F	Corning	002ZB1-14122A20	On Order
02/04/21		5,000	2	Cable, Fiber, 2-FIBER SST-DROP CABLE TONEABLE SMF-28 Ultra@ fibers, MAX: 0.35/0.35/0.22 DB/KM G.652.D & G.657.A1 PRINT IN F	Corning	002ZB1-14122A20	On Order
02/04/21		5,000	2	Cable, Fiber, 2-FIBER SST-DROP CABLE TONEABLE SMF-28 Ultra@ fibers, MAX: 0.35/0.35/0.22 DB/KM G.652.D & G.657.A1 PRINT IN F	Corning	002ZB1-14122A20	On Order
02/04/21		5,000	2	Cable, Fiber, 2-FIBER SST-DROP CABLE TONEABLE SMF-28 Ultra@ fibers, MAX: 0.35/0.35/0.22 DB/KM G.652.D & G.657.A1 PRINT IN F	Corning	002ZB1-14122A20	On Order
02/04/21		5,000	2	Cable, Fiber, 2-FIBER SST-DROP CABLE TONEABLE SMF-28 Ultra@ fibers, MAX: 0.35/0.35/0.22 DB/KM G.652.D & G.657.A1 PRINT IN F	Corning	002ZB1-14122A20	On Order
02/04/21		5,000	2	Cable, Fiber, 2-FIBER SST-DROP CABLE TONEABLE SMF-28 Ultra@ fibers, MAX: 0.35/0.35/0.22 DB/KM G.652.D & G.657.A1 PRINT IN F	Corning	002ZB1-14122A20	On Order
02/04/21		5,000	2	Cable, Fiber, 2-FIBER SST-DROP CABLE TONEABLE SMF-28 Ultra@ fibers, MAX: 0.35/0.35/0.22 DB/KM G.652.D & G.657.A1 PRINT IN F	Corning	002ZB1-14122A20	On Order
02/04/21		5,000	2	Cable, Fiber, 2-FIBER SST-DROP CABLE TONEABLE SMF-28 Ultra@ fibers, MAX: 0.35/0.35/0.22 DB/KM G.652.D & G.657.A1 PRINT IN F	Corning	002ZB1-14122A20	On Order

ETA	NovaLight Reel #	Footage	Fiber Count	Description	Manufacturer	Part Number	Stock Status
03/05/21		5,000	2	Cable, Fiber, 2-FIBER SST-DROP CABLE TONEABLE SMF-28 Ultra@ fibers, MAX: 0.35/0.35/0.22 DB/KM G.652.D & G.657.A1 PRINT IN F	Corning	002ZB1-14122A20	On Order
03/05/21		5,000	2	Cable, Fiber, 2-FIBER SST-DROP CABLE TONEABLE SMF-28 Ultra@ fibers, MAX: 0.35/0.35/0.22 DB/KM G.652.D & G.657.A1 PRINT IN F	Corning	002ZB1-14122A20	On Order
03/05/21		5,000	2	Cable, Fiber, 2-FIBER SST-DROP CABLE TONEABLE SMF-28 Ultra@ fibers, MAX: 0.35/0.35/0.22 DB/KM G.652.D & G.657.A1 PRINT IN F	Corning	002ZB1-14122A20	On Order
03/05/21		5,000	2	Cable, Fiber, 2-FIBER SST-DROP CABLE TONEABLE SMF-28 Ultra@ fibers, MAX: 0.35/0.35/0.22 DB/KM G.652.D & G.657.A1 PRINT IN F	Corning	002ZB1-14122A20	On Order
03/05/21		5,000	2	Cable, Fiber, 2-FIBER SST-DROP CABLE TONEABLE SMF-28 Ultra@ fibers, MAX: 0.35/0.35/0.22 DB/KM G.652.D & G.657.A1 PRINT IN F	Corning	002ZB1-14122A20	On Order
03/05/21		5,000	2	Cable, Fiber, 2-FIBER SST-DROP CABLE TONEABLE SMF-28 Ultra@ fibers, MAX: 0.35/0.35/0.22 DB/KM G.652.D & G.657.A1 PRINT IN F	Corning	002ZB1-14122A20	On Order
03/05/21		5,000	2	Cable, Fiber, 2-FIBER SST-DROP CABLE TONEABLE SMF-28 Ultra@ fibers, MAX: 0.35/0.35/0.22 DB/KM G.652.D & G.657.A1 PRINT IN F	Corning	002ZB1-14122A20	On Order
03/05/21		5,000	2	Cable, Fiber, 2-FIBER SST-DROP CABLE TONEABLE SMF-28 Ultra@ fibers, MAX: 0.35/0.35/0.22 DB/KM G.652.D & G.657.A1 PRINT IN F	Corning	002ZB1-14122A20	On Order
03/05/21		5,000	2	Cable, Fiber, 2-FIBER SST-DROP CABLE TONEABLE SMF-28 Ultra@ fibers, MAX: 0.35/0.35/0.22 DB/KM G.652.D & G.657.A1 PRINT IN F	Corning	002ZB1-14122A20	On Order
03/05/21		5,000	2	Cable, Fiber, 2-FIBER SST-DROP CABLE TONEABLE SMF-28 Ultra@ fibers, MAX: 0.35/0.35/0.22 DB/KM G.652.D & G.657.A1 PRINT IN F	Corning	002ZB1-14122A20	On Order
				2 fiber toneable 10K' reels:			
01/12/21		10,000	2	Cable, Fiber Optic. 2-Fiber SST-Drop Cable Gel-Filled Toneable SMFe 0.4/0.4/0.3 dB/km	Corning	002ZB1-14122A20	On Order
01/12/21		10,000	2	Cable, Fiber Optic. 2-Fiber SST-Drop Cable Gel-Filled Toneable SMFe 0.4/0.4/0.3 dB/km	Corning	002ZB1-14122A20	On Order
01/12/21		10,000	2	Cable, Fiber Optic. 2-Fiber SST-Drop Cable Gel-Filled Toneable SMFe 0.4/0.4/0.3 dB/km	Corning	002ZB1-14122A20	On Order
01/12/21		10,000	2	Cable, Fiber Optic. 2-Fiber SST-Drop Cable Gel-Filled Toneable SMFe 0.4/0.4/0.3 dB/km	Corning	002ZB1-14122A20	On Order
01/12/21		10,000	2	Cable, Fiber Optic. 2-Fiber SST-Drop Cable Gel-Filled Toneable SMFe 0.4/0.4/0.3 dB/km	Corning	002ZB1-14122A20	On Order
02/04/21		10,000	2	Cable, Fiber Optic. 2-Fiber SST-Drop Cable Gel-Filled Toneable SMFe 0.4/0.4/0.3 dB/km	Corning	002ZB1-14122A20	On Order
02/04/21		10,000	2	Cable, Fiber Optic. 2-Fiber SST-Drop Cable Gel-Filled Toneable SMFe 0.4/0.4/0.3 dB/km	Corning	002ZB1-14122A20	On Order
02/04/21		10,000	2	Cable, Fiber Optic. 2-Fiber SST-Drop Cable Gel-Filled Toneable SMFe 0.4/0.4/0.3 dB/km	Corning	002ZB1-14122A20	On Order
02/04/21		10,000	2	Cable, Fiber Optic. 2-Fiber SST-Drop Cable Gel-Filled Toneable SMFe 0.4/0.4/0.3 dB/km	Corning	002ZB1-14122A20	On Order
02/04/21		10,000	2	Cable, Fiber Optic. 2-Fiber SST-Drop Cable Gel-Filled Toneable SMFe 0.4/0.4/0.3 dB/km	Corning	002ZB1-14122A20	On Order

ETA	NovaLight Reel #	Footage	Fiber Count	Description	Manufacturer	Part Number	Stock Status
02/04/21		10,000	2	Cable, Fiber Optic. 2-Fiber SST-Drop Cable Gel-Filled Toneable SMFe 0.4/0.4/0.3 dB/km	Corning	002ZB1-14122A20	On Order
02/04/21		10,000	2	Cable, Fiber Optic. 2-Fiber SST-Drop Cable Gel-Filled Toneable SMFe 0.4/0.4/0.3 dB/km	Corning	002ZB1-14122A20	On Order
02/04/21		10,000	2	Cable, Fiber Optic. 2-Fiber SST-Drop Cable Gel-Filled Toneable SMFe 0.4/0.4/0.3 dB/km	Corning	002ZB1-14122A20	On Order
02/04/21		10,000	2	Cable, Fiber Optic. 2-Fiber SST-Drop Cable Gel-Filled Toneable SMFe 0.4/0.4/0.3 dB/km	Corning	002ZB1-14122A20	On Order
02/04/21		10,000	2	Cable, Fiber Optic. 2-Fiber SST-Drop Cable Gel-Filled Toneable SMFe 0.4/0.4/0.3 dB/km	Corning	002ZB1-14122A20	On Order
02/04/21		10,000	2	Cable, Fiber Optic. 2-Fiber SST-Drop Cable Gel-Filled Toneable SMFe 0.4/0.4/0.3 dB/km	Corning	002ZB1-14122A20	On Order
02/04/21		10,000	2	Cable, Fiber Optic. 2-Fiber SST-Drop Cable Gel-Filled Toneable SMFe 0.4/0.4/0.3 dB/km	Corning	002ZB1-14122A20	On Order
02/04/21		10,000	2	Cable, Fiber Optic. 2-Fiber SST-Drop Cable Gel-Filled Toneable SMFe 0.4/0.4/0.3 dB/km	Corning	002ZB1-14122A20	On Order
02/04/21		10,000	2	Cable, Fiber Optic. 2-Fiber SST-Drop Cable Gel-Filled Toneable SMFe 0.4/0.4/0.3 dB/km	Corning	002ZB1-14122A20	On Order
02/04/21		10,000	2	Cable, Fiber Optic. 2-Fiber SST-Drop Cable Gel-Filled Toneable SMFe 0.4/0.4/0.3 dB/km	Corning	002ZB1-14122A20	On Order
02/04/21		10,000	2	Cable, Fiber Optic. 2-Fiber SST-Drop Cable Gel-Filled Toneable SMFe 0.4/0.4/0.3 dB/km	Corning	002ZB1-14122A20	On Order
03/05/21		10,000	2	Cable, Fiber Optic. 2-Fiber SST-Drop Cable Gel-Filled Toneable SMFe 0.4/0.4/0.3 dB/km	Corning	002ZB1-14122A20	On Order
03/05/21		10,000	2	Cable, Fiber Optic. 2-Fiber SST-Drop Cable Gel-Filled Toneable SMFe 0.4/0.4/0.3 dB/km	Corning	002ZB1-14122A20	On Order
03/05/21		10,000	2	Cable, Fiber Optic. 2-Fiber SST-Drop Cable Gel-Filled Toneable SMFe 0.4/0.4/0.3 dB/km	Corning	002ZB1-14122A20	On Order
03/05/21		10,000	2	Cable, Fiber Optic. 2-Fiber SST-Drop Cable Gel-Filled Toneable SMFe 0.4/0.4/0.3 dB/km	Corning	002ZB1-14122A20	On Order
03/05/21		10,000	2	Cable, Fiber Optic. 2-Fiber SST-Drop Cable Gel-Filled Toneable SMFe 0.4/0.4/0.3 dB/km	Corning	002ZB1-14122A20	On Order
03/05/21		10,000	2	Cable, Fiber Optic. 2-Fiber SST-Drop Cable Gel-Filled Toneable SMFe 0.4/0.4/0.3 dB/km	Corning	002ZB1-14122A20	On Order
03/05/21		10,000	2	Cable, Fiber Optic. 2-Fiber SST-Drop Cable Gel-Filled Toneable SMFe 0.4/0.4/0.3 dB/km	Corning	002ZB1-14122A20	On Order
03/05/21		10,000	2	Cable, Fiber Optic. 2-Fiber SST-Drop Cable Gel-Filled Toneable SMFe 0.4/0.4/0.3 dB/km	Corning	002ZB1-14122A20	On Order
03/05/21		10,000	2	Cable, Fiber Optic. 2-Fiber SST-Drop Cable Gel-Filled Toneable SMFe 0.4/0.4/0.3 dB/km	Corning	002ZB1-14122A20	On Order
03/05/21		10,000	2	Cable, Fiber Optic. 2-Fiber SST-Drop Cable Gel-Filled Toneable SMFe 0.4/0.4/0.3 dB/km	Corning	002ZB1-14122A20	On Order
03/05/21		10,000	2	Cable, Fiber Optic. 2-Fiber SST-Drop Cable Gel-Filled Toneable SMFe 0.4/0.4/0.3 dB/km	Corning	002ZB1-14122A20	On Order
03/05/21		10,000	2	Cable, Fiber Optic. 2-Fiber SST-Drop Cable Gel-Filled Toneable SMFe 0.4/0.4/0.3 dB/km	Corning	002ZB1-14122A20	On Order
03/05/21		10,000	2	Cable, Fiber Optic. 2-Fiber SST-Drop Cable Gel-Filled Toneable SMFe 0.4/0.4/0.3 dB/km	Corning	002ZB1-14122A20	On Order
03/05/21		10,000	2	Cable, Fiber Optic. 2-Fiber SST-Drop Cable Gel-Filled Toneable SMFe 0.4/0.4/0.3 dB/km	Corning	002ZB1-14122A20	On Order
03/05/21		10,000	2	Cable, Fiber Optic. 2-Fiber SST-Drop Cable Gel-Filled Toneable SMFe 0.4/0.4/0.3 dB/km	Corning	002ZB1-14122A20	On Order
03/05/21		10,000	2	Cable, Fiber Optic. 2-Fiber SST-Drop Cable Gel-Filled Toneable SMFe 0.4/0.4/0.3 dB/km	Corning	002ZB1-14122A20	On Order

ETA	NovaLight Reel #	Footage	Fiber Count	Description	Manufacturer	Part Number	Stock Status
03/05/21		10,000	2	Cable, Fiber Optic. 2-Fiber SST-Drop Cable Gel-Filled Toneable SMFe 0.4/0.4/0.3 dB/km	Corning	002ZB1-14122A20	On Order
03/05/21		10,000	2	Cable, Fiber Optic. 2-Fiber SST-Drop Cable Gel-Filled Toneable SMFe 0.4/0.4/0.3 dB/km	Corning	002ZB1-14122A20	On Order
03/05/21		10,000	2	Cable, Fiber Optic. 2-Fiber SST-Drop Cable Gel-Filled Toneable SMFe 0.4/0.4/0.3 dB/km	Corning	002ZB1-14122A20	On Order
				2 fiber toneable 20K' reels:			
				6 fiber toneable 5K' reels:			
11/07/20		5,000	6	Cable, Fiber Optic. 6-FIBER SST-DROP CABLE TONEABLE SMF-28@ ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM G652.D/G657.A1 PRINT IN FT	Corning	006ZB1-14122A20	Sale Pending
11/07/20		5,000	6	Cable, Fiber Optic. 6-FIBER SST-DROP CABLE TONEABLE SMF-28@ ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM G652.D/G657.A1 PRINT IN FT	Corning	006ZB1-14122A20	Sale Pending
01/07/21		5,000	6	Cable, Fiber Optic. 6-FIBER SST-DROP CABLE TONEABLE SMF-28@ ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM G652.D/G657.A1 PRINT IN FT	Corning	006ZB1-14122A20	On Order
01/07/21		5,000	6	Cable, Fiber Optic. 6-FIBER SST-DROP CABLE TONEABLE SMF-28@ ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM G652.D/G657.A1 PRINT IN FT	Corning	006ZB1-14122A20	On Order
01/07/21		5,000	6	Cable, Fiber Optic. 6-FIBER SST-DROP CABLE TONEABLE SMF-28@ ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM G652.D/G657.A1 PRINT IN FT	Corning	006ZB1-14122A20	On Order
01/07/21		5,000	6	Cable, Fiber Optic. 6-FIBER SST-DROP CABLE TONEABLE SMF-28@ ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM G652.D/G657.A1 PRINT IN FT	Corning	006ZB1-14122A20	On Order
01/07/21		5,000	6	Cable, Fiber Optic. 6-FIBER SST-DROP CABLE TONEABLE SMF-28@ ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM G652.D/G657.A1 PRINT IN FT	Corning	006ZB1-14122A20	On Order
01/07/21		5,000	6	Cable, Fiber Optic. 6-FIBER SST-DROP CABLE TONEABLE SMF-28@ ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM G652.D/G657.A1 PRINT IN FT	Corning	006ZB1-14122A20	On Order
01/07/21		5,000	6	Cable, Fiber Optic. 6-FIBER SST-DROP CABLE TONEABLE SMF-28@ ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM G652.D/G657.A1 PRINT IN FT	Corning	006ZB1-14122A20	On Order
01/07/21		5,000	6	Cable, Fiber Optic. 6-FIBER SST-DROP CABLE TONEABLE SMF-28@ ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM G652.D/G657.A1 PRINT IN FT	Corning	006ZB1-14122A20	On Order
01/07/21		5,000	6	Cable, Fiber Optic. 6-FIBER SST-DROP CABLE TONEABLE SMF-28@ ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM G652.D/G657.A1 PRINT IN FT	Corning	006ZB1-14122A20	On Order

ETA	NovaLight Reel #	Footage	Fiber Count	Description	Manufacturer	Part Number	Stock Status
01/07/21		5,000	6	Cable, Fiber Optic. 6-FIBER SST-DROP CABLE TONEABLE SMF-28@ ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM G652.D/G657.A1 PRINT IN FT	Corning	006ZB1-14122A20	On Order
01/07/21		5,000	6	Cable, Fiber Optic. 6-FIBER SST-DROP CABLE TONEABLE SMF-28@ ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM G652.D/G657.A1 PRINT IN FT	Corning	006ZB1-14122A20	On Order
01/07/21		5,000	6	Cable, Fiber Optic. 6-FIBER SST-DROP CABLE TONEABLE SMF-28@ ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM G652.D/G657.A1 PRINT IN FT	Corning	006ZB1-14122A20	On Order
01/07/21		5,000	6	Cable, Fiber Optic. 6-FIBER SST-DROP CABLE TONEABLE SMF-28@ ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM G652.D/G657.A1 PRINT IN FT	Corning	006ZB1-14122A20	On Order
01/07/21		5,000	6	Cable, Fiber Optic. 6-FIBER SST-DROP CABLE TONEABLE SMF-28@ ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM G652.D/G657.A1 PRINT IN FT	Corning	006ZB1-14122A20	On Order
01/12/21		5,000	6	Cable, Fiber Optic. 6-FIBER SST-DROP CABLE TONEABLE SMF-28@ ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM G652.D/G657.A1 PRINT IN FT	Corning	006ZB1-14122A20	On Order
01/12/21		5,000	6	Cable, Fiber Optic. 6-FIBER SST-DROP CABLE TONEABLE SMF-28@ ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM G652.D/G657.A1 PRINT IN FT	Corning	006ZB1-14122A20	On Order
01/12/21		5,000	6	Cable, Fiber Optic. 6-FIBER SST-DROP CABLE TONEABLE SMF-28@ ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM G652.D/G657.A1 PRINT IN FT	Corning	006ZB1-14122A20	On Order
01/12/21		5,000	6	Cable, Fiber Optic. 6-FIBER SST-DROP CABLE TONEABLE SMF-28@ ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM G652.D/G657.A1 PRINT IN FT	Corning	006ZB1-14122A20	On Order
01/12/21		5,000	6	Cable, Fiber Optic. 6-FIBER SST-DROP CABLE TONEABLE SMF-28@ ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM G652.D/G657.A1 PRINT IN FT	Corning	006ZB1-14122A20	On Order
02/04/21		5,000	6	Cable, Fiber Optic. 6-FIBER SST-DROP CABLE TONEABLE SMF-28@ ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM G652.D/G657.A1 PRINT IN FT	Corning	006ZB1-14122A20	On Order
02/04/21		5,000	6	Cable, Fiber Optic. 6-FIBER SST-DROP CABLE TONEABLE SMF-28@ ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM G652.D/G657.A1 PRINT IN FT	Corning	006ZB1-14122A20	On Order
02/04/21		5,000	6	Cable, Fiber Optic. 6-FIBER SST-DROP CABLE TONEABLE SMF-28@ ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM G652.D/G657.A1 PRINT IN FT	Corning	006ZB1-14122A20	On Order
02/04/21		5,000	6	Cable, Fiber Optic. 6-FIBER SST-DROP CABLE TONEABLE SMF-28@ ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM G652.D/G657.A1 PRINT IN FT	Corning	006ZB1-14122A20	On Order

ETA	NovaLight Reel #	Footage	Fiber Count	Description	Manufacturer	Part Number	Stock Status
02/04/21		5,000	6	Cable, Fiber Optic. 6-FIBER SST-DROP CABLE TONEABLE SMF-28@ ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM G652.D/G657.A1 PRINT IN FT	Corning	006ZB1-14122A20	On Order
03/05/21		5,000	6	Cable, Fiber Optic. 6-FIBER SST-DROP CABLE TONEABLE SMF-28@ ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM G652.D/G657.A1 PRINT IN FT	Corning	006ZB1-14122A20	On Order
03/05/21		5,000	6	Cable, Fiber Optic. 6-FIBER SST-DROP CABLE TONEABLE SMF-28@ ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM G652.D/G657.A1 PRINT IN FT	Corning	006ZB1-14122A20	On Order
03/05/21		5,000	6	Cable, Fiber Optic. 6-FIBER SST-DROP CABLE TONEABLE SMF-28@ ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM G652.D/G657.A1 PRINT IN FT	Corning	006ZB1-14122A20	On Order
03/05/21		5,000	6	Cable, Fiber Optic. 6-FIBER SST-DROP CABLE TONEABLE SMF-28@ ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM G652.D/G657.A1 PRINT IN FT	Corning	006ZB1-14122A20	On Order
03/05/21		5,000	6	Cable, Fiber Optic. 6-FIBER SST-DROP CABLE TONEABLE SMF-28@ ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM G652.D/G657.A1 PRINT IN FT	Corning	006ZB1-14122A20	On Order
				6 fiber toneable 10K' reels:			
02/04/21		10,000	6	Cable, Fiber Optic. 6-FIBER SST-DROP CABLE TONEABLE SMF-28@ ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM G652.D/G657.A1 PRINT IN FT	Corning	006ZB1-14122A20	On Order
02/04/21		10,000	6	Cable, Fiber Optic. 6-FIBER SST-DROP CABLE TONEABLE SMF-28@ ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM G652.D/G657.A1 PRINT IN FT	Corning	006ZB1-14122A20	On Order
02/04/21		10,000	6	Cable, Fiber Optic. 6-FIBER SST-DROP CABLE TONEABLE SMF-28@ ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM G652.D/G657.A1 PRINT IN FT	Corning	006ZB1-14122A20	On Order
02/04/21		10,000	6	Cable, Fiber Optic. 6-FIBER SST-DROP CABLE TONEABLE SMF-28@ ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM G652.D/G657.A1 PRINT IN FT	Corning	006ZB1-14122A20	On Order
02/04/21		10,000	6	Cable, Fiber Optic. 6-FIBER SST-DROP CABLE TONEABLE SMF-28@ ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM G652.D/G657.A1 PRINT IN FT	Corning	006ZB1-14122A20	On Order
02/04/21		10,000	6	Cable, Fiber Optic. 6-FIBER SST-DROP CABLE TONEABLE SMF-28@ ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM G652.D/G657.A1 PRINT IN FT	Corning	006ZB1-14122A20	On Order
02/04/21		10,000	6	Cable, Fiber Optic. 6-FIBER SST-DROP CABLE TONEABLE SMF-28@ ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM G652.D/G657.A1 PRINT IN FT	Corning	006ZB1-14122A20	On Order
02/04/21		10,000	6	Cable, Fiber Optic. 6-FIBER SST-DROP CABLE TONEABLE SMF-28@ ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM G652.D/G657.A1 PRINT IN FT	Corning	006ZB1-14122A20	On Order

ETA	NovaLight Reel #	Footage	Fiber Count	Description	Manufacturer	Part Number	Stock Status
03/05/21		10,000	6	Cable, Fiber Optic. 6-FIBER SST-DROP CABLE TONEABLE SMF-28® ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM G652.D/G657.A1 PRINT IN FT	Corning	006ZB1-14122A20	On Order
03/05/21		10,000	6	Cable, Fiber Optic. 6-FIBER SST-DROP CABLE TONEABLE SMF-28® ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM G652.D/G657.A1 PRINT IN FT	Corning	006ZB1-14122A20	On Order
03/05/21		10,000	6	Cable, Fiber Optic. 6-FIBER SST-DROP CABLE TONEABLE SMF-28® ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM G652.D/G657.A1 PRINT IN FT	Corning	006ZB1-14122A20	On Order
03/05/21		10,000	6	Cable, Fiber Optic. 6-FIBER SST-DROP CABLE TONEABLE SMF-28® ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM G652.D/G657.A1 PRINT IN FT	Corning	006ZB1-14122A20	On Order
03/05/21		10,000	6	Cable, Fiber Optic. 6-FIBER SST-DROP CABLE TONEABLE SMF-28® ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM G652.D/G657.A1 PRINT IN FT	Corning	006ZB1-14122A20	On Order
03/05/21		10,000	6	Cable, Fiber Optic. 6-FIBER SST-DROP CABLE TONEABLE SMF-28® ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM G652.D/G657.A1 PRINT IN FT	Corning	006ZB1-14122A20	On Order
03/05/21		10,000	6	Cable, Fiber Optic. 6-FIBER SST-DROP CABLE TONEABLE SMF-28® ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM G652.D/G657.A1 PRINT IN FT	Corning	006ZB1-14122A20	On Order
03/05/21		10,000	6	Cable, Fiber Optic. 6-FIBER SST-DROP CABLE TONEABLE SMF-28® ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM G652.D/G657.A1 PRINT IN FT	Corning	006ZB1-14122A20	On Order
				12 fiber toneable 5K' reels:			
02/04/21		5,000	12	Cable, Fiber Optic. 12-FIBER SST-DROP CABLE TONEABLE SMF-28® ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM G652.D/G657.A1 PRINT IN FT	Corning	012ZB1-14122A20	On Order
03/05/21		5,000	12	Cable, Fiber Optic. 12-FIBER SST-DROP CABLE TONEABLE SMF-28® ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM G652.D/G657.A1 PRINT IN FT	Corning	012ZB1-14122A20	On Order
03/05/21		5,000	12	Cable, Fiber Optic. 12-FIBER SST-DROP CABLE TONEABLE SMF-28® ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM G652.D/G657.A1 PRINT IN FT	Corning	012ZB1-14122A20	On Order
03/05/21		5,000	12	Cable, Fiber Optic. 12-FIBER SST-DROP CABLE TONEABLE SMF-28® ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM G652.D/G657.A1 PRINT IN FT	Corning	012ZB1-14122A20	On Order
03/05/21		5,000	12	Cable, Fiber Optic. 12-FIBER SST-DROP CABLE TONEABLE SMF-28® ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM G652.D/G657.A1 PRINT IN FT	Corning	012ZB1-14122A20	On Order
03/05/21		5,000	12	Cable, Fiber Optic. 12-FIBER SST-DROP CABLE TONEABLE SMF-28® ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM G652.D/G657.A1 PRINT IN FT	Corning	012ZB1-14122A20	On Order

ETA	NovaLight Reel #	Footage	Fiber Count	Description	Manufacturer	Part Number	Stock Status
				12 fiber toneable 10K' reels:			
01/12/21		10,000	12	Cable, Fiber Optic. 12-FIBER SST-DROP CABLE TONEABLE SMF-28® ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM G652.D/G657.A1 PRINT IN FT	Corning	012ZB1-14122A20	On Order
01/12/21		10,000	12	Cable, Fiber Optic. 12-FIBER SST-DROP CABLE TONEABLE SMF-28® ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM G652.D/G657.A1 PRINT IN FT	Corning	012ZB1-14122A20	On Order
01/12/21		10,000	12	Cable, Fiber Optic. 12-FIBER SST-DROP CABLE TONEABLE SMF-28® ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM G652.D/G657.A1 PRINT IN FT	Corning	012ZB1-14122A20	On Order
01/12/21		10,000	12	Cable, Fiber Optic. 12-FIBER SST-DROP CABLE TONEABLE SMF-28® ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM G652.D/G657.A1 PRINT IN FT	Corning	012ZB1-14122A20	On Order
01/12/21		10,000	12	Cable, Fiber Optic. 12-FIBER SST-DROP CABLE TONEABLE SMF-28® ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM G652.D/G657.A1 PRINT IN FT	Corning	012ZB1-14122A20	On Order
01/12/21		10,000	12	Cable, Fiber Optic. 12-FIBER SST-DROP CABLE TONEABLE SMF-28® ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM G652.D/G657.A1 PRINT IN FT	Corning	012ZB1-14122A20	On Order
01/12/21		10,000	12	Cable, Fiber Optic. 12-FIBER SST-DROP CABLE TONEABLE SMF-28® ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM G652.D/G657.A1 PRINT IN FT	Corning	012ZB1-14122A20	On Order
01/12/21		10,000	12	Cable, Fiber Optic. 12-FIBER SST-DROP CABLE TONEABLE SMF-28® ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM G652.D/G657.A1 PRINT IN FT	Corning	012ZB1-14122A20	On Order
02/04/21		10,000	12	Cable, Fiber Optic. 12-FIBER SST-DROP CABLE TONEABLE SMF-28® ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM G652.D/G657.A1 PRINT IN FT	Corning	012ZB1-14122A20	On Order
02/04/21		10,000	12	Cable, Fiber Optic. 12-FIBER SST-DROP CABLE TONEABLE SMF-28® ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM G652.D/G657.A1 PRINT IN FT	Corning	012ZB1-14122A20	On Order
02/04/21		10,000	12	Cable, Fiber Optic. 12-FIBER SST-DROP CABLE TONEABLE SMF-28® ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM G652.D/G657.A1 PRINT IN FT	Corning	012ZB1-14122A20	On Order
02/04/21		10,000	12	Cable, Fiber Optic. 12-FIBER SST-DROP CABLE TONEABLE SMF-28® ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM G652.D/G657.A1 PRINT IN FT	Corning	012ZB1-14122A20	On Order
02/04/21		10,000	12	Cable, Fiber Optic. 12-FIBER SST-DROP CABLE TONEABLE SMF-28® ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM G652.D/G657.A1 PRINT IN FT	Corning	012ZB1-14122A20	On Order
02/04/21		10,000	12	Cable, Fiber Optic. 12-FIBER SST-DROP CABLE TONEABLE SMF-28® ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM G652.D/G657.A1 PRINT IN FT	Corning	012ZB1-14122A20	On Order

ETA	NovaLight Reel #	Footage	Fiber Count	Description	Manufacturer	Part Number	Stock Status
02/04/21		10,000	12	Cable, Fiber Optic. 12-FIBER SST-DROP CABLE TONEABLE SMF-28® ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM G652.D/G657.A1 PRINT IN FT	Corning	012ZB1-14122A20	On Order
02/04/21		10,000	12	Cable, Fiber Optic. 12-FIBER SST-DROP CABLE TONEABLE SMF-28® ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM G652.D/G657.A1 PRINT IN FT	Corning	012ZB1-14122A20	On Order
02/04/21		10,000	12	Cable, Fiber Optic. 12-FIBER SST-DROP CABLE TONEABLE SMF-28® ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM G652.D/G657.A1 PRINT IN FT	Corning	012ZB1-14122A20	On Order
02/04/21		10,000	12	Cable, Fiber Optic. 12-FIBER SST-DROP CABLE TONEABLE SMF-28® ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM G652.D/G657.A1 PRINT IN FT	Corning	012ZB1-14122A20	On Order
03/05/21		10,000	12	Cable, Fiber Optic. 12-FIBER SST-DROP CABLE TONEABLE SMF-28® ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM G652.D/G657.A1 PRINT IN FT	Corning	012ZB1-14122A20	On Order
03/05/21		10,000	12	Cable, Fiber Optic. 12-FIBER SST-DROP CABLE TONEABLE SMF-28® ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM G652.D/G657.A1 PRINT IN FT	Corning	012ZB1-14122A20	On Order
03/05/21		10,000	12	Cable, Fiber Optic. 12-FIBER SST-DROP CABLE TONEABLE SMF-28® ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM G652.D/G657.A1 PRINT IN FT	Corning	012ZB1-14122A20	On Order
03/05/21		10,000	12	Cable, Fiber Optic. 12-FIBER SST-DROP CABLE TONEABLE SMF-28® ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM G652.D/G657.A1 PRINT IN FT	Corning	012ZB1-14122A20	On Order
03/05/21		10,000	12	Cable, Fiber Optic. 12-FIBER SST-DROP CABLE TONEABLE SMF-28® ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM G652.D/G657.A1 PRINT IN FT	Corning	012ZB1-14122A20	On Order
03/05/21		10,000	12	Cable, Fiber Optic. 12-FIBER SST-DROP CABLE TONEABLE SMF-28® ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM G652.D/G657.A1 PRINT IN FT	Corning	012ZB1-14122A20	On Order
03/05/21		10,000	12	Cable, Fiber Optic. 12-FIBER SST-DROP CABLE TONEABLE SMF-28® ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM G652.D/G657.A1 PRINT IN FT	Corning	012ZB1-14122A20	On Order
03/05/21		10,000	12	Cable, Fiber Optic. 12-FIBER SST-DROP CABLE TONEABLE SMF-28® ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM G652.D/G657.A1 PRINT IN FT	Corning	012ZB1-14122A20	On Order
03/05/21		10,000	12	Cable, Fiber Optic. 12-FIBER SST-DROP CABLE TONEABLE SMF-28® ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM G652.D/G657.A1 PRINT IN FT	Corning	012ZB1-14122A20	On Order
03/05/21		10,000	12	Cable, Fiber Optic. 12-FIBER SST-DROP CABLE TONEABLE SMF-28® ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM G652.D/G657.A1 PRINT IN FT	Corning	012ZB1-14122A20	On Order
				Flat Drop Cable, Non-Toneable			

ETA	NovaLight Reel #	Footage	Fiber Count	Description	Manufacturer	Part Number	Stock Status
				2 fiber non-toneable 5K' reels:			
01/12/21		5,000	2	Cable, Fiber Optic. 2-FIBER SST-DROP CABLE NON-ARMORED SMF-28® ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM G652.D/G657.A1 PRINT IN FT	Corning	002ZB4-14122A20	On Order
01/12/21		5,000	2	Cable, Fiber Optic. 2-FIBER SST-DROP CABLE NON-ARMORED SMF-28® ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM G652.D/G657.A1 PRINT IN FT	Corning	002ZB4-14122A20	On Order
01/12/21		5,000	2	Cable, Fiber Optic. 2-FIBER SST-DROP CABLE NON-ARMORED SMF-28® ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM G652.D/G657.A1 PRINT IN FT	Corning	002ZB4-14122A20	On Order
01/12/21		5,000	2	Cable, Fiber Optic. 2-FIBER SST-DROP CABLE NON-ARMORED SMF-28® ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM G652.D/G657.A1 PRINT IN FT	Corning	002ZB4-14122A20	On Order
02/04/21		5,000	2	Cable, Fiber Optic. 2-FIBER SST-DROP CABLE NON-ARMORED SMF-28® ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM G652.D/G657.A1 PRINT IN FT	Corning	002ZB4-14122A20	On Order
02/04/21		5,000	2	Cable, Fiber Optic. 2-FIBER SST-DROP CABLE NON-ARMORED SMF-28® ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM G652.D/G657.A1 PRINT IN FT	Corning	002ZB4-14122A20	On Order
02/04/21		5,000	2	Cable, Fiber Optic. 2-FIBER SST-DROP CABLE NON-ARMORED SMF-28® ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM G652.D/G657.A1 PRINT IN FT	Corning	002ZB4-14122A20	On Order
02/04/21		5,000	2	Cable, Fiber Optic. 2-FIBER SST-DROP CABLE NON-ARMORED SMF-28® ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM G652.D/G657.A1 PRINT IN FT	Corning	002ZB4-14122A20	On Order
03/05/21		5,000	2	Cable, Fiber Optic. 2-FIBER SST-DROP CABLE NON-ARMORED SMF-28® ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM G652.D/G657.A1 PRINT IN FT	Corning	002ZB4-14122A20	On Order
03/05/21		5,000	2	Cable, Fiber Optic. 2-FIBER SST-DROP CABLE NON-ARMORED SMF-28® ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM G652.D/G657.A1 PRINT IN FT	Corning	002ZB4-14122A20	On Order
03/05/21		5,000	2	Cable, Fiber Optic. 2-FIBER SST-DROP CABLE NON-ARMORED SMF-28® ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM G652.D/G657.A1 PRINT IN FT	Corning	002ZB4-14122A20	On Order
03/05/21		5,000	2	Cable, Fiber Optic. 2-FIBER SST-DROP CABLE NON-ARMORED SMF-28® ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM G652.D/G657.A1 PRINT IN FT	Corning	002ZB4-14122A20	On Order
				2 fiber non-toneable 10K' reels:			
11/15/20		10,000	2	Cable, Fiber Optic. 2-FIBER SST-DROP CABLE NON-ARMORED SMF-28® ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM G652.D/G657.A1 PRINT IN FT	Corning	002ZB4-14122A20	On Order

ETA	NovaLight Reel #	Footage	Fiber Count	Description	Manufacturer	Part Number	Stock Status	
01/12/21		10,000	2	Cable, Fiber Optic. 2-FIBER SST-DROP CABLE NON-ARMORED SMF-28® ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM G652.D/G657.A1 PRINT IN FT	Corning	002ZB4-14122A20	On Order	
02/04/21		10,000	2	Cable, Fiber Optic. 2-FIBER SST-DROP CABLE NON-ARMORED SMF-28® ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM G652.D/G657.A1 PRINT IN FT	Corning	002ZB4-14122A20	On Order	
03/05/21		10,000	2	Cable, Fiber Optic. 2-FIBER SST-DROP CABLE NON-ARMORED SMF-28® ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM G652.D/G657.A1 PRINT IN FT	Corning	002ZB4-14122A20	On Order	
				6 fiber non-toneable 5K' reels:				
02/04/21		5,000	6	Cable, Fiber Optic. 6-FIBER SST-DROP CABLE NON-ARMORED SMF-28® ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM G652.D/G657.A1 PRINT IN FT	Corning	006ZB4-14122A20	On Order	
02/04/21		5,000	6	Cable, Fiber Optic. 6-FIBER SST-DROP CABLE NON-ARMORED SMF-28® ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM G652.D/G657.A1 PRINT IN FT	Corning	006ZB4-14122A20	On Order	
03/05/21		5,000	6	Cable, Fiber Optic. 6-FIBER SST-DROP CABLE NON-ARMORED SMF-28® ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM G652.D/G657.A1 PRINT IN FT	Corning	006ZB4-14122A20	On Order	
03/05/21		5,000	6	Cable, Fiber Optic. 6-FIBER SST-DROP CABLE NON-ARMORED SMF-28® ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM G652.D/G657.A1 PRINT IN FT	Corning	006ZB4-14122A20	On Order	
				6 fiber non-toneable 10K' reels:				
11/15/20		10,000	6	Cable, Fiber Optic. 6-FIBER SST-DROP CABLE NON-ARMORED SMF-28® ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM G652.D/G657.A1 PRINT IN FT	Corning	006ZB4-14122A20	Sale Pending	
01/12/21		10,000	6	Cable, Fiber Optic. 6-FIBER SST-DROP CABLE NON-ARMORED SMF-28® ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM G652.D/G657.A1 PRINT IN FT	Corning	006ZB4-14122A20	On Order	
02/04/21		10,000	6	Cable, Fiber Optic. 6-FIBER SST-DROP CABLE NON-ARMORED SMF-28® ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM G652.D/G657.A1 PRINT IN FT	Corning	006ZB4-14122A20	On Order	
03/05/21		10,000	6	Cable, Fiber Optic. 6-FIBER SST-DROP CABLE NON-ARMORED SMF-28® ULTRA MAX: 0.34/0.34/0.22, TYPICAL: 0.32/0.32/0.18 DB/KM G652.D/G657.A1 PRINT IN FT	Corning	006ZB4-14122A20	On Order	
				12 fiber non-toneable 5K' reels:				
				12 fiber non-toneable 10K' reels:				
				24 fiber non-toneable 10K' reels:				

ETA	NovaLight Reel #	Footage	Fiber Count	Description	Manufacturer	Part Number	Stock Status
				Indoor Cable, Plenum Rated, Yellow Jacket:			
				Indoor Cable ARMORED, Plenum Rated, Yellow Jacket:			
	4008-A	1,002	12	Cable, Fiber Optic. 12 Fiber Distribution Cable 900µm Tight Buffered: OFCP/FT6 Flame Rated Aluminum Interlock Armor, Overall Yellow Jacket 12 Fiber Corning Ultra SMF (ITU G.657.A1 and G.652.D). 0.5/0.5/0.5 dB/km at 1310/1383/1550 nm (1383 nm uncabled) Complies with GR-409 and ANSI/CEA S-83-596 performance criteria.	Prysmian	F-800AJ-00-CU-012-EA	In Stock
	4002	502	24	Cable Fiber 24 strand Central Tube Distribution Cable 900µm Tight Buffered Aluminum Interlock Armor, Overall Jacket Corning SMF28e+ Single Mode (ITU G.652.D). 0.40/0.40/0.30 dB/km at 1310/1383/1550 nm	Prysmian	F-800AJ-00-CE-024-E7	In Stock
	4024	4,254	24	Cable Fiber 24 strand Central Tube Distribution Cable 900µm Tight Buffered Aluminum Interlock Armor, Overall Jacket Corning SMF28e+ Single Mode (ITU G.652.D). 0.40/0.40/0.30 dB/km at 1310/1383/1550 nm	Prysmian	F-800AJ-00-CE-024-E7	In Stock
				Indoor / Outdoor Cable, Plenum Rated, Black Jacket:			
				Indoor / Outdoor Cable ARMORED, Plenum Rated, Yellow Jacket:			
	4604-B	574	72	Cable, Fiber optic. 72 fiber Plenum Rated. Indoor/Outdoor Loose Tube Cable 72 Fiber SMF28e+ Single Mode (ITU G.652.D). Aluminum Interlock Armor, with Overall Jacket 12 Fibers per Tube 0.35/0.35/0.25 dB/km at 1310/1383/1550 nm (1383 nm uncabled) Complies with GR-20 and ANSI/CEA S-104-696 performance criteria.	Prysmian	F-DPLDBAJ-12-CE-072-E1	In Stock
	4607	1,590	72	Cable, Fiber optic. 72 fiber Plenum Rated. Indoor/Outdoor Loose Tube Cable 72 Fiber SMF28e+ Single Mode (ITU G.652.D). Aluminum Interlock Armor, with Overall Jacket 12 Fibers per Tube 0.35/0.35/0.25 dB/km at 1310/1383/1550 nm (1383 nm uncabled) Complies with GR-20 and ANSI/CEA S-104-696 performance criteria.	Prysmian	F-DPLDBAJ-12-CE-072-E1	In Stock
				Indoor/Outdoor Cable, Riser Rated, Armored:			
				Indoor Cable, Riser Rated, Yellow Jacket:			

ETA	NovaLight Reel #	Footage	Fiber Count	Description	Manufacturer	Part Number	Stock Status
	6205	13,200	12	012-Fiber Cable, Singlemode, Fan Out Cable, Riser Rated, Yellow Jacket	Siecor	012R61-31231-24	In Stock
	6206	13,123	12	012-Fiber Cable, Singlemode, Fan Out Cable, Riser Rated, Yellow Jacket	Siecor	012R61-31231-24	In Stock
	6207	13,108	12	012-Fiber Cable, Singlemode, Fan Out Cable, Riser Rated, Yellow Jacket	Siecor	012R61-31231-24	In Stock
Jumpers	1016-A	1,408	24	Cable, Fiber optic. 24 Fiber Enhanced Single Mode Central Tube, Tight Buffer, Riser Rated, Yellow Jacket	Draka	F-400-00-ES-024-EB	Sale Pending
	1012	1,878	24	24 fiber Tight buffer 8.3 SM DIST Riser Rated cable Indoor cable dielectric	Hitachi	60014-24	In Stock
	1029	5,000	24	Cable, Fiber Optic. 24 fiber, tight buffer Indoor, Riser Rated OFNR, single mode Corning Ultra glass	TLC	S09DI24CZNR	In Stock
	1020	4,870	48	48 Fiber ESM Tight buffer Distribution Cable. 12 fibers per unit. Riser FT4 Rated Yellow Jacket Enhanced Single Mode (ITU G.652.D) 12 Fibers per Unit 0.7/0.7/0.7 dB/km at 1310/1383/1550 nm	Prysmian	F-400-12-ES-048-EB	In Stock
	1014	4,324	48	48 Fiber SM Tight Buffer FT-4 Riser Rated Cable with Yellow Jacket. Hitachi cable made with Corning Glass	Hitachi	60015-48	In Stock
	1015	2,416	48	48 Fiber SM Tight Buffer FT-4 Riser Rated Cable with Yellow Jacket. Hitachi cable made with Corning Glass	Hitachi	60015-48	In Stock
jumpers	1027	552	72	Cable, Fiber optic. 72 fiber Tight Buffer Distribution, OFNR Riser, Yellow, Jacket, single mode Corning Ultra Glass.	TLC	S09DI72CZNR-Y	Sale Pending
	1030	2,532	72	Cable, Fiber optic. 72 fiber Tight Buffer Distribution, OFNR Riser, Yellow, Jacket, single mode Corning Ultra Glass.	TLC	S09DI72CZNR-Y	In Stock
	1018	2,500	96	96-Fiber, SM, Riser Rated, Tight Buffer, Yellow Jacket Cable.	Hitachi	60015-96	In Stock
	1019	1,776	96	96-Fiber, SM, Riser Rated, Tight Buffer, Yellow Jacket Cable.	Hitachi	60015-96	In Stock
				Indoor / Outdoor Cable, Riser Rated, Black Jacket.			
	2129	10,000	6	Cable, Fiber optic. 6-FIBER FREEDM® LST GEL-FREE CABLE RISER SMF-28@ ULTRA MAX: 0.35/0.35/0.25 DB/KM G652.D/G657.A1 12F/TUBE PRINT IN FT, Black Jacket.	Corning	006ZSF-T4100D20	In Stock
	2052-C	890	12	Cable, Fiber, 12 strand Singlemode low water peak, distribution style, tight buffer 900um indoor/outdoor riser rated dielectric ***REDUCED DIAMETER****	OCC	DX012DSLX9KR	In Stock
	2117	310	24	Cable, Fiber Optic. 24 Fiber Corning Ultra SMF. Indoor/Outdoor Loose Tube Cable: OFNR/FT4 Flame Rated Non-Armor, Single Jacket. (ITU G.657.A1 and G.652.D). 0.35/0.35/0.25 dB/km at 1310/1383/1550 nm (1383 nm uncabled) Complies with GR-20 and ANSI/CEA S-104-696 performance criteria.	Prysmian	F-DRLDB-12-CU-024-E3	In Stock

ETA	NovaLight Reel #	Footage	Fiber Count	Description	Manufacturer	Part Number	Stock Status
				Duct 1.5"			
	25	1,100	1.5"	1.5" HDPE SDR 13.5, Orange, No Tape	Dura Line	Duct-1.5in-SDR13.5Orng-stk	In Stock
	26	5,000	1.5"	Innerduct, 1 1/2" SDR 13.5 Orange Empty	Four Star	150420S8NN5000	In Stock
	54	5,000	1.5"	Innerduct, SDR 11, 1.5", Orange, w/1000# Tape	Blue diamond	BDI163OR-T10-stk	In Stock
	55	5,000	1.5"	Innerduct, SDR 11, 1.5", Orange, w/1000# Tape	Blue diamond	BDI163OR-T10-stk	In Stock
	56	5,000	1.5"	Innerduct, SDR 11, 1.5", Orange, w/1000# Tape	Blue diamond	BDI163OR-T10-stk	In Stock
	57	5,000	1.5"	Innerduct, SDR 11, 1.5", Orange, w/1000# Tape	Blue diamond	BDI163OR-T10-stk	In Stock
	58	5,000	1.5"	Innerduct, SDR 11, 1.5", Orange, w/1000# Tape	Blue diamond	BDI163OR-T10-stk	In Stock
	59	5,000	1.5"	Innerduct, SDR 11, 1.5", Orange, w/1000# Tape	Blue diamond	BDI163OR-T10-stk	In Stock
	60	5,000	1.5"	Innerduct, SDR 11, 1.5", Orange, w/1000# Tape	Blue diamond	BDI163OR-T10-stk	In Stock
	61	5,000	1.5"	Innerduct, SDR 11, 1.5", Orange, w/1000# Tape	Blue diamond	BDI163OR-T10-stk	In Stock
				Duct 2"			
	30	4,000	2"	Innerduct, HDPE, 2" SDR 11 Orange with 1250 lb pull-tape	Blue Diamond	BDI1213OR-T12.5-Stk	Sale Pending
	31	4,000	2"	Innerduct, HDPE, 2" SDR 11 Orange with 1250 lb pull-tape	Blue Diamond	BDI1213OR-T12.5-Stk	Sale Pending
	33	4,000	2"	Innerduct, HDPE, 2" SDR 11 Orange with 1250 lb pull-tape	Blue Diamond	BDI1213OR-T12.5-Stk	Sale Pending
	34	4,000	2"	Innerduct, HDPE, 2" SDR 11 Orange with 1250 lb pull-tape	Blue Diamond	BDI1213OR-T12.5-Stk	Sale Pending
	35	4,000	2"	Innerduct, HDPE, 2" SDR 11 Orange with 1250 lb pull-tape	Blue Diamond	BDI1213OR-T12.5-Stk	Sale Pending